




NWS Des Moines SKYWARN Repeaters




Location	Frequency	PL
Grimes	146.610-	114.8
Williams	444.500+	151.4
Mason City	146.760-	103.5
Scranton	444.300+	151.4

Disclaimer: The range circles depict approximate coverage only. Since these are linked repeaters, after keying up, allow one second for the connections to be made.




Location	Frequency	PL
Grimes	443.400+	151.4
Gilman	444.150+	151.4
Baxter	444.225+	151.4
Newton	442.300+	151.4
Afton	442.400+	151.4
Marshalltown	443.325+	151.4
Chelsea	442.125+	151.4

Disclaimer: The range circles depict approximate coverage only. Since these are linked repeaters, after keying up, allow one second for the connections to be made.



Location	Frequency	PL
Menlo	147.045+	114.8
Creston	146.790-	136.5
Elk Horn	444.900+	151.4
Prescott	145.510-	127.3
Avoca	147.255+	151.4
Greenfield	444.700+	173.8
Atlantic	147.150+	151.4
Clarinda	444.750+	127.3
Bedford	443.700+	136.5


Disclaimer: The range circles depict approximate coverage only. Since these are linked repeaters, after keying up, allow one second for the connections to be made.



Location	Frequency	PL
Sheldahl	147.075+	114.8
Storm Lake	146.775-	110.9
Humboldt	442.400+	110.9

Notes: The Storm Lake repeater is linked to the Sheldahl repeater via the ICN while Humboldt is linked to Storm Lake via RF.

Disclaimer: The range circles depict approximate coverage only. Since these are linked repeaters, after keying up, allow one second for the connections to be made.



Location	Frequency	PL
Bedford	147.135 +	203.5
Des Moines	146.820 -	203.5
Pella	145.170 -	203.5
Waterloo	444.900 +	203.5
Davenport	146.940 -	203.5
Mason City	147.315 +	203.5

Note #1: For local use only (no ICN access) on the Waterloo repeater, use a PL tone of 136.5.

Note #2: For local use only of the Des Moines Hub, use a PL tone of 114.8.

Note #3: For local use only of the Bedford repeater, use a PL tone of 127.3.

Note #4: For local use only of the Davenport repeater, there is no PL tone.

Note #5: For local use only of the Mason City repeater, use a PL tone of 103.5.

These repeaters are linked to the main Des Moines Hub via the Iowa Communications Network fiber optic system. You must have the PL tone turned on to access the ICN Hub and the remote repeaters. *Since these are linked repeaters, after keying up, allow one second for the connections to be made.*

