



NORTHEAST WISCONSIN MARCH 2012 SUMMARY: UNPRECEDENTED RECORD WARMTH


March 2012 was the warmest March on record across much of Wisconsin, with numerous high temperature records set, some by large margins. The month started out seasonably cold with high temperatures in the 20s and 30s during the first week of the month. A winter storm brought 4 to 8 inches of snow to northeast Wisconsin on the 2nd and 3rd. Some of the coldest weather in weeks moved into the area on the 5th. Low temperatures dropped to 4 degrees below zero at Eagle River and Antigo, 1 degree above zero at Rhinelander, Green Bay reported 3 degrees above zero and Appleton 5 degrees above zero. The cold weather did not last long as temperatures soared into the 40s and 50s on the 5th. Wautoma reported a high of 59 degrees while Wisconsin Rapids warmed to 56 degrees. Temperatures reached well into the 50s to lower 60s on the 6th. Even the typical cooler locations along the lake warmed into the 60s with the Manitowoc Airport reporting 63 degrees.

A brief cool down on the 8th and 9th dropped high temperatures back into mainly the 30s and 40s, but unseasonably warm temperatures returned by the 10th, which began a two week period of unprecedented warmth. In the Green Bay forecast area which covers 22 counties across north-central and northeast Wisconsin, at least one location reported a record high temperature or record high minimum temperature on every day between the 10th and 24th except for the 13th. On the 13th, a cold front that moved across the area the night before brought temperatures closer to normal. The peak of the heat wave occurred from the 14th to the 24th when daily departures were anywhere from 25 to 40 degrees above normal for each date. On the 20th, Green Bay averaged 37 degrees above normal for the date. That established a new record for the greatest daily above normal temperature departure for any single date since records began in 1886. The old record of 34 degrees above normal occurred on March 8, 2000.

Many daily record high temperatures and record high minimum temperatures were broken by 10 to 20 degrees between the 14th and 24th. Many locations also reported the earliest 80 degree temperature for so early in the year. Numerous locations recorded the most number of days above 60, 70 and 80 degrees during the month of March. Usually during the spring, night time lows fall back into the 40s due to the cooler ground, longer nights or the cooling effects of the lake-breeze off the waters of Green Bay or Lake Michigan. During this warm spell, however, this was not the case as lows in the 50s to around 60 were reported. At Wausau, the low temperature of 60 on the 21st was the earliest low temperature of 60 degrees. The previous earliest low temperature of 60 or warmer was on April 16th, 1921, or nearly a month later than the newly established record. It was the same story for Wisconsin Rapids which reported a low of 60 degrees on the 21st. The previous earliest low temperature of 60 or warmer was on April 15, 1929. The combination of unseasonably warm days and mild nights allowed for many locations to record a number of cooling degree days for the month of March. In fact, some sites reported the first cooling degree days ever during the month of March.

Overall, March 2012 will go down in the record books as the warmest March on record. Departures were 14 to 17 degrees above normal for the month away from the waters of Green Bay and Lake Michigan. Temperatures near the bay and lake averaged 10 to 13 degrees above normal for the month. Most locations broke their previous warmest March on record by an astounding 4 to 6 degrees!

The main impacts of the extremely warm March were to agricultural interests. The green-up and flowering of plants occurred 4 to 6 weeks earlier than normal. The early warmth concerned area growers due to the potential for a hard freeze later in the spring which would cause significant damage to crops. The National Weather Service in Green Bay began to issue freeze warnings in late March when nights were expected to fall to 28 degrees or lower. The freeze headlines normally do not start until late April or early May. During the extremely warm stretch of weather, several grass fires were reported across the area. One of these fires forced Interstate 43 to shut down near Green Bay for a short period of time. One benefit of the unprecedented warm for home-owners was that less fuel was used to heat homes during the month.



MARCH 2012: UNPRECEDENTED RECORD WARMTH

Location	2012 Ave March		Departure From Normal	March 2012 Ranking	Warmest or Previous warmest March on Record	Year(s)
Antigo	42.1	26.5	+15.6	Warmest	40.4	1910
Appleton	46.4	31.3	+15.1	Warmest	42.1	1910
Brillion	44.7	31.0	+13.7	Warmest	39.0	2000
Chilton	46.2	31.6	+14.6	Warmest	41.8	1945
Clintonville	M	29.9	M	Warmest	40.1	1973
Green Bay	46.3	30.8	+15.5	Warmest	41.4	1910
Hancock	48.0	31.3	+16.7	Warmest	42.5	1910
Kewaunee	42.3	30.6	+11.7	Warmest	40.1	1945
Laona	41.1	26.2	+14.9	Warmest	35.1	1973
Manitowoc	M	31.8	M	Warmest	40.9	1945
Marinette	43.4	30.4	+13.0	Warmest	40.5	1946
Marshfield	46.3	30.4	+15.9	Warmest	39.9	1946
Merrill	M	28.0	M	Warmest	42.1	1910
New London	46.1	30.5	+15.6	Warmest	42.3	1910,1945
Oconto	M	29.9	M	Warmest	40.7	1910
Oshkosh	47.4	32.3	+15.1	Warmest	42.9	1910
Peshtigo	M	27.6	M	Warmest	35.5	2010
Rhineland	42.9	27.1	+15.8	Warmest	38.4	1946
Shawano	44.1	30.0	+14.1	Warmest	40.3	1945
Stevens Point	46.0	30.3	+15.7	Warmest	40.7	1946
Sturgeon Bay	42.3	30.3	+12.0	Warmest	39.7	1946
Two Rivers	M	31.0	M	Warmest	38.6	2000
Washington Island	38.9	28.6	+10.3	Warmest	37.7	2000
Waupaca	M	31.3	M	Warmest	40.6	1973
Wausau	45.8	30.0	+15.8	Warmest	43.3	1910
Wisconsin Rapids	47.7	31.7	+16.0	Warmest	40.8	1945,20100

M = Missing data during the month.

MARCH 2012

Warmest March Temperatures on Record across North-Central and Northeast Wisconsin

The following locations reported the highest temperature ever record during the month of March. For most locations, this was the earliest 80 degree temperature on record for so early in the year.

Location	New March Record High	2012 Date(s)	Previous Warmest March Day on Record	Date(s) / Year
Appleton	83	21	81	26/2007
Brillion	82	21	78	26/2007
Chilton	84	21	82	29/1910
Clintonville	82	21	80	26/2007
Crivitz High Falls	81	17-18-19	76	26/2007, 08/2000
Green Bay	82	21	82	29/1910
Laona	78	19-20	77	24/1939
Marinette	82	21	77	28/1946, 07/2000, 26/2007
Marshfield	80	17	80	28/1986, 30/1986
New London	82	21	82	29/1910
Oconto	83	21	80	20/1910
Rhineland	78	18-19	77	27/1910, 30/1910
Shawano	82	17-18-21	79	28/1946
Willow Reservoir	75	19	71	28/1946, 07/2000, 26/2007
Wisconsin Rapids (coop)	82	17-18-20	82	29/1910, 26/2007

The warmest documented March temperatures across the Green Bay CWA dating back to the 1880s:

Location	High Temp	Date
Chilton & Denmark & Wautoma	84	03/21/2012
Hancock and Waupaca	84	03/29/1986
Many locations	83	Many dates

MARCH 2012

Noteworthy Temperature Facts from March 2012

Location	Other note-worthy temperature event during March 2012 heat wave
Antigo	75 on the 18 th , 19 th and 20 th was the 3 rd warmest temperature ever (78 on 3/29/1910)
Appleton	3 days in the 80s this month, 5 days in the 80s since records began in 1901
Brillion	2 days in the 80s this month, never happened before this year
Chilton	4 days in the 80s this month, 5 days in the 80s since records began in 1944
Clintonville	4 days in the 80s this month, 5 days in the 80s since records began in 1952
Green Bay	2 days in the 80s this month, 3 days in the 80s since records began in 1886
Hancock	3 days in the 80s this month, 8 days in the 80s since records began in 1902
Kewaunee	Southerly winds kept the city considerably cooler than inland locations
Manitowoc	Southerly winds kept the city considerably cooler than inland locations
Marinette	Reached 82 on the 21 st , 1 st ever 80 degree day during March
Marshfield	1 day in the 80s, 3 days in the 80s since records began in 1912
Merrill	Reached 79 on the 17 th and 18 th , 5 th warmest temperature ever record during the month
Minocqua Dam	77 on the 19 th was the 2 nd warmest temp ever (78 on 3/29/1910)
New London	4 days in the 80s this month, 8 days since records began in 1896
Oconto	1 day in the 80s this month, 2 days in the 80s since records began in 1893
Oshkosh	82 on the 21 st was the 2 nd warmest temp ever in March (83 on 3/29/1910)
Rest Lake	Reached 78 on the 18 th , 2 nd warmest March day on record (80 on 3/28/1946)
Rhineland	78 on the 18 th and 19 th broke the March previous record of 77 on 3/27/1910 and 3/30 1910
Shawano	3 days in the 80s this month, 1 st ever record 80 degree days in March since records began (1925)
Stevens Point	79 on the 17 th , 4 th warmest March temp on record (82 on 3/29/1910)
Sturgeon Bay	75 on the 21 st was the 4 nd warmest March temp on record since 1905; temp of 76 occurred on 3/28/1946, 3/7/2000 and 3/26/2007
Washington Island	High of 63 on the 21 st was the 10 th warmest March temp on record. Record March temp is 71 degrees set on 3/27/1946, 3/28/1946 and 3/7/2000
Waupaca	83 on the 20 th and 21 st , second warmest temp on record for March (84 on 3/30/1986)
Wausau	High of 78 on 20 th and 21 st 3 rd warmest March temp on record (80 on 29-30/1910)

DAILY RECORDS BROKEN

DATE: MARCH 10

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	NR				NR		
APPLETON	62	60	1977		NR		
GREEN BAY	NR				NR		
MANITOWOC	NR				NR		
MARSHFIELD	63	57	1977,1985		NR		
MERRILL	59	55	1977		NR		
OSHKOSH	60	60	1955,1985		NR		
RHINELANDER	NR				NR		
STEVENS POINT	63	63	1925		NR		
STURGEON BAY	57	51	1985		NR		
WAUSAU	61	55	1977		NR		
WISCONSIN RAPIDS	65	61	1977		NR		

Note: NR = No record broken.

DATE: MARCH 11

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	59	55	1977		36	36	1977,2010
APPLETON	66	60	1977		NR		
GREEN BAY	63	62	1973		NR		
MANITOWOC	65	56	1995		42	40	1908
MARSHFIELD	65	58	2006		39	39	1977
MERRILL	62	58	1977		NR		
OSHKOSH	65	61	1973		NR		
RHINELANDER	59	58	1977,1995		38	37	2010
STEVENS POINT	66	58	2006		NR		
STURGEON BAY	65	55	1917		41	38	1908
WAUSAU	63	55	1995		39	38	1902,1977
WISCONSIN RAPIDS	67	62	2006		40	39	1977

Note: NR = No record broken.

DAILY RECORDS BROKEN

DATE: MARCH 12

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	NR				41	40	1977
APPLETON	NR				45	42	1977
GREEN BAY	NR				47	46	1977
MANITOWOC	NR				NR		
MARSHFIELD	NR				45	43	1977
MERRILL	NR				NR		
OSHKOSH	NR				48	42	1977
RHINELANDER	NR				42	40	1977
STEVENS POINT	NR				NR		
STURGEON BAY	NR				42	41	1977
WAUSAU	NR				44	43	1977
WISCONSIN RAPIDS	NR				46	44	1977

Note: NR = No record broken.

DATE: MARCH 14

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	72	64	1990		NR		
APPLETON	77	70	1995		NR		
GREEN BAY	75	73	1995		NR		
MANITOWOC	NR				39	39	2010
MARSHFIELD	75	65	1990,1995		NR		
MERRILL	74	65	1990		NR		
OSHKOSH	76	72	1995		NR		
RHINELANDER	71	62	1990		NR		
STEVENS POINT	75	72	1903		NR		
STURGEON BAY	NR				NR		
WAUSAU	75	67	1995		NR		
WISCONSIN RAPIDS	78	72	1995		NR		

Note: NR = No record broken.

DAILY RECORDS BROKEN

DATE: MARCH 15

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	63	61	1990,2010		NR		
APPLETON	65	64	1990,1995		48	40	1995
GREEN BAY	NR				41	40	1995
MANITOWOC	NR				NR		
MARSHFIELD	69	66	1995		47	40	1945,1977
MERRILL	67	65	2005		NR		
OSHKOSH	66	65	1990		46	41	1995
RHINELANDER	65	63	1990,1995		38	36	1973,1990
STEVENS POINT	NR				NR		
STURGEON BAY	NR				NR		
WAUSAU	68	65	1995		44	39	1990
WISCONSIN RAPIDS	73	72	1927		44	37	1920

Note: NR = No record broken.

DATE: MARCH 16

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	NR				NR		
APPLETON	73	64	1927,1945,2003		41	39	1927
GREEN BAY	70	70	1927		NR		
MANITOWOC	NR				NR		
MARSHFIELD	75	68	1930,2003		NR		
MERRILL	71	68	1927		NR		
OSHKOSH	76	71	1927		NR		
RHINELANDER	70	68	1927		NR		
STEVENS POINT	73	70	1927		NR		
STURGEON BAY	NR				NR		
WAUSAU	72	68	1927		NR		
WISCONSIN RAPIDS	77	72	2003		NR		

Note: NR = No record broken.

DAILY RECORDS BROKEN

DATE: MARCH 17

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	73	67	1966		46	36	2011
APPLETON	80	70	2009		55	39	1945
GREEN BAY	78	71	1966		54	40	1927,1999
MANITOWOC	NR				NR		
MARSHFIELD	80	68	1966		53	39	2003
MERRILL	79	69	1966		54	35	1945
OSHKOSH	80	71	1966		58	42	1945,2011
RHINELANDER	77	69	1966		57	36	1946,1966,2011
STEVENS POINT	79	69	1930		56	45	1945
STURGEON BAY	NR				46	37	1927
WAUSAU	78	68	1966		55	38	2009,2011
WISCONSIN RAPIDS	81	74	1966		59	40	2003

Note: NR = No record broken.

DATE: MARCH 18

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	75	66	1966		48	40	1968
APPLETON	79	65	2010		51	44	1968
GREEN BAY	79	72	1903		55	45	1894
MANITOWOC	NR				43	43	2010
MARSHFIELD	79	64	1918,1966		53	41	1968
MERRILL	79	64	2010		55	40	1968
OSHKOSH	80	72	1903		54	41	2010
RHINELANDER	78	64	1966		57	42	1968
STEVENS POINT	78	72	1903		57	46	1968
STURGEON BAY	67	64	2010		44	38	1966
WAUSAU	78	62	2010		54	44	1968
WISCONSIN RAPIDS	81	66	1938		54	44	1968

Note: NR = No record broken.

DAILY RECORDS BROKEN

DATE: MARCH 19

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	75	69	1921		54	43	1968
APPLETON	76	71	1921		55	42	1903
GREEN BAY	77	71	1903		55	46	1921
MANITOWOC	NR				43	40	1918
MARSHFIELD	NR				56	45	1968
MERRILL	77	72	1921		56	43	1968
OSHKOSH	NR				56	46	1921
RHINELANDER	78	70	1910		57	44	1913,1968
STEVENS POINT	NR				56	53	1903
STURGEON BAY	NR				45	38	1913,1968
WAUSAU	76	73	1921		55	46	1903
WISCONSIN RAPIDS	NR				58	45	1921

Note: NR = No record broken.

DATE: MARCH 20

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	75	69	1921		54	45	1976
APPLETON	81	74	1921		55	48	1921
GREEN BAY	80	76	1921		57	44	1921
MANITOWOC	NR				43	41	1921
MARSHFIELD	75	65	1921		57	42	1976
MERRILL	77	69	1910		56	44	1921
OSHKOSH	81	78	1921		55	55	1921
RHINELANDER	76	65	1910		51	37	1919,1921
STEVENS POINT	79	77	1921		59	51	1921
STURGEON BAY	68	63	1921		48	39	1921
WAUSAU	78	68	1910		57	41	1918
WISCONSIN RAPIDS	81	68	1921		57	44	1921

Note: NR = No record broken.

DAILY RECORDS BROKEN

DATE: MARCH 21

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	73	68	1938		54	40	1946
APPLETON	83	68	1911,1938		59	38	1949,2000
GREEN BAY	82	67	1911		55	40	1938,1949
MANITOWOC	NR				46	40	1946
MARSHFIELD	74	70	1938		59	40	1946
MERRILL	75	71	1938		52	37	1946
OSHKOSH	82	75	1938		57	41	1949
RHINELANDER	74	67	1911,1938		50	40	1946
STEVENS POINT	78	72	1911		59	41	1946
STURGEON BAY	75	63	1938		47	38	1948
WAUSAU	76	71	1938		60	38	1938,1946,2000
WISCONSIN RAPIDS	80	75	1938		60	42	1949

Note: NR = No record broken.

DATE: MARCH 22

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	66	66	1938		52	50	2012
APPLETON	71	66	1938		51	45	1938
GREEN BAY	NR				48	42	2000
MANITOWOC	NR				46	45	2007
MARSHFIELD	72	69	1994		56	42	1931
MERRILL	NR				54	41	1938
OSHKOSH	73	70	1938		53	46	1938
RHINELANDER	NR				53	40	2000
STEVENS POINT	72	72	1938		58	46	1938
STURGEON BAY	NR				49	42	2000
WAUSAU	71	71	1938		56	43	2000
WISCONSIN RAPIDS	74	74	1928		56	47	1910

Note: NR = No record broken.

DAILY RECORDS BROKEN

DATE: MARCH 23

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	NR				50	40	1920
APPLETON	NR				50	40	2000
GREEN BAY	NR				47	45	1920
MANITOWOC	NR				46	43	2003
MARSHFIELD	NR				54	41	1920
MERRILL	NR				54	39	2000
OSHKOSH	NR				50	44	1920
RHINELANDER	NR				51		
STEVENS POINT	NR				53	43	1920
STURGEON BAY	NR				46	44	2000
WAUSAU	NR				53	43	1920
WISCONSIN RAPIDS	NR				54	45	1920

Note: NR = No record broken.

DATE: MARCH 24

LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	NR						
APPLETON	NR				48	48	1910
GREEN BAY	NR				NR		
MANITOWOC	NR				NR		
MARSHFIELD	NR				52	44	2012
MERRILL	NR				53	53	1910
OSHKOSH	NR				NR		
RHINELANDER	NR				47	42	1990,2003
STEVENS POINT	NR				51	50	1910
STURGEON BAY	NR						
WAUSAU	NR				NR		
WISCONSIN RAPIDS	NR				53	53	1910

Note: NR = No record broken.

DAILY RECORDS BROKEN

DATE: MARCH 27


LOCATION	RECORD HIGH 2012	OLD RECORD HIGH	YEAR(S)		RECORD HIGH MIN 2012	OLD RECORD HIGH MIN	YEAR(S)
ANTIGO	NR				NR		
APPLETON	NR				NR		
GREEN BAY	NR				NR		
MANITOWOC	NR				NR		
MARSHFIELD	73	71	1945, 1946,1989		NR		
MERRILL	NR				NR		
OSHKOSH	NR				NR		
RHINELANDER	NR				NR		
STEVENS POINT	NR				NR		
STURGEON BAY	NR				NR		
WAUSAU	NR				NR		
WISCONSIN RAPIDS	NR				NR		

Note: NR = No record broken.

March Cooling Degree Day Records


Location	2012 March Cooling Degree Days	Normal	Departure From Normal	Previous or Current March Cooling Degree Day Record	Year(s)
Antigo	0	0	0	0	
Appleton	19	0	+19	1	2007
Brillion	9	0	+9	3	2007
Chilton	15	0	+15	5	1910,2007
Green Bay	12	0	12	4	1910
Hancock	20	0	+20	3	1910
Kewaunee	0	0	0	0	
Laona	5	0	+5	0	
Manitowoc	0	0	0	1	2007
Marinette	0	0	0	0	
Marshfield	6	0	6	0	
Merrill	M	0	M	4	1910
New London	18	0	+18	1	1910,2007
Oconto	M	0	M	0	
Oshkosh	15	0	15	6	1910
Peshtigo	0	0	0	0	
Rhineland	8	0	8	2	1910
Shawano	3	0	+3	0	
Stevens Point	14	0	+14	3	1910
Sturgeon Bay	0	0	0	0	
Two Rivers	0	0	0	0	
Washington Island	0	0	0	0	
Waupaca	M	0	M	3	1910
Wausau	10	0	10	0	
Wisconsin Rapids	19	0	19	4	2007

Temperature Summary for Green Bay Area
Mar 1, 2012 - Mar 31, 2012




Observed daily maximum and minimum temperatures are connected by dark blue bars.
 Area between normal maximum and minimum temperatures has tan shading.
 Red line connects record high temperatures. Light blue line connects record low temperatures.

Temperature Summary for WAUSAU DWTN AP
Mar 1, 2012 - Mar 31, 2012




Observed daily maximum and minimum temperatures are connected by dark blue bars.
 Area between normal maximum and minimum temperatures has tan shading.
 Red line connects record high temperatures. Light blue line connects record low temperatures.

Temperature Summary for APPLETON
Mar 1, 2012 - Mar 31, 2012



Observed daily maximum and minimum temperatures are connected by dark blue bars.
 Area between normal maximum and minimum temperatures has tan shading.
 Red line connects record high temperatures. Light blue line connects record low temperatures.

Temperature Summary for STEVENS POINT
Mar 1, 2012 - Mar 31, 2012



Observed daily maximum and minimum temperatures are connected by dark blue bars.
 Area between normal maximum and minimum temperatures has tan shading.
 Red line connects record high temperatures. Light blue line connects record low temperatures.

MARCH 2012 COMPARED TO APRIL WEATHER RECORDS

Location	2012 Ave March Temperature	April Normal	Departure: March 2012 from April Normal
Antigo	42.1	41.4	+0.7
Appleton	46.4	45.4	+1.0
Brillion	44.7	43.9	+0.8
Chilton	46.2	45.0	+1.2
Clintonville	M	44.2	M
Green Bay	46.3	43.9	+2.4
Hancock	48.0	45.6	+2.4
Kewaunee	42.3	41.5	+0.8
Laona	41.4	40.4	+0.7
Manitowoc	M	43.2	M
Marinette	43.4	43.4	0.0
Marshfield	46.3	44.9	+1.4
Merrill	M	42.3	M
New London	46.1	44.0	+2.1
Oconto	M	42.9	M
Oshkosh	47.4	45.9	+1.5
Peshtigo	M	41.1	M
Rhineland	42.9	41.8	+1.1
Shawano	44.1	44.2	-0.1
Stevens Point	46.0	44.3	+1.7
Sturgeon Bay	42.3	42.4	-0.1
Two Rivers	M	41.9	M
Washington Island	38.9	40.1	-1.2
Waupaca	M	44.9	M
Wausau	45.8	44.1	+1.7
Wisconsin Rapids	47.7	46.1	+1.6