# CLIMATE STATISTICS
# FOR
# PINE BLUFF, ARKANSAS

**Compiled by:**
**National Weather Service**
**Little Rock, Arkansas**
**Climate Services**
**8400 Remount Road**
**North Little Rock, AR 72118**

**Updated: 03 JUL 2012**

# TABLE OF CONTENTS

DAILY RECORDS
JANUARY..... 5
FEBRUARY..... 10
MARCH..... 15
APRIL..... 20
MAY..... 25
JUNE..... 30
JULY..... 35
AUGUST..... 40
SEPTEMBER..... 45
OCTOBER..... 50
NOVEMBER..... 56
DECEMBER..... 61
ANNUAL RECORDS
TEMPERATURE..... 66
PRECIPITATION..... 70
SNOWFALL..... 71
SEASONAL RECORDS
SPRING TEMPERATURE/PRECIPITATION..... 73
SUMMER TEMPERATURE/PRECIPITATION..... 75
FALL TEMPERATURE/PRECIPITATION..... 77
WINTER TEMPERATURE/PRECIPITATION..... 79
MONTHLY RECORDS
JANUARY..... 81
FEBRUARY..... 84
MARCH..... 87
APRIL..... 90
MAY..... 93
JUNE..... 96
JULY..... 99
AUGUST.....102
SEPTEMBER.....105
OCTOBER.....108
NOVEMBER.....111
DECEMBER.....114
MISCELLANEOUS DATA
HIGHEST WIND GUSTS AND DATES.....117
AVERAGE MONTHLY HIGH TEMPERATURES.....118
AVERAGE MONTHLY TEMPERATURES.....122
AVERAGE MONTHLY LOW TEMPERATURES.....126
MONTHLY RAINFALL.....130
MONTHLY SNOWFALL.....134
SEASONAL TEMPERATURE DATA.....138
SEASONAL PRECIPITATION DATA.....142
MISC DATA (FIRST/LAST FREEZE, ETC.).....146

# PINE BLUFF, ARKANSAS CLIMATE RECORDS

Pine Bluff, Jefferson County, Arkansas is located in the lower Arkansas River Valley. The terrain is mostly level...with an elevation between 200 and 250 feet above sea level.

Rainfall observations began in Pine Bluff as early as December 1883. Daily temperature observations began in Pine Bluff in May of 1884. Before that, data was sporadic. The observations were generally taken for agricultural purposes, beginning in March or April, and ending around October or November. Beginning in May of 1890, observations were taken on a more routine basis. Year-round observations began in February of 1895.

On October 1st 1948, a weather observatory opened at Pine Bluff Grider Field Airport, with observations recorded 24 hours a day, 7 days a week. This continued until March of 1974. Observations were then scaled back to airport operating hours, and no longer included daily data. Daily data began once again on May 28, 1988 when the airport weather observatory was reestablished.

On September 26, 2000, the Automated Surface Observing System (ASOS) was commissioned, bringing an end to human intervention in daily observations at the airport.

Below is a list of observation stations in the Pine Bluff area, the dates in operation, and how the climatological records are derived:

| DATES: FROM | TO | LOCATION | LAT | LON | ELEVATION | REMARKS/ OBSERVER |
|---|---|---|---|---|---|---|
| 01 DEC 1883 | 13 MAY 1884 | PINE BLUFF | UNKNOWN | UNKNOWN | UNKNOWN | TELEGRAPHIC REPORTS SENT TO THE "COMMERCIAL AND FINANCIAL CHRONICLE" WEEKLY PUBLICATION |
| 14 MAY 1884 | 30 NOV 1894 | PINE BLUFF | 34 14 | 91 55 | 215 | VARIOUS OBSERVERS |
| 01 JAN 1895 | 31 DEC 1917 | 0.8 SW OF POST OFFICE | | | | HUDSON FAMILY |
| 01 JAN 1918 | 30 JUN 1919 | 1 SW OF POST OFFICE | | | | W. P. MCGEORGE |
| 01 JUL 1919 | 30 JUN 1922 | 1 SW OF POST OFFICE | | | | ROY HAMMOND |
| 01 JUL 1922 | 01 JUN 1959 | 1 SW OF POST OFFICE | 34 12' | 92 00' | 220 | THERESA SCHEU |
| 01 JUN 1959 | PRESENT | WATER PLANT | 34 14' | 92 01' | 215 | UNITED WATER |
| 01 OCT 1948 | 26 SEP 2000 | GRIDER FIELD | 34 10' | 91 56' | 207 | CAA/FAA FLIGHT SERVICES/FEDERAL CONTRACT WEATHER OBSERVING SITE (FCWOS) |
| 26 SEP 2000 | PRESENT | GRIDER FIELD | 34 11' | 91 56' | 207 | ASOS |

01 DEC 1883 – 13 MAY 1884 – ALL DATA IS FROM AN UNKNOWN SITE IN THE CITY OF PINE

BLUFF.

14 MAY 1884 - 30 SEP 1948 – ALL DATA IS FROM PINE BLUFF WATER PLANT/COOPERATIVE OBSERVER SITE. DATA FOR MARCH 1894 IS TAKEN FROM MADDING, AR COOPERATIVE OBSERVER SITE, 5 MILES ENE OF PINE BLUFF GRIDER FIELD.

01 OCT 1948 – 28 FEB 1974 – ALL DATA IS FROM PINE BLUFF GRIDER FIELD

01 MAR 1974 - 27 MAY 1988 – ALL DATA IS FROM PINE BLUFF WATER PLANT/COOPERATIVE OBSERVER SITE. SOME DATA IS THREADED BETWEEN THE AIRPORT AND WATER PLANT FROM 1986 THROUGH MAY 1988.

28 MAY 1988 – 25 SEP 2000 – ALL DATA IS FROM PINE BLUFF GRIDER FIELD

26 SEP 2000 – PRESENT - TEMPERATURE AND RAINFALL DATA IS FROM PINE BLUFF GRIDER FIELD

26 SEP 2000 – PRESENT - SNOWFALL DATA IS FROM PINE BLUFF WATER PLANT/ COOPERATIVE OBSERVER SITE

# JANUARY

```
     JANUARY 1
       HIGH          79 - 1952
       LOW HIGH      21 - 1977
       LOW            4 - 1984
       HIGH LOW      65 - 1966
       RAINFALL   1.70” - 1948
       SNOWFALL    1.3” - 2001
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.12”

     JANUARY 2
       HIGH          76 - 2000
       LOW HIGH      24 - 1928
       LOW            8 - 1979
       HIGH LOW      62 - 2005
       RAINFALL   1.98” - 1897
       SNOWFALL       T - 1977
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.12”

     JANUARY 3
       HIGH          76 - 2009
       LOW HIGH      22 - 1911
       LOW            9 - 2001, 1979, 1928
       HIGH LOW      66 - 2004, 1950
       RAINFALL   5.58” - 1897
       SNOWFALL    2.0” - 1988
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.11”

     JANUARY 4
       HIGH          79 - 1997
       LOW HIGH      25 - 1959
       LOW            8 - 1911
       HIGH LOW      62 - 1917
       RAINFALL   1.73” - 1939
       SNOWFALL    3.0” - 1985
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.13”

     JANUARY 5
       HIGH          78 - 1913
       LOW HIGH      28 - 1971, 1959
       LOW           12 - 1959, 1924
       HIGH LOW      59 - 1998
       RAINFALL   2.02” - 1932
       SNOWFALL    5.0” - 1960
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.12”

     JANUARY 6
       HIGH          78 - 1927
       LOW HIGH      28 - 1988
       LOW            2 - 1884
       HIGH LOW      55 - 1998
       RAINFALL   1.94” - 1991
       SNOWFALL    6.0” - 1910
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.12”
```

JANUARY 7
HIGH 82 - 1907
LOW HIGH 23 – 1988, 1968
LOW 3 – 1910
HIGH LOW 64 – 1937
RAINFALL 1.70” – 1988
SNOWFALL 10.0” – 1988
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.10”

JANUARY 8
HIGH 77 - 1969
LOW HIGH 19 – 1988
LOW 7 – 1942
HIGH LOW 60 – 1965, 1907
RAINFALL 3.55” – 1930
SNOWFALL 3.0” – 1944
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.11”

JANUARY 9
HIGH 81 - 1957
LOW HIGH 22 – 1988
LOW 8 – 1970, 1962
HIGH LOW 60 - 1949
RAINFALL 3.65” – 1930
SNOWFALL 8.0” – 1962
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.12”

JANUARY 10
HIGH 80 - 1949
LOW HIGH 13 – 1962
LOW -2 – 1962
HIGH LOW 62 – 1898
RAINFALL 3.42” – 1974
SNOWFALL 1.4” – 1954
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.11”

JANUARY 11
HIGH 83 - 1928
LOW HIGH 14 – 1962
LOW 0 – 1962
HIGH LOW 63 – 2005, 1995
RAINFALL 3.60” – 1898
SNOWFALL 2.0” – 1918
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.12”

JANUARY 12
HIGH 78 - 1911
LOW HIGH 22 – 1918
LOW -6 – 1918
HIGH LOW 67 – 1916
RAINFALL 2.95” – 1989
SNOWFALL 3.0” – 1975
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.11”

JANUARY 13
HIGH 78 - 1932
LOW HIGH 24 – 1982
LOW -6 – 1918
HIGH LOW 57 – 1911, 1907
RAINFALL 2.95” – 1899
SNOWFALL 6.2” – 1982
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.13”

JANUARY 14
HIGH 80 - 1907
LOW HIGH 25 – 1982
LOW 4 – 1918
HIGH LOW 63 – 1907
RAINFALL 3.05” - 1898
SNOWFALL 1.0” - 1978
NORMALS – HIGH: 51 – LOW: 33 – RAINFALL: 0.12”

JANUARY 15
HIGH 80 - 1928
LOW HIGH 26 – 1905
LOW 10 - 1892
HIGH LOW 61 – 1947
RAINFALL 2.61” - 1954
SNOWFALL 3.0” - 1917
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.13”

JANUARY 16
HIGH 81 - 1943
LOW HIGH 30 – 1972, 1917
LOW 12 – 1905
HIGH LOW 62 – 1943
RAINFALL 1.76” - 1949
SNOWFALL 5.0” - 1946
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 17
HIGH 77 - 1952
LOW HIGH 25 – 1977
LOW 5 – 1982
HIGH LOW 64 – 1952
RAINFALL 2.30” - 1897
SNOWFALL 6.2” - 1948
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.13”

JANUARY 18
HIGH 76 - 1907
LOW HIGH 21 – 1948, 1930
LOW -2 – 1930
HIGH LOW 63 – 1907
RAINFALL 2.32” - 1995
SNOWFALL 9.0” - 1893
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 19
HIGH 80 - 1914
LOW HIGH 25 – 1940
LOW 1 – 1940
HIGH LOW 64 – 1907
RAINFALL 3.01” - 1898
SNOWFALL 2.5” - 1936
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 20
HIGH 76 - 1954
LOW HIGH 23 – 1984
LOW 2 – 1985 – LOW FROM AIRPORT SITE
HIGH LOW 60 - 1959
RAINFALL 3.78” - 1935
SNOWFALL 2.0” - 1985
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.14”

JANUARY 21
HIGH 78 - 1911
LOW HIGH 15 – 1985
LOW 5 – 1985
HIGH LOW 62 – 1911
RAINFALL 2.04” - 1937
SNOWFALL 2.0” - 1954
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 22
HIGH 79 - 1921
LOW HIGH 25 – 1930
LOW 3 – 1918
HIGH LOW 56 – 1965, 1932
RAINFALL 5.65” - 1906
SNOWFALL 4.0” - 1995
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 23
HIGH 82 - 1943
LOW HIGH 27 – 2003
LOW 2 – 1918
HIGH LOW 64 – 1967
RAINFALL 1.34” - 1932
SNOWFALL 3.5” - 1940
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 24
HIGH 81 - 1972
LOW HIGH 21 – 1948
LOW 6 – 1963
HIGH LOW 65 – 1950
RAINFALL 3.44” - 2004
SNOWFALL 4.0” - 1966
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 25
HIGH 82 – 1950, 1909
LOW HIGH 25 – 1940, 1897
LOW 10 - 1905
HIGH LOW 67 - 1950
RAINFALL 1.62” - 1976
SNOWFALL 3.5” - 1948
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 26
HIGH 78 - 1952
LOW HIGH 22 – 1897
LOW 9 - 1905
HIGH LOW 62 – 1952
RAINFALL 3.89” - 1952
SNOWFALL 1.3” - 1978
NORMALS – HIGH: 52 – LOW: 33 – RAINFALL: 0.12”

JANUARY 27
HIGH 80 - 1975
LOW HIGH 24 – 1963
LOW 7 - 1940
HIGH LOW 58 – 1944
RAINFALL 2.85” - 1994
SNOWFALL 11.0” - 2000
NORMALS – HIGH: 53 – LOW: 33 – RAINFALL: 0.12”

JANUARY 28

| | | |
|---|---|---|
| HIGH | 79 | - 1975 |
| LOW HIGH | 27 | - 1948 |
| LOW | 11 | – 1963 |
| HIGH LOW | 63 | – 1970 |
| RAINFALL | 2.01” | – 1990 |
| SNOWFALL | 12.0” | – 1966 |

NORMALS – HIGH: 53 – LOW: 33 – RAINFALL: 0.13”

JANUARY 29

| | | |
|---|---|---|
| HIGH | 79 | - 1950 |
| LOW HIGH | 19 | – 1966 |
| LOW | 6 | – 1966 |
| HIGH LOW | 66 | – 1975 |
| RAINFALL | 3.62” | – 1939 |
| SNOWFALL | 1.0” | – 1899 |

NORMALS – HIGH: 53 – LOW: 34 – RAINFALL: 0.13”

JANUARY 30

| | | |
|---|---|---|
| HIGH | 81 | - 2002 |
| LOW HIGH | 20 | - 1951 |
| LOW | -2 | – 1966 |
| HIGH LOW | 64 | - 1916 |
| RAINFALL | 3.40” | - 1923 |
| SNOWFALL | 4.0” | - 1949 |

NORMALS – HIGH: 53 – LOW: 34 – RAINFALL: 0.12”

JANUARY 31

| | | |
|---|---|---|
| HIGH | 80 | – 2002, 1911 |
| LOW HIGH | 20 | - 1951 |
| LOW | 8 | – 1949 |
| HIGH LOW | 58 | - 1968 |
| RAINFALL | 3.11” | – 1957 |
| SNOWFALL | 3.0” | – 1951 |

NORMALS – HIGH: 53 – LOW: 34 – RAINFALL: 0.14”

# FEBRUARY

```
     FEBRUARY 1
       HIGH          81 - 1989, 1911
       LOW HIGH      22 - 1951
       LOW            8 - 1949
       HIGH LOW      61 - 1923
       RAINFALL   2.27” - 1969
       SNOWFALL    3.5” - 1985
NORMALS - HIGH: 53 - LOW: 34 - RAINFALL: 0.13”

     FEBRUARY 2
       HIGH          82 - 1995
       LOW HIGH      18 - 1985
       LOW           -1 - 1951
       HIGH LOW      62 - 1986
       RAINFALL   2.67” - 1956
       SNOWFALL    7.0” - 1985
NORMALS - HIGH: 53 - LOW: 34 - RAINFALL: 0.12”

     FEBRUARY 3
       HIGH          81 - 1927
       LOW HIGH      21 - 1905
       LOW           10 - 1951, 1905
       HIGH LOW      64 - 1932
       RAINFALL   2.53” - 1990
       SNOWFALL       T - 1989
NORMALS - HIGH: 53 - LOW: 34 - RAINFALL: 0.13”

     FEBRUARY 4
       HIGH          77 - 1927
       LOW HIGH      22 - 1996, 1989
       LOW            9 - 1996
       HIGH LOW      66 - 2008
       RAINFALL   3.13” - 1955
       SNOWFALL    3.0” - 1923
NORMALS - HIGH: 54 - LOW: 34 - RAINFALL: 0.12”

     FEBRUARY 5
       HIGH          76 - 1943
       LOW HIGH      22 - 1989
       LOW           13 - 1996
       HIGH LOW      61 - 1927
       RAINFALL   2.20” - 1909
       SNOWFALL    3.4” - 1983
NORMALS - HIGH: 54 - LOW: 34 - RAINFALL: 0.14”

     FEBRUARY 6
       HIGH          78 - 1963
       LOW HIGH      23 - 1989
       LOW           16 - 1917
       HIGH LOW      60 - 1938
       RAINFALL   1.52” - 1946
       SNOWFALL    0.1” - 1956
NORMALS - HIGH: 54 - LOW: 35 - RAINFALL: 0.13”
```

FEBRUARY 7
HIGH 76 - 1926
LOW HIGH 29 – 1982, 1905
LOW 0 – 1895
HIGH LOW 60 - 1931
RAINFALL 1.62” - 1973
SNOWFALL 5.5” - 1979
NORMALS – HIGH: 54 – LOW: 35 – RAINFALL: 0.14”

FEBRUARY 8
HIGH 80 - 1918
LOW HIGH 24 – 1933
LOW 8 – 1933
HIGH LOW 63 - 1994
RAINFALL 1.74” - 1956
SNOWFALL 1.0” - 1971
NORMALS – HIGH: 54 – LOW: 35 – RAINFALL: 0.14”

FEBRUARY 9
HIGH 83 - 1957
LOW HIGH 29 – 1933
LOW 8 – 1933
HIGH LOW 63 – 1999
RAINFALL 3.42” - 1966
SNOWFALL 3.5” - 2011
NORMALS – HIGH: 55 – LOW: 35 – RAINFALL: 0.14”

FEBRUARY 10
HIGH 84 - 1932
LOW HIGH 20 - 1899
LOW 11 – 2011, 1979
HIGH LOW 64 – 1999
RAINFALL 1.46” - 1953
SNOWFALL 4.5” - 1980
NORMALS – HIGH: 55 – LOW: 35 – RAINFALL: 0.13”

FEBRUARY 11
HIGH 88 - 1918
LOW HIGH 24 – 1899
LOW 8 – 2011
HIGH LOW 59 – 1922
RAINFALL 2.70” - 1965
SNOWFALL 1.5” - 1933
NORMALS – HIGH: 55 – LOW: 36 – RAINFALL: 0.14”

FEBRUARY 12
HIGH 82 - 1962
LOW HIGH 19 - 1899
LOW -5 – 1899
HIGH LOW 55 – 1951, 1938
RAINFALL 2.22” - 1948
SNOWFALL 2.0” - 1985
NORMALS – HIGH: 55 – LOW: 36 – RAINFALL: 0.13”

FEBRUARY 13
HIGH 90 - 1918
LOW HIGH 30 - 1899
LOW -2 – 1899
HIGH LOW 61 – 1949
RAINFALL 1.57” - 1914
SNOWFALL 1.0” - 1997
NORMALS – HIGH: 55 – LOW: 36 – RAINFALL: 0.14”

FEBRUARY 14
HIGH 86 - 1918
LOW HIGH 35 – 1968, 1958
LOW 2 – 1905
HIGH LOW 63 - 1949
RAINFALL 2.66” - 1989
SNOWFALL 1.0” - 2004, 1958
NORMALS – HIGH: 56 – LOW: 36 – RAINFALL: 0.13”

FEBRUARY 15
HIGH 80 – 1945, 1927, 1921
LOW HIGH 29 – 1905
LOW 7 – 1905
HIGH LOW 64 – 1954, 1921
RAINFALL 5.32” - 1939
SNOWFALL 1.0” - 1899
NORMALS – HIGH: 56 – LOW: 36 – RAINFALL: 0.15”

FEBRUARY 16
HIGH 84 - 1927
LOW HIGH 26 – 1958
LOW 16 – 1905
HIGH LOW 62 – 1976
RAINFALL 2.71” - 2001
SNOWFALL 1.0” - 1903
NORMALS – HIGH: 56 – LOW: 37 – RAINFALL: 0.15”

FEBRUARY 17
HIGH 80 – 1927, 1916, 1897
LOW HIGH 27 – 1958, 1900
LOW 2 – 1903
HIGH LOW 63 – 1986
RAINFALL 1.74” - 1956
SNOWFALL 2.0” - 1960
NORMALS – HIGH: 56 – LOW: 37 – RAINFALL: 0.14”

FEBRUARY 18
HIGH 79 – 1986, 1917
LOW HIGH 28 – 1979
LOW 6 – 1911
HIGH LOW 60 - 1911
RAINFALL 3.54” - 1938
SNOWFALL 4.0” - 1910
NORMALS – HIGH: 57 – LOW: 37 – RAINFALL: 0.14”

FEBRUARY 19
HIGH 80 – 1986, 1917
LOW HIGH 25 – 2006
LOW 10 - 1910
HIGH LOW 59 - 1986
RAINFALL 1.57” - 1996
SNOWFALL 2.0” - 1905
NORMALS – HIGH: 57 – LOW: 37 – RAINFALL: 0.15”

FEBRUARY 20
HIGH 83 - 1986
LOW HIGH 31 – 2006
LOW 18 - 1978
HIGH LOW 57 – 1937
RAINFALL 2.10” - 1961
SNOWFALL 2.2” - 1921
NORMALS – HIGH: 57 – LOW: 38 – RAINFALL: 0.15”

FEBRUARY 21

| | |
|---|---|
| HIGH | 81 – 2005, 1917 |
| LOW HIGH | 33 – 1955 |
| LOW | 17 - 1968 |
| HIGH LOW | 59 – 1922 |
| RAINFALL | 1.49” - 2003 |
| SNOWFALL | 2.0” - 1929 |

NORMALS – HIGH: 57 – LOW: 38 – RAINFALL: 0.16”

FEBRUARY 22

| | |
|---|---|
| HIGH | 82 - 1980 |
| LOW HIGH | 29 – 1968 |
| LOW | 16 – 1963 |
| HIGH LOW | 60 - 1930 |
| RAINFALL | 2.02” – 1994 |
| SNOWFALL | 1.6” – 1901 |

NORMALS – HIGH: 58 – LOW: 38 – RAINFALL: 0.16”

FEBRUARY 23

| | |
|---|---|
| HIGH | 84 - 1930 |
| LOW HIGH | 32 – 1989 |
| LOW | 19 – 1989, 1978, 1901 |
| HIGH LOW | 60 - 1927 |
| RAINFALL | 3.68” – 1962 |
| SNOWFALL | 4.2” – 1966 |

NORMALS – HIGH: 58 – LOW: 38 – RAINFALL: 0.17”

FEBRUARY 24

| | |
|---|---|
| HIGH | 85 - 1918 |
| LOW HIGH | 33 – 1914 |
| LOW | 18 - 1910 |
| HIGH LOW | 66 – 1930 |
| RAINFALL | 2.59” – 1957 |
| SNOWFALL | 7.2” – 1960 |

NORMALS – HIGH: 58 – LOW: 39 – RAINFALL: 0.16”

FEBRUARY 25

| | |
|---|---|
| HIGH | 92 - 1918 |
| LOW HIGH | 30 - 2003 |
| LOW | 14 – 1965 |
| HIGH LOW | 64 – 1944 |
| RAINFALL | 2.05” – 1992 |
| SNOWFALL | 3.4” – 2003 |

NORMALS – HIGH: 59 – LOW: 39 – RAINFALL: 0.16”

FEBRUARY 26

| | |
|---|---|
| HIGH | 85 - 1917 |
| LOW HIGH | 31 – 2003 |
| LOW | 20 - 1891 |
| HIGH LOW | 62 - 1996 |
| RAINFALL | 1.70” – 1923 |
| SNOWFALL | 6.1” – 1982 |

NORMALS – HIGH: 59 – LOW: 39 – RAINFALL: 0.17”

FEBRUARY 27

| | |
|---|---|
| HIGH | 93 – 1918 |
| LOW HIGH | 31 – 1934 |
| LOW | 19 – 2002, 1934 |
| HIGH LOW | 62 – 2011, 1895 |
| RAINFALL | 3.35” – 1910 |
| SNOWFALL | T – 1964 |

NORMALS – HIGH: 59 – LOW: 39 – RAINFALL: 0.17”

```
     FEBRUARY 28
       HIGH          91 - 1918
       LOW HIGH      36 – 1962, 1916
       LOW           21 – 2002
       HIGH LOW      63 - 1955
       RAINFALL   2.33” - 1900
       SNOWFALL    3.0” - 1916
NORMALS – HIGH: 60 – LOW: 40 – RAINFALL: 0.17”

     FEBRUARY 29
       HIGH          85 - 1932
       LOW HIGH      35 – 1916
       LOW           23 – 1968, 1920
       HIGH LOW      61 - 1904
       RAINFALL   1.27” - 2004
       SNOWFALL       ” -
NORMALS – HIGH: 60 – LOW: 40 – RAINFALL: 0.17”
```

# MARCH

```
     MARCH 1
       HIGH          82 - 2006
       LOW HIGH      33 - 1960
       LOW           21 - 1980
       HIGH LOW      61 - 1976
       RAINFALL   1.95” - 1997
       SNOWFALL    2.0” - 1960
NORMALS – HIGH: 60 – LOW: 40 – RAINFALL: 0.18”

     MARCH 2
       HIGH          85 - 1904
       LOW HIGH      28 - 1980
       LOW           16 - 1980
       HIGH LOW      64 - 1976, 1932
       RAINFALL   2.08” - 1934
       SNOWFALL       T - 1995
NORMALS – HIGH: 60 – LOW: 40 – RAINFALL: 0.18”

     MARCH 3
       HIGH          91 - 1918
       LOW HIGH      34 - 1943
       LOW           13 - 1943
       HIGH LOW      65 - 1976
       RAINFALL   1.84” - 1970
       SNOWFALL    7.0” - 1965
NORMALS – HIGH: 61 – LOW: 40 – RAINFALL: 0.18”

     MARCH 4
       HIGH          93 - 1918
       LOW HIGH      32 - 1960
       LOW           19 - 2002
       HIGH LOW      66 - 1976, 1974, 1961
       RAINFALL   2.00” - 1977
       SNOWFALL    2.0” - 1917
NORMALS – HIGH: 61 – LOW: 41 – RAINFALL: 0.19”

     MARCH 5
       HIGH          96 - 1918
       LOW HIGH      31 - 1960
       LOW           20 - 1960
       HIGH LOW      64 - 1961
       RAINFALL   2.30” - 1919
       SNOWFALL       T - 1992
NORMALS – HIGH: 61 – LOW: 41 – RAINFALL: 0.18”

     MARCH 6
       HIGH          88 - 1905
       LOW HIGH      32 - 1989
       LOW           19 - 1920
       HIGH LOW      64 - 1956
       RAINFALL   1.62” - 1894
       SNOWFALL       T - 1989, 1982
NORMALS – HIGH: 62 – LOW: 41 – RAINFALL: 0.19”
```

MARCH 7

| | |
|---|---|
| HIGH | 87 - 1911 |
| LOW HIGH | 35 – 1920 |
| LOW | 17 - 1943 |
| HIGH LOW | 67 - 1911 |
| RAINFALL | 2.34” - 1990 |
| SNOWFALL | 6.0” - 2008 |

NORMALS – HIGH: 62 – LOW: 42 – RAINFALL: 0.17”

MARCH 8

| | |
|---|---|
| HIGH | 85 - 1974 |
| LOW HIGH | 33 – 1932 |
| LOW | 19 - 2008, 1996 |
| HIGH LOW | 64 - 1974 |
| RAINFALL | 3.17” - 1976 |
| SNOWFALL | 1.0” - 1932 |

NORMALS – HIGH: 62 – LOW: 42 – RAINFALL: 0.18”

MARCH 9

| | |
|---|---|
| HIGH | 90 - 1911 |
| LOW HIGH | 34 – 1932 |
| LOW | 11 – 1932 |
| HIGH LOW | 67 - 1897 |
| RAINFALL | 2.78” - 1992 |
| SNOWFALL | T - 1994 |

NORMALS – HIGH: 63 – LOW: 42 – RAINFALL: 0.18”

MARCH 10

| | |
|---|---|
| HIGH | 85 – 1974 |
| LOW HIGH | 39 - 1932 |
| LOW | 21 – 1932 |
| HIGH LOW | 65 - 1990 |
| RAINFALL | 2.26” - 1903 |
| SNOWFALL | T – 1943 |

NORMALS – HIGH: 63 – LOW: 42 – RAINFALL: 0.17”

MARCH 11

| | |
|---|---|
| HIGH | 88 - 1911 |
| LOW HIGH | 38 - 1932 |
| LOW | 24 - 1948 |
| HIGH LOW | 65 – 1990, 1967 |
| RAINFALL | 2.90” - 1897 |
| SNOWFALL | 0.8” - 1932 |

NORMALS – HIGH: 63 – LOW: 43 – RAINFALL: 0.17”

MARCH 12

| | |
|---|---|
| HIGH | 87 – 2006, 1967 |
| LOW HIGH | 28 - 1948 |
| LOW | 21 – 1948 |
| HIGH LOW | 67 - 1990 |
| RAINFALL | 4.57” - 1950 |
| SNOWFALL | 2.5” - 1896 |

NORMALS – HIGH: 64 – LOW: 43 – RAINFALL: 0.17”

MARCH 13

| | |
|---|---|
| HIGH | 93 - 1918 |
| LOW HIGH | 38 – 1951 |
| LOW | 20 - 1932 |
| HIGH LOW | 67 - 1917 |
| RAINFALL | 3.02” - 1943 |
| SNOWFALL | 2.0” - 1960 |

NORMALS – HIGH: 64 – LOW: 43 – RAINFALL: 0.17”

MARCH 14
HIGH 87 - 1933
LOW HIGH 39 - 1960
LOW 22 - 1993, 1948
HIGH LOW 67 - 1933
RAINFALL 3.25” - 1894
SNOWFALL 8.0” - 1960
NORMALS - HIGH: 64 - LOW: 43 - RAINFALL: 0.18”

MARCH 15
HIGH 86 - 1908
LOW HIGH 40 - 1900, 1893
LOW 26 - 1895
HIGH LOW 67 - 1938
RAINFALL 1.82” - 1897
SNOWFALL T - 1937
NORMALS - HIGH: 65 - LOW: 44 - RAINFALL: 0.18”

MARCH 16
HIGH 87 - 1942, 1908
LOW HIGH 32 - 1892
LOW 23 - 1900
HIGH LOW 72 - 1942
RAINFALL 1.40” - 1946
SNOWFALL ” -
NORMALS - HIGH: 65 - LOW: 44 - RAINFALL: 0.18”

MARCH 17
HIGH 88 - 1908
LOW HIGH 30 - 1892
LOW 14 - 1892
HIGH LOW 66 - 1982
RAINFALL 3.95” - 1919
SNOWFALL 14.0” - 1892
NORMALS - HIGH: 65 - LOW: 44 - RAINFALL: 0.18”

MARCH 18
HIGH 89 - 1908
LOW HIGH 36 - 1892
LOW 12 - 1892
HIGH LOW 66 - 2012, 1927
RAINFALL 5.75” - 1894
SNOWFALL T - 1951
NORMALS - HIGH: 66 - LOW: 44 - RAINFALL: 0.17”

MARCH 19
HIGH 87 - 1907
LOW HIGH 32 - 1965
LOW 12 - 1892
HIGH LOW 68 - 1898, 1897
RAINFALL 3.06” - 1922
SNOWFALL T - 1965
NORMALS - HIGH: 66 - LOW: 45 - RAINFALL: 0.17”

MARCH 20
HIGH 88 - 1907
LOW HIGH 40 - 1965
LOW 18 - 1965
HIGH LOW 73 - 1897
RAINFALL 3.18” - 1968
SNOWFALL ” -
NORMALS - HIGH: 66 - LOW: 45 - RAINFALL: 0.17”

MARCH 21
HIGH 88 - 1907
LOW HIGH 41 – 1915
LOW 25 – 1965
HIGH LOW 75 - 1897
RAINFALL 3.32” - 1985
SNOWFALL T – 2010, 1970
NORMALS – HIGH: 67 – LOW: 45 – RAINFALL: 0.18”

MARCH 22
HIGH 88 - 1907
LOW HIGH 41 – 2002
LOW 24 - 1915
HIGH LOW 69 – 1904, 1897
RAINFALL 3.86” – 1948
SNOWFALL T - 1968
NORMALS – HIGH: 67 – LOW: 45 – RAINFALL: 0.17”

MARCH 23
HIGH 94 - 1929
LOW HIGH 45 – 2006, 1912
LOW 25 - 1915
HIGH LOW 67 - 1935
RAINFALL 1.94” – 1969
SNOWFALL T - 1968
NORMALS – HIGH: 67 – LOW: 45 – RAINFALL: 0.17”

MARCH 24
HIGH 95 - 1929
LOW HIGH 42 – 1965
LOW 28 - 1974
HIGH LOW 66 - 1935
RAINFALL 2.05” – 1912
SNOWFALL ” -
NORMALS – HIGH: 68 – LOW: 46 – RAINFALL: 0.17”

MARCH 25
HIGH 90 – 1929, 1907
LOW HIGH 36 – 1965
LOW 27 - 1955
HIGH LOW 68 – 1935, 1913
RAINFALL 1.91” – 1965
SNOWFALL T - 1971
NORMALS – HIGH: 68 – LOW: 46 – RAINFALL: 0.17”

MARCH 26
HIGH 89 - 1928
LOW HIGH 35 – 1955
LOW 20 – 1955
HIGH LOW 70 - 1991
RAINFALL 5.00” – 1934
SNOWFALL ” -
NORMALS – HIGH: 68 – LOW: 46 – RAINFALL: 0.16”

MARCH 27
HIGH 88 – 1935, 1918
LOW HIGH 42 – 1955
LOW 20 – 1955
HIGH LOW 69 - 1898
RAINFALL 2.96” – 1977
SNOWFALL T - 1937
NORMALS – HIGH: 69 – LOW: 46 – RAINFALL: 0.16”

```
     MARCH 28
       HIGH          92 - 1918
       LOW HIGH      45 - 1899
       LOW           27 - 1937
       HIGH LOW      69 - 1907, 1905
       RAINFALL   4.08” - 1946
       SNOWFALL       ” -
NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.17”

     MARCH 29
       HIGH          87 - 1963, 1936
       LOW HIGH      43 - 1937
       LOW           25 - 1899
       HIGH LOW      69 - 1907
       RAINFALL   3.15” - 1908
       SNOWFALL    2.0” - 1894
NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.17”

     MARCH 30
       HIGH          89 - 1946
       LOW HIGH      40 - 1987
       LOW           28 - 1964
       HIGH LOW      72 - 1938
       RAINFALL   3.02” - 1961
       SNOWFALL       ” -
NORMALS - HIGH: 70 - LOW: 47 - RAINFALL: 0.17”

     MARCH 31
       HIGH          93 - 1974
       LOW HIGH      49 - 1969, 1954
       LOW           30 - 1987
       HIGH LOW      74 - 1897
       RAINFALL   2.12” - 1933
       SNOWFALL       ” -
NORMALS - HIGH: 70 - LOW: 47 - RAINFALL: 0.17”
```

# APRIL

APRIL 1
HIGH 92 - 1974
LOW HIGH 44 – 1900
LOW 29 – 1924
HIGH LOW 67 – 1974, 1888
RAINFALL 3.00” – 1912
SNOWFALL ” –
NORMALS – HIGH: 70 – LOW: 48 – RAINFALL: 0.18”

APRIL 2
HIGH 87 - 1928
LOW HIGH 43 – 1901
LOW 30 - 1924
HIGH LOW 69 - 1956
RAINFALL 2.84” – 1945
SNOWFALL ” –
NORMALS – HIGH: 71 – LOW: 48 – RAINFALL: 0.17”

APRIL 3
HIGH 94 - 1918
LOW HIGH 49 – 1983
LOW 29 - 1975
HIGH LOW 72 - 1940
RAINFALL 3.79” – 1905
SNOWFALL ” –
NORMALS – HIGH: 71 – LOW: 48 – RAINFALL: 0.16”

APRIL 4
HIGH 88 – 1934, 1929, 1927, 1893
LOW HIGH 52 – 1993
LOW 30 - 1903
HIGH LOW 68 - 1888
RAINFALL 3.48” – 1997
SNOWFALL ” –
NORMALS – HIGH: 71 – LOW: 48 – RAINFALL: 0.16”

APRIL 5
HIGH 89 - 1929
LOW HIGH 45 – 1996
LOW 26 – 1996
HIGH LOW 68 - 1888
RAINFALL 2.35” – 1997
SNOWFALL 2.5” – 1886
NORMALS – HIGH: 71 – LOW: 49 – RAINFALL: 0.16”

APRIL 6
HIGH 90 - 1960
LOW HIGH 45 – 1971
LOW 28 – 1971
HIGH LOW 69 - 1929
RAINFALL 4.05” – 1918
SNOWFALL T – 1971
NORMALS – HIGH: 72 – LOW: 49 – RAINFALL: 0.16”

APRIL 7
HIGH 90 - 1893
LOW HIGH 49 - 1982
LOW 32 - 1898
HIGH LOW 70 - 1893
RAINFALL 3.30” - 1921
SNOWFALL ” -
NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.16”

APRIL 8
HIGH 91 - 1948
LOW HIGH 49 - 1917
LOW 31 - 2007
HIGH LOW 71 - 1948
RAINFALL 2.80” - 1921
SNOWFALL ” -
NORMALS - HIGH: 72 - LOW: 50 - RAINFALL: 0.16”

APRIL 9
HIGH 91 - 1903
LOW HIGH 47 - 2003
LOW 31 - 1909
HIGH LOW 70 - 1999
RAINFALL 3.13” - 2008
SNOWFALL ” -
NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.17”

APRIL 10
HIGH 93 - 1943
LOW HIGH 49 - 1989, 1956
LOW 32 - 1914, 1904
HIGH LOW 71 - 2011
RAINFALL 3.00” - 1888
SNOWFALL ” -
NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.16”

APRIL 11
HIGH 90 - 1906
LOW HIGH 49 - 1988
LOW 32 - 1989
HIGH LOW 68 - 1994
RAINFALL 3.48” - 1900
SNOWFALL ” -
NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.16”

APRIL 12
HIGH 88 - 1972, 1941, 1919
LOW HIGH 48 - 1900
LOW 32 - 1900
HIGH LOW 72 - 1948
RAINFALL 2.91” - 1991
SNOWFALL ” -
NORMALS - HIGH: 73 - LOW: 51 - RAINFALL: 0.16”

APRIL 13
HIGH 90 - 1972
LOW HIGH 52 - 1957
LOW 31 - 1940
HIGH LOW 70 - 1972
RAINFALL 3.10” - 1896
SNOWFALL ” -
NORMALS - HIGH: 74 - LOW: 51 - RAINFALL: 0.15”

APRIL 14
HIGH 90 - 1936
LOW HIGH 45 – 1980
LOW 34 – 1980, 1959
HIGH LOW 69 - 1922
RAINFALL 3.40” - 1911
SNOWFALL ” –
NORMALS – HIGH: 74 – LOW: 51 – RAINFALL: 0.16”

APRIL 15
HIGH 94 - 1924
LOW HIGH 46 – 1933
LOW 33 – 1980
HIGH LOW 67 – 1972, 1945
RAINFALL 4.20” - 1927
SNOWFALL T – 1928
NORMALS – HIGH: 74 – LOW: 52 – RAINFALL: 0.17”

APRIL 16
HIGH 92 - 1924
LOW HIGH 51 – 1904
LOW 32 – 1928
HIGH LOW 69 - 1967
RAINFALL 1.83” - 1982
SNOWFALL ” –
NORMALS – HIGH: 74 – LOW: 52 – RAINFALL: 0.16”

APRIL 17
HIGH 92 - 2006
LOW HIGH 53 – 1907
LOW 34 – 1951
HIGH LOW 68 - 2006
RAINFALL 1.45” - 1918
SNOWFALL ” –
NORMALS – HIGH: 75 – LOW: 52 – RAINFALL: 0.17”

APRIL 18
HIGH 93 - 2006
LOW HIGH 52 – 1907
LOW 34 – 1984
HIGH LOW 74 - 1975
RAINFALL 1.82” - 1901
SNOWFALL ” –
NORMALS – HIGH: 75 – LOW: 53 – RAINFALL: 0.17”

APRIL 19
HIGH 94 - 1986
LOW HIGH 48 - 1940
LOW 32 – 1893
HIGH LOW 72 - 1920
RAINFALL 3.90” - 1918
SNOWFALL ” –
NORMALS – HIGH: 75 – LOW: 53 – RAINFALL: 0.17”

APRIL 20
HIGH 94 - 1986
LOW HIGH 44 – 1983
LOW 36 – 1910
HIGH LOW 70 – 1973, 1964
RAINFALL 2.44” - 2011
SNOWFALL T – 1983
NORMALS – HIGH: 75 – LOW: 53 – RAINFALL: 0.16”

APRIL 21
HIGH 93 - 1925
LOW HIGH 55 – 1966
LOW 38 – 1953
HIGH LOW 68 - 1973, 1963
RAINFALL 4.30” - 1927
SNOWFALL ” –
NORMALS – HIGH: 76 – LOW: 53 – RAINFALL: 0.17”

APRIL 22
HIGH 92 - 1925
LOW HIGH 58 – 1936, 1907
LOW 35 – 1931
HIGH LOW 69 – 2011, 2001
RAINFALL 3.03” - 1974
SNOWFALL ” –
NORMALS – HIGH: 76 – LOW: 54 – RAINFALL: 0.17”

APRIL 23
HIGH 96 - 1905
LOW HIGH 56 – 1941, 1911
LOW 38 - 1931
HIGH LOW 70 – 1999, 1970
RAINFALL 4.05” - 1941
SNOWFALL ” –
NORMALS – HIGH: 76 – LOW: 54 – RAINFALL: 0.17”

APRIL 24
HIGH 90 - 1965
LOW HIGH 50 – 1910
LOW 41 – 1982, 1951, 1910, 1907
HIGH LOW 69 - 2007
RAINFALL 4.38” - 1966
SNOWFALL ” –
NORMALS – HIGH: 76 – LOW: 54 – RAINFALL: 0.18”

APRIL 25
HIGH 89 – 1954, 1925
LOW HIGH 50 – 1910
LOW 30 – 1910
HIGH LOW 70 - 1921
RAINFALL 3.67” - 1905
SNOWFALL ” –
NORMALS – HIGH: 77 – LOW: 55 – RAINFALL: 0.17”

APRIL 26
HIGH 92 - 1896
LOW HIGH 57 – 1980
LOW 34 – 1910
HIGH LOW 72 - 1994
RAINFALL 4.69” - 1942
SNOWFALL ” –
NORMALS – HIGH: 77 – LOW: 55 – RAINFALL: 0.17”

APRIL 27
HIGH 95 - 1987
LOW HIGH 60 - 1997
LOW 40 – 1919, 1910, 1903
HIGH LOW 74 - 1994
RAINFALL 2.44” - 1968
SNOWFALL ” –
NORMALS – HIGH: 77 – LOW: 55 – RAINFALL: 0.16”

APRIL 28

| | | |
|---|---|---|
| HIGH | 92 | - 1948 |
| LOW HIGH | 56 | – 1997 |
| LOW | 40 | – 1928, 1920 |
| HIGH LOW | 73 | - 1970 |
| RAINFALL | 3.06” | - 1991 |
| SNOWFALL | ” | – |

NORMALS – HIGH: 77 – LOW: 56 – RAINFALL: 0.16”

APRIL 29

| | | |
|---|---|---|
| HIGH | 92 | – 1990, 1915 |
| LOW HIGH | 65 | – 1958 |
| LOW | 41 | – 1904 |
| HIGH LOW | 72 | - 1970 |
| RAINFALL | 1.83” | – 1953 |
| SNOWFALL | ” | – |

NORMALS – HIGH: 78 – LOW: 56 – RAINFALL: 0.15”

APRIL 30

| | | |
|---|---|---|
| HIGH | 94 | - 1943 |
| LOW HIGH | 55 | – 1958 |
| LOW | 35 | – 1908 |
| HIGH LOW | 71 | - 1894 |
| RAINFALL | 1.82” | - 1947 |
| SNOWFALL | ” | – |

NORMALS – HIGH: 78 – LOW: 56 – RAINFALL: 0.16”

# MAY

MAY 1
HIGH 95 - 1901
LOW HIGH 57 – 1994
LOW 38 – 1909, 1908
HIGH LOW 71 - 2002
RAINFALL 5.15” – 1958
NORMALS – HIGH: 78 – LOW: 57 – RAINFALL: 0.17”

MAY 2
HIGH 93 – 1946, 1943
LOW HIGH 56 – 2011
LOW 36 – 1909
HIGH LOW 70 - 1983
RAINFALL 3.64” – 1984
NORMALS – HIGH: 78 – LOW: 57 – RAINFALL: 0.17”

MAY 3
HIGH 92 – 1952, 1943
LOW HIGH 60 – 2002, 1954
LOW 41 – 1918
HIGH LOW 70 - 1959
RAINFALL 2.80” – 1984
NORMALS – HIGH: 79 – LOW: 57 – RAINFALL: 0.18”

MAY 4
HIGH 94 - 1943
LOW HIGH 56 – 1978, 1907
LOW 41 – 1954
HIGH LOW 71 - 1892
RAINFALL 4.07” – 1979
NORMALS – HIGH: 79 – LOW: 58 – RAINFALL: 0.18”

MAY 5
HIGH 94 - 1943
LOW HIGH 60 - 1935
LOW 42 – 1976, 1900
HIGH LOW 70 - 2012
RAINFALL 6.80” – 1905
NORMALS – HIGH: 79 – LOW: 58 – RAINFALL: 0.18”

MAY 6
HIGH 94 - 1952
LOW HIGH 60 - 1917
LOW 42 – 1890
HIGH LOW 71 - 2003
RAINFALL 2.82” – 1967
NORMALS – HIGH: 79 – LOW: 58 – RAINFALL: 0.18”

MAY 7
HIGH 94 - 1896
LOW HIGH 62 – 1917
LOW 42 – 1891
HIGH LOW 74 - 1961
RAINFALL 3.08” – 1907
NORMALS – HIGH: 80 – LOW: 59 – RAINFALL: 0.18”

MAY 8
HIGH 94 - 1896
LOW HIGH 63 - 1885
LOW 42 - 1917
HIGH LOW 74 - 2003
RAINFALL 1.42” - 1907
NORMALS - HIGH: 80 - LOW: 59 - RAINFALL: 0.17”

MAY 9
HIGH 92 - 1896
LOW HIGH 60 - 2010
LOW 40 - 1917
HIGH LOW 74 - 1933
RAINFALL 2.43” - 1892
NORMALS - HIGH: 80 - LOW: 59 - RAINFALL: 0.17”

MAY 10
HIGH 93 - 1973, 1899
LOW HIGH 61 - 1924
LOW 41 - 1923
HIGH LOW 76 - 1933
RAINFALL 2.86” - 2006
NORMALS - HIGH: 80 - LOW: 60 - RAINFALL: 0.17”

MAY 11
HIGH 94 - 1928
LOW HIGH 61 - 1945
LOW 41 - 1924
HIGH LOW 72 - 1963, 1956, 1905, 1893
RAINFALL 3.69” - 1953
NORMALS - HIGH: 81 - LOW: 60 - RAINFALL: 0.16”

MAY 12
HIGH 92 - 1998, 1962, 1916, 1886
LOW HIGH 60 - 1954
LOW 41 - 1960
HIGH LOW 73 - 1991
RAINFALL 3.36” - 1905
NORMALS - HIGH: 81 - LOW: 60 - RAINFALL: 0.16”

MAY 13
HIGH 94 - 1916
LOW HIGH 63 - 1989
LOW 45 - 1997
HIGH LOW 74 - 1995, 1933
RAINFALL 2.41” - 1968
NORMALS - HIGH: 81 - LOW: 61 - RAINFALL: 0.16”

MAY 14
HIGH 94 - 1915
LOW HIGH 57 - 1953
LOW 45 - 1910
HIGH LOW 75 - 1995
RAINFALL 2.02” - 1884
NORMALS - HIGH: 81 - LOW: 61 - RAINFALL: 0.15”

MAY 15
HIGH 94 - 1944
LOW HIGH 63 - 1953
LOW 43 - 1907
HIGH LOW 74 - 1998
RAINFALL 4.13” - 1983
NORMALS - HIGH: 82 - LOW: 61 - RAINFALL: 0.16”

MAY 16
HIGH 94 - 1925, 1918
LOW HIGH 64 - 1945
LOW 45 - 1907
HIGH LOW 72 - 1943
RAINFALL 2.16” - 1945
NORMALS - HIGH: 82 - LOW: 61 - RAINFALL: 0.17”

MAY 17
HIGH 96 - 1918
LOW HIGH 59 - 1945
LOW 45 - 1912
HIGH LOW 75 - 1995
RAINFALL 1.60” - 1910
NORMALS - HIGH: 82 - LOW: 62 - RAINFALL: 0.16”

MAY 18
HIGH 92 - 1998, 1964, 1906
LOW HIGH 65 - 2002
LOW 42 - 1895
HIGH LOW 72 - 1943
RAINFALL 3.60” - 1930
NORMALS - HIGH: 82 - LOW: 62 - RAINFALL: 0.15”

MAY 19
HIGH 95 - 1902
LOW HIGH 63 - 1952
LOW 45 - 1904
HIGH LOW 72 - 1897, 1896
RAINFALL 2.29” - 2000
NORMALS - HIGH: 83 - LOW: 62 - RAINFALL: 0.16”

MAY 20
HIGH 96 - 1902
LOW HIGH 62 - 1981
LOW 44 - 1894
HIGH LOW 74 - 1938
RAINFALL 4.48” - 1955
NORMALS - HIGH: 83 - LOW: 63 - RAINFALL: 0.15”

MAY 21
HIGH 99 - 1902
LOW HIGH 61 - 1967
LOW 45 - 1954, 1894
HIGH LOW 74 - 1898
RAINFALL 3.73” - 1947
NORMALS - HIGH: 83 - LOW: 63 - RAINFALL: 0.15”

MAY 22
HIGH 97 - 1902
LOW HIGH 66 - 1892
LOW 46 - 1892
HIGH LOW 75 - 1957
RAINFALL 2.06” - 1884
NORMALS - HIGH: 83 - LOW: 63 - RAINFALL: 0.15”

MAY 23
HIGH 98 - 1918
LOW HIGH 67 - 1980
LOW 48 - 1963
HIGH LOW 75 - 1896
RAINFALL 2.65” - 1938
NORMALS - HIGH: 84 - LOW: 63 - RAINFALL: 0.16”

MAY 24
HIGH 98 - 1918
LOW HIGH 70 - 1909, 1899
LOW 47 - 1913
HIGH LOW 74 - 1969
RAINFALL 2.43” - 1944
NORMALS - HIGH: 84 - LOW: 64 - RAINFALL: 0.17”

MAY 25
HIGH 98 - 1902
LOW HIGH 71 - 1935
LOW 49 - 1979, 1925
HIGH LOW 74 - 1989
RAINFALL 1.88” - 1982
NORMALS - HIGH: 84 - LOW: 64 - RAINFALL: 0.15”

MAY 26
HIGH 96 - 1918, 1896
LOW HIGH 68 - 1961
LOW 48 - 1925
HIGH LOW 75 - 2000
RAINFALL 2.45” - 1974
NORMALS - HIGH: 84 - LOW: 64 - RAINFALL: 0.16”

MAY 27
HIGH 97 - 1918
LOW HIGH 67 - 1907
LOW 45 - 1901
HIGH LOW 73 - 1888
RAINFALL 1.65” - 1924
NORMALS - HIGH: 85 - LOW: 65 - RAINFALL: 0.15”

MAY 28
HIGH 99 - 1926
LOW HIGH 58 - 1992
LOW 47 - 1961
HIGH LOW 74 - 1912
RAINFALL 2.50” - 1888
NORMALS - HIGH: 85 - LOW: 65 - RAINFALL: 0.15”

```
     MAY 29
       HIGH         100 - 1926
       LOW HIGH      63 – 1992
       LOW           45 – 1984
       HIGH LOW      76 - 1927
       RAINFALL   3.05” – 1899
NORMALS – HIGH: 85 – LOW: 65 – RAINFALL: 0.16”

     MAY 30
       HIGH          98 - 1921
       LOW HIGH      65 – 1889
       LOW           42 – 1984
       HIGH LOW      76 - 1898
       RAINFALL   1.69” – 1892
NORMALS – HIGH: 86 – LOW: 65 – RAINFALL: 0.16”

     MAY 31
       HIGH          99 - 1886
       LOW HIGH      65 – 1964
       LOW           40 - 1984
       HIGH LOW      73 – 2011, 1998, 1951, 1934, 1927, 1884
       RAINFALL   3.46” – 1909
NORMALS – HIGH: 86 – LOW: 66 – RAINFALL: 0.16”
```

# JUNE

```
     JUNE 1
       HIGH          98 - 1921, 1886
       LOW HIGH      62 - 1903
       LOW           50 - 1894, 1889
       HIGH LOW      77 - 1998
       RAINFALL   2.10” - 1892
NORMALS - HIGH: 86 - LOW: 66 - RAINFALL: 0.14”

     JUNE 2
       HIGH         102 - 2001
       LOW HIGH      72 - 1967, 1892
       LOW           49 - 1984
       HIGH LOW      78 - 1985
       RAINFALL   4.69” - 1927
NORMALS - HIGH: 86 - LOW: 66 - RAINFALL: 0.14”

     JUNE 3
       HIGH         100 - 1911
       LOW HIGH      71 - 1946
       LOW           49 - 1956
       HIGH LOW      78 - 1985
       RAINFALL   2.40” - 1917
NORMALS - HIGH: 87 - LOW: 66 - RAINFALL: 0.14”

     JUNE 4
       HIGH          99 - 2011, 1925
       LOW HIGH      70 - 2009
       LOW           53 - 1954, 1929, 1919
       HIGH LOW      80 - 1985
       RAINFALL   1.47” - 1928
NORMALS - HIGH: 87 - LOW: 67 - RAINFALL: 0.14”

     JUNE 5
       HIGH         100 - 1977
       LOW HIGH      71 - 1951
       LOW           53 - 1954, 1946
       HIGH LOW      79 - 1985
       RAINFALL   2.56” - 1904
NORMALS - HIGH: 87 - LOW: 67 - RAINFALL: 0.14”

     JUNE 6
       HIGH          99 - 2011, 1977, 1925, 1921
       LOW HIGH      75 - 1998, 1904
       LOW           55 - 1928
       HIGH LOW      79 - 1985
       RAINFALL   3.03” - 1981
NORMALS - HIGH: 87 - LOW: 67 - RAINFALL: 0.14”

     JUNE 7
       HIGH         102 - 1977
       LOW HIGH      75 - 1916
       LOW           54 - 1894
       HIGH LOW      82 - 1884
       RAINFALL   4.26” - 1974
NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.14”
```

JUNE 8
HIGH 100 - 1911
LOW HIGH 75 - 1930
LOW 50 - 1894
HIGH LOW 78 - 2007
RAINFALL 1.38” - 1974
NORMALS - HIGH: 88 - LOW: 68 - RAINFALL: 0.13”

JUNE 9
HIGH 100 - 1911
LOW HIGH 68 - 1913
LOW 52 - 1930
HIGH LOW 77 - 1998, 1995, 1953
RAINFALL 1.21” - 1959
NORMALS - HIGH: 88 - LOW: 68 - RAINFALL: 0.14”

JUNE 10
HIGH 101 - 1914
LOW HIGH 68 - 1913
LOW 52 - 1955, 1930
HIGH LOW 77 - 1998
RAINFALL 1.20” - 1910
NORMALS - HIGH: 88 - LOW: 68 - RAINFALL: 0.13”

JUNE 11
HIGH 102 - 1911
LOW HIGH 73 - 1945
LOW 51 - 1955
HIGH LOW 78 - 1998
RAINFALL 2.66” - 1945
NORMALS - HIGH: 88 - LOW: 68 - RAINFALL: 0.13”

JUNE 12
HIGH 101 - 1924
LOW HIGH 68 - 1889
LOW 49 - 1903
HIGH LOW 77 - 1998
RAINFALL 3.47” - 1919
NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12”

JUNE 13
HIGH 101 - 1914
LOW HIGH 74 - 1903
LOW 50 - 1903
HIGH LOW 80 - 1897
RAINFALL 1.60” - 1909
NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12”

JUNE 14
HIGH 101 - 1914
LOW HIGH 72 - 1942, 1927
LOW 54 - 1913
HIGH LOW 79 - 1924
RAINFALL 2.66” - 1929
NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12”

```
     JUNE 15
       HIGH         103 - 1925
       LOW HIGH      69 - 1955
       LOW           54 - 1933
       HIGH LOW      76 - 1994, 1993, 1990, 1981, 1924
       RAINFALL   2.14” - 1955
NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12”

     JUNE 16
       HIGH         102 - 1925, 1918
       LOW HIGH      66 - 1961
       LOW           52 - 1933
       HIGH LOW      79 - 1924
       RAINFALL   5.15” - 1895
NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12”

     JUNE 17
       HIGH         103 - 1925
       LOW HIGH      70 - 1961
       LOW           51 - 1917
       HIGH LOW      78 - 1884
       RAINFALL   1.13” - 1914
NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.12”

     JUNE 18
       HIGH         106 - 1918
       LOW HIGH      74 - 1920
       LOW           54 - 1917
       HIGH LOW      79 - 2011, 1939, 1922
       RAINFALL   2.30” - 1912
NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.11”

     JUNE 19
       HIGH         104 - 1918
       LOW HIGH      70 - 1920
       LOW           57 - 1917
       HIGH LOW      81 - 2011
       RAINFALL   1.09” - 1963
NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.11”

     JUNE 20
       HIGH         107 - 1936, 1918
       LOW HIGH      76 - 1993
       LOW           57 - 1976
       HIGH LOW      80 - 1936
       RAINFALL   0.80” - 1910
NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.11”

     JUNE 21
       HIGH         105 - 1925
       LOW HIGH      70 - 1902
       LOW           57 - 1976
       HIGH LOW      80 - 1990, 1936
       RAINFALL   1.78” - 1902
NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.11”
```

JUNE 22
HIGH 103 – 1925, 1897
LOW HIGH 70 - 1912
LOW 55 – 1961, 1902
HIGH LOW 78 – 1998, 1944, 1937
RAINFALL 2.36” – 1947
NORMALS – HIGH: 90 – LOW: 70 – RAINFALL: 0.10”

JUNE 23
HIGH 103 - 1925
LOW HIGH 68 - 1912
LOW 51 - 1902
HIGH LOW 78 - 1969
RAINFALL 1.55” – 1905
NORMALS – HIGH: 91 – LOW: 71 – RAINFALL: 0.10”

JUNE 24
HIGH 102 - 1918
LOW HIGH 79 – 2004, 1915, 1905
LOW 54 - 1902
HIGH LOW 82 - 1884
RAINFALL 2.87” – 1994
NORMALS – HIGH: 91 – LOW: 71 – RAINFALL: 0.11”

JUNE 25
HIGH 102 – 1918, 1901
LOW HIGH 76 - 1960
LOW 57 - 1974
HIGH LOW 82 - 1922, 1884
RAINFALL 2.16” – 1958
NORMALS – HIGH: 91 – LOW: 71 – RAINFALL: 0.10”

JUNE 26
HIGH 103 - 1918
LOW HIGH 75 – 1967, 1958
LOW 55 - 1958
HIGH LOW 79 - 1922
RAINFALL 3.55” – 1903
NORMALS – HIGH: 91 – LOW: 71 – RAINFALL: 0.09”

JUNE 27
HIGH 103 - 1954
LOW HIGH 78 – 1912, 1907
LOW 57 - 1968
HIGH LOW 79 – 1994, 1980
RAINFALL 1.40” – 1926
NORMALS – HIGH: 91 – LOW: 71 – RAINFALL: 0.10”

JUNE 28
HIGH 104 – 1954, 1925
LOW HIGH 79 - 1886
LOW 58 – 1958
HIGH LOW 78 - 1980
RAINFALL 2.30” – 1997
NORMALS – HIGH: 91 – LOW: 71 – RAINFALL: 0.10”

```
     JUNE 29
       HIGH         106 - 1894
       LOW HIGH      78 - 1940
       LOW           54 - 1923
       HIGH LOW      77 - 1905
       RAINFALL   1.76” - 1939
NORMALS – HIGH: 91 – LOW: 71 – RAINFALL: 0.11”

     JUNE 30
       HIGH         104 - 1894
       LOW HIGH      78 - 1940
       LOW           54 - 1923
       HIGH LOW      78 – 1998, 1969, 1936, 1933, 1931
       RAINFALL   0.98” - 2009
NORMALS – HIGH: 91 – LOW: 71 – RAINFALL: 0.10”
```

# JULY

JULY 1
HIGH 104 – 1897, 1894
LOW HIGH 76 - 2004
LOW 58 - 1950
HIGH LOW 79 - 1946
RAINFALL 1.17” – 1985
NORMALS – HIGH: 92 – LOW: 71 – RAINFALL: 0.11”

JULY 2
HIGH 105 - 1894
LOW HIGH 76 – 1940, 1936
LOW 56 - 1924
HIGH LOW 79 - 1884
RAINFALL 3.57” – 1936
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.12”

JULY 3
HIGH 105 - 1926
LOW HIGH 80 – 1940, 1922
LOW 59 - 1918
HIGH LOW 79 - 1990
RAINFALL 3.45” – 1951
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.12”

JULY 4
HIGH 108 - 1926
LOW HIGH 78 - 1889
LOW 58 - 1959
HIGH LOW 79 - 1933
RAINFALL 1.54” – 1985
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.11”

JULY 5
HIGH 102 – 1954, 1901, 1897
LOW HIGH 78 – 1995, 1976
LOW 57 - 1922
HIGH LOW 78 - 1995
RAINFALL 2.74” – 1995
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.13”

JULY 6
HIGH 103 – 1964, 1954, 1897
LOW HIGH 74 - 1967
LOW 57 - 1915
HIGH LOW 78 – 1998, 1894
RAINFALL 2.60” – 1958
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.12”

JULY 7
HIGH 103 – 1998, 1897
LOW HIGH 72 - 1940
LOW 56 - 1972
HIGH LOW 79 - 1998
RAINFALL 1.44” – 1931
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.13”

JULY 8
HIGH 105 - 1964
LOW HIGH 78 - 1940
LOW 59 - 1950
HIGH LOW 83 - 1998
RAINFALL 1.35” - 1927
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

JULY 9
HIGH 102 - 1980, 1969, 1966, 1964, 1944
LOW HIGH 76 - 1894
LOW 57 - 1901
HIGH LOW 79 - 1933
RAINFALL 2.82” - 1905
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

JULY 10
HIGH 105 - 1969, 1944
LOW HIGH 72 - 1996
LOW 59 - 1899
HIGH LOW 80 - 2011
RAINFALL 2.12” - 1888
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

JULY 11
HIGH 105 - 1930
LOW HIGH 78 - 1999
LOW 59 - 1899
HIGH LOW 79 - 2011
RAINFALL 1.31” - 1965
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

JULY 12
HIGH 108 - 1901
LOW HIGH 75 - 1953
LOW 62 - 1894
HIGH LOW 81 - 1930
RAINFALL 2.11” - 1941
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.14”

JULY 13
HIGH 106 - 1954
LOW HIGH 74 - 1940
LOW 59 - 1897
HIGH LOW 82 - 1930
RAINFALL 1.78” - 2010
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

JULY 14
HIGH 107 - 1980
LOW HIGH 74 - 1990
LOW 58 - 1897
HIGH LOW 79 - 1954
RAINFALL 2.05” - 1948
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

JULY 15
HIGH 107 – 1980, 1901
LOW HIGH 80 - 1989
LOW 56 - 1967
HIGH LOW 79 - 1934
RAINFALL 2.82” – 1989
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.13”

JULY 16
HIGH 105 - 1980
LOW HIGH 77 - 1891
LOW 58 - 1926
HIGH LOW 79 - 1932
RAINFALL 1.25” – 1924
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.13”

JULY 17
HIGH 107 - 1901
LOW HIGH 82 – 1992, 1923
LOW 60 - 1930
HIGH LOW 80 - 2000
RAINFALL 2.59” – 1992
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.13”

JULY 18
HIGH 108 - 1980
LOW HIGH 80 - 1923
LOW 62 - 2009
HIGH LOW 80 - 2000
RAINFALL 3.54” – 1954
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.14”

JULY 19
HIGH 106 – 1980, 1943
LOW HIGH 80 - 1954
LOW 63 – 2009, 1910, 1891
HIGH LOW 82 - 1884
RAINFALL 2.69” – 1948
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.13”

JULY 20
HIGH 106 – 1901
LOW HIGH 80 – 2009, 1917
LOW 60 - 1891
HIGH LOW 79 - 1943
RAINFALL 2.05” – 1889
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.13”

JULY 21
HIGH 103 – 1943, 1901
LOW HIGH 74 - 1970
LOW 61 – 1971, 1970
HIGH LOW 79 - 1996
RAINFALL 3.40” – 1936
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.12”

```
     JULY 22
       HIGH         109 - 1943
       LOW HIGH      75 - 1970
       LOW           57 - 1902
       HIGH LOW      78 - 1986, 1954, 1930
       RAINFALL   4.18” - 1936
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

     JULY 23
       HIGH         110 - 1924
       LOW HIGH      80 - 1990, 1905
       LOW           56 - 1947
       HIGH LOW      80 - 1995, 1943
       RAINFALL   1.80” - 1971
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

     JULY 24
       HIGH         110 - 1924
       LOW HIGH      70 - 1887
       LOW           58 - 1915
       HIGH LOW      79 - 1934
       RAINFALL   3.33” - 1971
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.14”

     JULY 25
       HIGH         107 - 1943, 1918
       LOW HIGH      77 - 1933
       LOW           57 - 1911
       HIGH LOW      79 - 1997, 1944
       RAINFALL   3.40” - 1913
NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13”

     JULY 26
       HIGH         109 - 1918
       LOW HIGH      74 - 1933
       LOW           58 - 1911
       HIGH LOW      79 - 1999, 1997, 1925
       RAINFALL   2.55” - 1974
NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.13”

     JULY 27
       HIGH         106 - 1918
       LOW HIGH      78 - 1933
       LOW           59 - 1911
       HIGH LOW      80 - 1999
       RAINFALL   4.33” - 1983
NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.13”

     JULY 28
       HIGH         106 - 1930
       LOW HIGH      80 - 1977
       LOW           60 - 1911
       HIGH LOW      79 - 1998, 1997
       RAINFALL   2.15” - 1891
NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.12”
```

JULY 29

| | | |
|---|---|---|
| HIGH | 109 | - 1930 |
| LOW HIGH | 80 | - 1911 |
| LOW | 62 | - 1994 |
| HIGH LOW | 82 | – 1998, 1930 |
| RAINFALL | 4.04” | – 1967 |

NORMALS – HIGH: 93 – LOW: 72 – RAINFALL: 0.12”

JULY 30

| | | |
|---|---|---|
| HIGH | 107 | - 1986 |
| LOW HIGH | 76 | – 1981, 1971 |
| LOW | 64 | – 2005, 1994, 1984, 1981, 1971 |
| HIGH LOW | 81 | - 1930 |
| RAINFALL | 2.61” | – 2009 |

NORMALS – HIGH: 93 – LOW: 72 – RAINFALL: 0.12”

JULY 31

| | | |
|---|---|---|
| HIGH | 106 | – 1986, 1896 |
| LOW HIGH | 79 | - 1902 |
| LOW | 59 | - 1965 |
| HIGH LOW | 81 | - 1986 |
| RAINFALL | 4.65” | – 1902 |

NORMALS – HIGH: 93 – LOW: 72 – RAINFALL: 0.11”

# AUGUST

AUGUST 1
HIGH 108 - 1896
LOW HIGH 79 - 1936
LOW 60 - 1971
HIGH LOW 78 – 2010, 1986, 1943
RAINFALL 1.80” – 1909
NORMALS – HIGH: 93 – LOW: 72 – RAINFALL: 0.11”

AUGUST 2
HIGH 107 – 1943, 1918
LOW HIGH 78 - 1966
LOW 61 – 1949, 1918
HIGH LOW 79 – 2010
RAINFALL 2.00” – 1985
NORMALS – HIGH: 93 – LOW: 72 – RAINFALL: 0.10”

AUGUST 3
HIGH 110 - 2011
LOW HIGH 78 - 1907
LOW 61 - 1920
HIGH LOW 82 - 1918
RAINFALL 2.03” – 1922
NORMALS – HIGH: 93 – LOW: 72 – RAINFALL: 0.11”

AUGUST 4
HIGH 109 - 1918
LOW HIGH 78 - 1971
LOW 59 – 1974, 1920, 1915
HIGH LOW 84 - 2011
RAINFALL 1.60” – 1946
NORMALS – HIGH: 93 – LOW: 72 – RAINFALL: 0.10”

AUGUST 5
HIGH 107 - 1918
LOW HIGH 76 - 1950
LOW 57 - 1912
HIGH LOW 81 – 2011, 1943
RAINFALL 2.11” – 2009
NORMALS – HIGH: 93 – LOW: 72 – RAINFALL: 0.09”

AUGUST 6
HIGH 108 - 1926
LOW HIGH 73 - 1993
LOW 57 - 1884
HIGH LOW 79 - 1934
RAINFALL 2.85” – 1993
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.10”

AUGUST 7
HIGH 108 - 1947
LOW HIGH 74 - 1997
LOW 60 - 1894
HIGH LOW 79 - 1929
RAINFALL 2.52” – 1945
NORMALS – HIGH: 92 – LOW: 72 – RAINFALL: 0.10”

AUGUST 8
HIGH 108 - 1943
LOW HIGH 75 - 1997
LOW 58 - 1989
HIGH LOW 81 - 1934
RAINFALL 2.08” - 1897
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.09”

AUGUST 9
HIGH 107 - 1943
LOW HIGH 76 - 1948
LOW 57 - 1989
HIGH LOW 81 - 1934
RAINFALL 1.45” - 1912
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.09”

AUGUST 10
HIGH 109 - 1943
LOW HIGH 75 - 2008
LOW 59 - 1953
HIGH LOW 79 - 2006, 1936
RAINFALL 1.66” - 2008
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.07”

AUGUST 11
HIGH 109 - 1918
LOW HIGH 76 - 2008
LOW 60 - 1976, 1884
HIGH LOW 78 - 1929
RAINFALL 1.96” - 1966
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.09”

AUGUST 12
HIGH 106 - 1918
LOW HIGH 75 - 1914
LOW 57 - 2004, 1967
HIGH LOW 79 - 1999
RAINFALL 2.90” - 1910
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.08”

AUGUST 13
HIGH 104 - 1943, 1896
LOW HIGH 78 - 2004, 1979
LOW 54 - 2004
HIGH LOW 79 - 1943
RAINFALL 2.04” - 1997
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.07”

AUGUST 14
HIGH 108 - 1943
LOW HIGH 74 - 1961
LOW 52 - 2004
HIGH LOW 79 - 1930
RAINFALL 2.58” - 1968
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.08”

```
     AUGUST 15
       HIGH         112 - 1943
       LOW HIGH      80 - 1992, 1911
       LOW           57 - 2004
       HIGH LOW      81 - 1930
       RAINFALL   1.78” - 1932
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.07”

     AUGUST 16
       HIGH         111 - 1943
       LOW HIGH      73 - 1964
       LOW           57 - 2004, 1992, 1963
       HIGH LOW      79 - 1943
       RAINFALL   3.20” - 1986
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.07”

     AUGUST 17
       HIGH         107 - 1909
       LOW HIGH      77 - 1958
       LOW           56 - 1992
       HIGH LOW      79 - 1934
       RAINFALL   4.29” - 1969
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.08”

     AUGUST 18
       HIGH         106 - 2000, 1918
       LOW HIGH      75 - 1981
       LOW           59 - 1992
       HIGH LOW      78 - 2000, 1995, 1934
       RAINFALL   1.28” - 1970
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.07”

     AUGUST 19
       HIGH         107 - 1925
       LOW HIGH      74 - 2008
       LOW           62 - 1976
       HIGH LOW      79 - 1934
       RAINFALL   3.10” - 1905
NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.08”

     AUGUST 20
       HIGH         108 - 1925
       LOW HIGH      74 - 1956
       LOW           60 - 1953, 1940, 1927
       HIGH LOW      79 - 1934
       RAINFALL   1.65” - 1915
NORMALS - HIGH: 92 - LOW: 70 - RAINFALL: 0.08”

     AUGUST 21
       HIGH         104 - 1899
       LOW HIGH      74 - 1911
       LOW           57 - 1956
       HIGH LOW      78 - 1995, 1934
       RAINFALL   1.03” - 1894
NORMALS - HIGH: 92 - LOW: 70 - RAINFALL: 0.07”
```

```
     AUGUST 22
       HIGH         104 - 1943, 1926
       LOW HIGH      77 - 1919
       LOW           53 - 1956
       HIGH LOW      78 - 1995, 1934
       RAINFALL   2.30” - 1911
NORMALS - HIGH: 92 - LOW: 70 - RAINFALL: 0.07”

     AUGUST 23
       HIGH         104 - 1943
       LOW HIGH      74 - 1891
       LOW           53 - 1888
       HIGH LOW      80 - 2011
       RAINFALL   1.35” - 1961
NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.07”

     AUGUST 24
       HIGH         106 - 1943
       LOW HIGH      72 - 1891
       LOW           54 - 1891
       HIGH LOW      82 - 1985
       RAINFALL   1.41” - 1950
NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.07”

     AUGUST 25
       HIGH         105 - 1943
       LOW HIGH      78 - 1979
       LOW           58 - 1923, 1891
       HIGH LOW      77 - 1963, 1922
       RAINFALL   2.47” - 1950
NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.08”

     AUGUST 26
       HIGH         108 - 1943
       LOW HIGH      73 - 1946
       LOW           56 - 1891
       HIGH LOW      79 - 1943
       RAINFALL   1.35” - 1918
NORMALS - HIGH: 91 - LOW: 69 - RAINFALL: 0.07”

     AUGUST 27
       HIGH         111 - 1943
       LOW HIGH      71 - 1900
       LOW           57 - 1927
       HIGH LOW      79 - 1943
       RAINFALL   1.04” - 1888
NORMALS - HIGH: 91 - LOW: 69 - RAINFALL: 0.06”

     AUGUST 28
       HIGH         104 - 2000, 1954, 1924
       LOW HIGH      73 - 1927
       LOW           54 - 1967, 1906
       HIGH LOW      79 - 1943, 1888
       RAINFALL   1.70” - 2005
NORMALS - HIGH: 91 - LOW: 69 - RAINFALL: 0.06”
```

AUGUST 29

| | |
|---|---|
| HIGH | 105 - 1924 |
| LOW HIGH | 78 – 1988, 1917 |
| LOW | 52 - 1906 |
| HIGH LOW | 80 - 1984 |
| RAINFALL | 1.77” – 1959 |

NORMALS – HIGH: 91 – LOW: 69 – RAINFALL: 0.07”

AUGUST 30

| | |
|---|---|
| HIGH | 106 – 2000, 1943 |
| LOW HIGH | 71 - 1915 |
| LOW | 53 - 1906 |
| HIGH LOW | 75 – 2000, 1998, 1995, 1984, 1954 |
| RAINFALL | 3.38” – 1978 |

NORMALS – HIGH: 90 – LOW: 68 – RAINFALL: 0.06”

AUGUST 31

| | |
|---|---|
| HIGH | 106 – 2000, 1951, 1943 |
| LOW HIGH | 73 - 1967 |
| LOW | 55 - 1946 |
| HIGH LOW | 77 – 2000, 1947, 1943, 1937 |
| RAINFALL | 2.25” – 1974 |

NORMALS – HIGH: 90 – LOW: 68 – RAINFALL: 0.07”

# SEPTEMBER

```
     SEPTEMBER 1
       HIGH         105 - 1947
       LOW HIGH      74 - 1928
       LOW           53 - 1903
       HIGH LOW      76 - 1947
       RAINFALL   1.62” - 1974
NORMALS – HIGH: 90 – LOW: 68 – RAINFALL: 0.07”

     SEPTEMBER 2
       HIGH         106 – 1947, 1925
       LOW HIGH      77 - 2008
       LOW           52 - 1886
       HIGH LOW      77 - 1947
       RAINFALL   2.42” – 1902
NORMALS – HIGH: 90 – LOW: 68 – RAINFALL: 0.07”

     SEPTEMBER 3
       HIGH         107 - 1925
       LOW HIGH      73 - 1968
       LOW           51 - 1952
       HIGH LOW      78 - 1936
       RAINFALL   3.20” – 2008
NORMALS – HIGH: 90 – LOW: 67 – RAINFALL: 0.07”

     SEPTEMBER 4
       HIGH         109 - 1925
       LOW HIGH      70 - 1967
       LOW           52 - 1974
       HIGH LOW      79 - 1939
       RAINFALL   1.45” – 1976
NORMALS – HIGH: 89 – LOW: 67 – RAINFALL: 0.07”

     SEPTEMBER 5
       HIGH         110 - 1925
       LOW HIGH      74 – 1974
       LOW           50 - 1891
       HIGH LOW      79 - 1922
       RAINFALL   2.95” – 1923
NORMALS – HIGH: 89 – LOW: 67 – RAINFALL: 0.07”

     SEPTEMBER 6
       HIGH         110 - 1925
       LOW HIGH      61 - 1891
       LOW           49 - 1891
       HIGH LOW      75 – 1947, 1941, 1910, 1898
       RAINFALL   2.97” – 1994
NORMALS – HIGH: 89 – LOW: 66 – RAINFALL: 0.07”

     SEPTEMBER 7
       HIGH         108 - 1925
       LOW HIGH      69 - 1957
       LOW           51 – 2011, 1988
       HIGH LOW      78 - 1939
       RAINFALL   1.52” – 1963
NORMALS – HIGH: 88 – LOW: 66 – RAINFALL: 0.07”
```

SEPTEMBER 8
HIGH 109 - 1925
LOW HIGH 70 - 1950
LOW 50 - 1956
HIGH LOW 80 - 1996
RAINFALL 0.84” - 1999
NORMALS - HIGH: 88 - LOW: 66 - RAINFALL: 0.08”

SEPTEMBER 9
HIGH 107 - 1925
LOW HIGH 72 - 1950
LOW 49 - 2011
HIGH LOW 79 - 1884
RAINFALL 2.65” - 1894
NORMALS - HIGH: 88 - LOW: 65 - RAINFALL: 0.08”

SEPTEMBER 10
HIGH 102 - 1909
LOW HIGH 69 - 1948
LOW 47 - 1902
HIGH LOW 77 - 1945
RAINFALL 3.73” - 1965
NORMALS - HIGH: 88 - LOW: 65 - RAINFALL: 0.09”

SEPTEMBER 11
HIGH 103 - 1927
LOW HIGH 72 - 1940
LOW 48 - 1976, 1902
HIGH LOW 76 - 1986
RAINFALL 2.31” - 1958
NORMALS - HIGH: 87 - LOW: 65 - RAINFALL: 0.08”

SEPTEMBER 12
HIGH 102 - 1927
LOW HIGH 70 - 1902, 1894
LOW 47 - 1976, 1940
HIGH LOW 75 - 1936
RAINFALL 3.46” - 1892
NORMALS - HIGH: 87 - LOW: 64 - RAINFALL: 0.09”

SEPTEMBER 13
HIGH 102 - 1939
LOW HIGH 65 - 1945
LOW 46 - 1902
HIGH LOW 75 - 1993, 1962, 1921, 1887
RAINFALL 2.24” - 1898
NORMALS - HIGH: 87 - LOW: 64 - RAINFALL: 0.09”

SEPTEMBER 14
HIGH 101 - 1939
LOW HIGH 67 - 1913
LOW 42 - 1902
HIGH LOW 76 - 1911
RAINFALL 5.02” - 1886
NORMALS - HIGH: 86 - LOW: 64 - RAINFALL: 0.09”

```
     SEPTEMBER 15
       HIGH         101 - 1927, 1921, 1895
       LOW HIGH      62 - 1993
       LOW           40 - 1902
       HIGH LOW      75 - 1936, 1911
       RAINFALL   2.99” - 2009
NORMALS - HIGH: 86 - LOW: 63 - RAINFALL: 0.09”

     SEPTEMBER 16
       HIGH         104 - 1896
       LOW HIGH      67 - 1946
       LOW           41 - 1902
       HIGH LOW      76 - 1920
       RAINFALL   1.23” - 1949
NORMALS - HIGH: 86 - LOW: 63 - RAINFALL: 0.08”

     SEPTEMBER 17
       HIGH         105 - 1927
       LOW HIGH      68 - 1946
       LOW           41 - 1902
       HIGH LOW      74 - 1939, 1931, 1911
       RAINFALL   2.31” - 1964
NORMALS - HIGH: 85 - LOW: 62 - RAINFALL: 0.08”

     SEPTEMBER 18
       HIGH         104 - 1925
       LOW HIGH      69 - 1973, 1901
       LOW           45 - 1981, 1903
       HIGH LOW      76 - 1942
       RAINFALL   2.27” - 1899
NORMALS - HIGH: 85 - LOW: 62 - RAINFALL: 0.08”

     SEPTEMBER 19
       HIGH         103 - 1925
       LOW HIGH      67 - 1991
       LOW           42 - 1901
       HIGH LOW      76 - 1988
       RAINFALL   2.29” - 1958
NORMALS - HIGH: 85 - LOW: 61 - RAINFALL: 0.08”

     SEPTEMBER 20
       HIGH         102 - 1925
       LOW HIGH      68 - 1991, 1966
       LOW           43 - 1901
       HIGH LOW      75 - 1931
       RAINFALL   2.13” - 1990
NORMALS - HIGH: 84 - LOW: 61 - RAINFALL: 0.09”

     SEPTEMBER 21
       HIGH         103 - 1925
       LOW HIGH      66 - 1896
       LOW           43 - 1983, 1918
       HIGH LOW      75 - 1925
       RAINFALL   2.50” - 1909
NORMALS - HIGH: 84 - LOW: 61 - RAINFALL: 0.08”
```

```
     SEPTEMBER 22
       HIGH         103 - 1925
       LOW HIGH      68 - 1995, 1983, 1904
       LOW           39 - 1983
       HIGH LOW      76 - 1926
       RAINFALL   3.51” - 1919
NORMALS - HIGH: 84 - LOW: 60 - RAINFALL: 0.09”

     SEPTEMBER 23
       HIGH          99 - 1921
       LOW HIGH      64 - 1989
       LOW           39 - 1983
       HIGH LOW      77 - 1927
       RAINFALL   2.40” - 1902
NORMALS - HIGH: 83 - LOW: 60 - RAINFALL: 0.09”

     SEPTEMBER 24
       HIGH          99 - 1921
       LOW HIGH      67 - 1994, 1965
       LOW           43 - 1918
       HIGH LOW      75 - 1926
       RAINFALL   3.90” - 1984
NORMALS - HIGH: 83 - LOW: 59 - RAINFALL: 0.10”

     SEPTEMBER 25
       HIGH          98 - 1931
       LOW HIGH      64 - 1974
       LOW           44 - 2001
       HIGH LOW      75 - 1931
       RAINFALL   2.22” - 1886
NORMALS - HIGH: 82 - LOW: 59 - RAINFALL: 0.11”

     SEPTEMBER 26
       HIGH          97 - 1954
       LOW HIGH      65 - 1950
       LOW           41 - 2001
       HIGH LOW      75 - 1933
       RAINFALL   2.65” - 2007
NORMALS - HIGH: 82 - LOW: 59 - RAINFALL: 0.11”

     SEPTEMBER 27
       HIGH         102 - 1939
       LOW HIGH      64 - 1984
       LOW           39 - 1942
       HIGH LOW      77 - 1936
       RAINFALL   2.11” - 1896
NORMALS - HIGH: 82 - LOW: 58 - RAINFALL: 0.13”

     SEPTEMBER 28
       HIGH         101 - 1953
       LOW HIGH      60 - 1980, 1964
       LOW           42 - 1985, 1909, 1908, 1899
       HIGH LOW      60 - 1980
       RAINFALL   2.50” - 1980
NORMALS - HIGH: 81 - LOW: 58 - RAINFALL: 0.12”
```

```
     SEPTEMBER 29
       HIGH         100 - 1953, 1928
       LOW HIGH      62 - 1980
       LOW           38 - 1967
       HIGH LOW      75 - 1986
       RAINFALL   2.80” - 1980
NORMALS - HIGH: 81 - LOW: 57 - RAINFALL: 0.13”

     SEPTEMBER 30
       HIGH          98 - 1953
       LOW HIGH      61 - 1972
       LOW           40 - 1949, 1916, 1899
       HIGH LOW      75 - 1986
       RAINFALL   2.60” - 1939
NORMALS - HIGH: 81 - LOW: 57 - RAINFALL: 0.13”
```

# OCTOBER

```
     OCTOBER 1
       HIGH          96 - 1928
       LOW HIGH      62 - 1985, 1958
       LOW           39 - 1984, 1920
       HIGH LOW      75 - 1893
       RAINFALL   6.73” - 1945
       SNOWFALL       ” -
NORMALS - HIGH: 80 - LOW: 57 - RAINFALL: 0.14”

     OCTOBER 2
       HIGH          98 - 1926
       LOW HIGH      62 - 1961
       LOW           38 - 2003
       HIGH LOW      73 - 1911
       RAINFALL   1.72” - 1945
       SNOWFALL       ” -
NORMALS - HIGH: 80 - LOW: 56 - RAINFALL: 0.13”

     OCTOBER 3
       HIGH          98 - 1926
       LOW HIGH      63 - 1958
       LOW           40 - 1920, 1899
       HIGH LOW      76 - 1986
       RAINFALL   2.33” - 1902
       SNOWFALL       ” -
NORMALS - HIGH: 80 - LOW: 56 - RAINFALL: 0.15”

     OCTOBER 4
       HIGH          96 - 1925
       LOW HIGH      64 - 2009
       LOW           39 - 1987, 1961
       HIGH LOW      75 - 1941
       RAINFALL   2.13” - 2009
       SNOWFALL       ” -
NORMALS - HIGH: 79 - LOW: 55 - RAINFALL: 0.15”

     OCTOBER 5
       HIGH          95 - 1954
       LOW HIGH      59 - 1932
       LOW           38 - 2010
       HIGH LOW      75 - 1941
       RAINFALL   3.52” - 1949
       SNOWFALL       ” -
NORMALS - HIGH: 79 - LOW: 55 - RAINFALL: 0.14”

     OCTOBER 6
       HIGH          96 - 1918
       LOW HIGH      57 - 1952
       LOW           35 - 1932
       HIGH LOW      72 - 1941, 1931
       RAINFALL   2.45” - 1998
       SNOWFALL       ” -
NORMALS - HIGH: 79 - LOW: 55 - RAINFALL: 0.15”
```

```
     OCTOBER 7
       HIGH          94 - 1928
       LOW HIGH      53 - 2000
       LOW           39 - 2001, 1952, 1935
       HIGH LOW      74 - 1925
       RAINFALL   4.56” - 2008
       SNOWFALL       ” -
NORMALS - HIGH: 78 - LOW: 54 - RAINFALL: 0.15”

     OCTOBER 8
       HIGH          95 - 1963
       LOW HIGH      55 - 2000
       LOW           36 - 2000
       HIGH LOW      76 - 1920
       RAINFALL   1.47” - 1999
       SNOWFALL       ” -
NORMALS - HIGH: 78 - LOW: 54 - RAINFALL: 0.16”

     OCTOBER 9
       HIGH         100 - 1928
       LOW HIGH      55 - 1976
       LOW           33 - 1917
       HIGH LOW      74 - 1939
       RAINFALL   1.56” - 1990
       SNOWFALL       ” -
NORMALS - HIGH: 78 - LOW: 54 - RAINFALL: 0.16”

     OCTOBER 10
       HIGH          98 - 1928
       LOW HIGH      54 - 2009
       LOW           30 - 2000
       HIGH LOW      72 - 1969
       RAINFALL   3.54” - 2001
       SNOWFALL       ” -
NORMALS - HIGH: 77 - LOW: 53 - RAINFALL: 0.14”

     OCTOBER 11
       HIGH          96 - 1963
       LOW HIGH      57 - 1994
       LOW           33 - 1906
       HIGH LOW      73 - 1969
       RAINFALL   2.59” - 2001
       SNOWFALL       ” -
NORMALS - HIGH: 77 - LOW: 53 - RAINFALL: 0.15”

     OCTOBER 12
       HIGH          96 - 1928
       LOW HIGH      58 - 2006
       LOW           33 - 1906
       HIGH LOW      72 - 1969
       RAINFALL   2.26” - 1901
       SNOWFALL       ” -
NORMALS - HIGH: 76 - LOW: 53 - RAINFALL: 0.15”
```

```
     OCTOBER 13
       HIGH          97 - 1928
       LOW HIGH      57 - 1986
       LOW           33 - 1917
       HIGH LOW      70 - 1962
       RAINFALL   2.40” - 2001
       SNOWFALL       ” -
NORMALS - HIGH: 76 - LOW: 52 - RAINFALL: 0.16”

     OCTOBER 14
       HIGH          95 - 1928
       LOW HIGH      58 - 1969, 1906
       LOW           33 - 1907
       HIGH LOW      70 - 1941
       RAINFALL   2.36” - 1919
       SNOWFALL       ” -
NORMALS - HIGH: 76 - LOW: 52 - RAINFALL: 0.16”

     OCTOBER 15
       HIGH          93 - 1899
       LOW HIGH      58 - 1906
       LOW           33 - 1907
       HIGH LOW      68 - 1928
       RAINFALL   1.33” - 1985
       SNOWFALL       ” -
NORMALS - HIGH: 75 - LOW: 52 - RAINFALL: 0.17”

     OCTOBER 16
       HIGH          93 - 1897
       LOW HIGH      60 - 1906
       LOW           30 - 1952
       HIGH LOW      70 - 1989
       RAINFALL   1.60” - 1906
       SNOWFALL       ” -
NORMALS - HIGH: 75 - LOW: 51 - RAINFALL: 0.17”

     OCTOBER 17
       HIGH          90 - 1953, 1929, 1897
       LOW HIGH      55 - 1966
       LOW           31 - 1952
       HIGH LOW      68 - 1998
       RAINFALL   5.31” - 1928
       SNOWFALL       ” -
NORMALS - HIGH: 75 - LOW: 51 - RAINFALL: 0.18”

     OCTOBER 18
       HIGH          95 - 1926
       LOW HIGH      53 - 1989
       LOW           32 - 1948
       HIGH LOW      73 - 2004
       RAINFALL   2.17” - 1980
       SNOWFALL       ” -
NORMALS - HIGH: 74 - LOW: 51 - RAINFALL: 0.18”
```

```
     OCTOBER 19
       HIGH          91 - 1934, 1924
       LOW HIGH      49 - 1989
       LOW           31 - 1948
       HIGH LOW      71 - 2004
       RAINFALL   2.30” - 1916
       SNOWFALL       ” -
NORMALS - HIGH: 74 - LOW: 51 - RAINFALL: 0.19”

     OCTOBER 20
       HIGH          91 - 1927, 1920
       LOW HIGH      54 - 1913, 1898
       LOW           29 - 1917
       HIGH LOW      71 - 1985
       RAINFALL   1.65” - 1949
       SNOWFALL       ” -
NORMALS - HIGH: 74 - LOW: 50 - RAINFALL: 0.18”

     OCTOBER 21
       HIGH          93 - 1927
       LOW HIGH      54 - 1911
       LOW           29 - 1952
       HIGH LOW      69 - 1935
       RAINFALL   3.01” - 1996
       SNOWFALL       ” -
NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.18”

     OCTOBER 22
       HIGH          92 - 1934
       LOW HIGH      53 - 1937
       LOW           32 - 1976, 1916
       HIGH LOW      71 - 1935
       RAINFALL   2.47” - 1957
       SNOWFALL       ” -
NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.19”

     OCTOBER 23
       HIGH          96 - 1939
       LOW HIGH      48 - 1913
       LOW           28 - 1952
       HIGH LOW      69 - 2001
       RAINFALL   2.30” - 1913
       SNOWFALL       ” -
NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.17”

     OCTOBER 24
       HIGH          95 - 1927
       LOW HIGH      53 - 1972
       LOW           27 - 1917
       HIGH LOW      72 - 1985
       RAINFALL   2.30” - 1887
       SNOWFALL       ” -
NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.18”
```

```
     OCTOBER 25
       HIGH          97 - 1927
       LOW HIGH      50 - 1887
       LOW           28 - 1917
       HIGH LOW      71 - 1939
       RAINFALL   3.92” - 1976
       SNOWFALL       ” -
NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.16”

     OCTOBER 26
       HIGH          97 - 1927
       LOW HIGH      51 - 1957
       LOW           32 - 2005, 1982
       HIGH LOW      73 - 1939
       RAINFALL   1.56” - 1972
       SNOWFALL       ” -
NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.16”

     OCTOBER 27
       HIGH          97 - 1927
       LOW HIGH      49 - 1981
       LOW           31 - 1898
       HIGH LOW      74 - 1939
       RAINFALL   1.85” - 1918
       SNOWFALL       ” -
NORMALS - HIGH: 71 - LOW: 48 - RAINFALL: 0.16”

     OCTOBER 28
       HIGH          95 - 1927
       LOW HIGH      53 - 1925
       LOW           27 - 1914
       HIGH LOW      70 - 1991
       RAINFALL   1.98” - 1935
       SNOWFALL       ” -
NORMALS - HIGH: 71 - LOW: 48 - RAINFALL: 0.15”

     OCTOBER 29
       HIGH          88 - 1937, 1927
       LOW HIGH      39 - 1925
       LOW           27 - 1914
       HIGH LOW      70 - 1984
       RAINFALL   5.58” - 1991
       SNOWFALL       ” -
NORMALS - HIGH: 71 - LOW: 48 - RAINFALL: 0.16”

     OCTOBER 30
       HIGH          91 - 1937
       LOW HIGH      37 - 1925
       LOW           25 - 1917
       HIGH LOW      70 - 1942
       RAINFALL   3.07” - 1926
       SNOWFALL       T - 1993
NORMALS - HIGH: 70 - LOW: 48 - RAINFALL: 0.16”
```

```
     OCTOBER 31
       HIGH          91 - 1937
       LOW HIGH      42 - 1925
       LOW           26 - 1917
       HIGH LOW      68 - 1935
       RAINFALL   3.41” - 1919
       SNOWFALL       ” -
NORMALS - HIGH: 70 - LOW: 47 - RAINFALL: 0.17”
```

# NOVEMBER

```
     NOVEMBER 1
       HIGH          88 - 1938
       LOW HIGH      45 - 1951
       LOW           26 - 1993
       HIGH LOW      68 - 1995
       RAINFALL   4.02” - 1892
       SNOWFALL       ” -
NORMALS - HIGH: 70 - LOW: 47 - RAINFALL: 0.15”

     NOVEMBER 2
       HIGH          86 - 1936
       LOW HIGH      42 - 1966
       LOW           25 - 1954, 1951
       HIGH LOW      72 - 1936
       RAINFALL   1.45” - 2010
       SNOWFALL       T - 1966
NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.15”

     NOVEMBER 3
       HIGH          86 - 1935, 1909
       LOW HIGH      40 - 1991
       LOW           20 - 1951
       HIGH LOW      67 - 1994, 1938
       RAINFALL   2.01” - 1936
       SNOWFALL       ” -
NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.14”

     NOVEMBER 4
       HIGH          86 - 1909
       LOW HIGH      39 - 1991
       LOW           24 - 1899
       HIGH LOW      67 - 1994
       RAINFALL   2.95” - 1938
       SNOWFALL       ” -
NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.15”

     NOVEMBER 5
       HIGH          86 - 1920
       LOW HIGH      42 - 1951
       LOW           23 - 1899
       HIGH LOW      63 - 2005, 1898
       RAINFALL   2.45” - 1925
       SNOWFALL       ” -
NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.15”

     NOVEMBER 6
       HIGH          85 - 1915
       LOW HIGH      40 - 1959
       LOW           25 - 1976
       HIGH LOW      63 - 1924
       RAINFALL   3.23” - 1972
       SNOWFALL       ” -
NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.15”
```

NOVEMBER 7
HIGH 86 - 1891
LOW HIGH 46 - 1959
LOW 24 - 1959
HIGH LOW 66 - 1989
RAINFALL 2.00” - 1889
SNOWFALL T - 1991
NORMALS – HIGH: 67 – LOW: 45 – RAINFALL: 0.15”

NOVEMBER 8
HIGH 87 - 1908
LOW HIGH 36 - 1991
LOW 22 - 1951
HIGH LOW 65 - 1966, 1945
RAINFALL 1.80” - 1924
SNOWFALL T - 1941
NORMALS – HIGH: 67 – LOW: 45 – RAINFALL: 0.15”

NOVEMBER 9
HIGH 83 - 1942
LOW HIGH 44 - 1991
LOW 22 - 1991
HIGH LOW 68 - 1890
RAINFALL 3.10” - 1987
SNOWFALL ” -
NORMALS – HIGH: 66 – LOW: 45 – RAINFALL: 0.16”

NOVEMBER 10
HIGH 84 - 1927
LOW HIGH 43 - 1950
LOW 23 - 1953
HIGH LOW 70 - 1935
RAINFALL 2.86” - 1945
SNOWFALL ” -
NORMALS – HIGH: 66 – LOW: 44 – RAINFALL: 0.16”

NOVEMBER 11
HIGH 84 - 1989
LOW HIGH 44 - 1968
LOW 23 - 1950
HIGH LOW 63 - 2003
RAINFALL 1.87” - 1935
SNOWFALL ” -
NORMALS – HIGH: 66 – LOW: 44 - RAINFALL: 0.15”

NOVEMBER 12
HIGH 84 - 1955
LOW HIGH 41 - 1907
LOW 21 - 1950
HIGH LOW 64 - 1931
RAINFALL 2.00” - 1889
SNOWFALL ” -
NORMALS – HIGH: 65 – LOW: 44 - RAINFALL: 0.17”

NOVEMBER 13
HIGH 87 - 1955
LOW HIGH 39 – 1920
LOW 19 - 1907
HIGH LOW 60 - 1955
RAINFALL 3.53” - 1957
SNOWFALL ” -
NORMALS – HIGH: 65 – LOW: 44 - RAINFALL: 0.15”

NOVEMBER 14
HIGH 87 - 1955
LOW HIGH 32 – 1986
LOW 19 - 1907
HIGH LOW 69 - 2011
RAINFALL 2.45” – 1922
SNOWFALL 0.5” – 1976
NORMALS – HIGH: 64 – LOW: 43 - RAINFALL: 0.16”

NOVEMBER 15
HIGH 84 - 1964
LOW HIGH 37 - 1976
LOW 18 - 1916
HIGH LOW 70 - 1955
RAINFALL 1.44” – 1947
SNOWFALL T – 1997, 1976
NORMALS – HIGH: 64 – LOW: 43 - RAINFALL: 0.17”

NOVEMBER 16
HIGH 84 - 1941
LOW HIGH 42 – 1920
LOW 19 - 1916
HIGH LOW 67 – 1958
RAINFALL 4.10” – 1987
SNOWFALL T - 1937
NORMALS – HIGH: 63 – LOW: 43 - RAINFALL: 0.16”

NOVEMBER 17
HIGH 82 – 1921, 1908
LOW HIGH 38 - 1937
LOW 20 - 1959
HIGH LOW 65 – 1964
RAINFALL 3.15” – 1906
SNOWFALL ” -
NORMALS – HIGH: 63 – LOW: 42 - RAINFALL: 0.15”

NOVEMBER 18
HIGH 87 – 1930
LOW HIGH 39 – 2000, 1891
LOW 19 - 1959
HIGH LOW 66 – 1921, 1896
RAINFALL 3.35” – 1906
SNOWFALL T - 1926
NORMALS – HIGH: 63 – LOW: 42 - RAINFALL: 0.16”

NOVEMBER 19
HIGH 85 - 1942
LOW HIGH 39 - 1903
LOW 14 – 1903
HIGH LOW 68 – 1985
RAINFALL 3.12” – 1988
SNOWFALL T – 1991
NORMALS – HIGH: 62 – LOW: 42 - RAINFALL: 0.17”

NOVEMBER 20
HIGH 81 - 1985
LOW HIGH 41 – 1937, 1903
LOW 16 – 1914
HIGH LOW 65 – 2011, 1942
RAINFALL 4.75” – 1907
SNOWFALL T – 1891
NORMALS – HIGH: 62 – LOW: 41 - RAINFALL: 0.17”

NOVEMBER 21
HIGH 84 - 1908
LOW HIGH 37 - 1937
LOW 17 - 1914
HIGH LOW 64 - 2011
RAINFALL 2.23” - 1934
SNOWFALL ” -
NORMALS - HIGH: 61 - LOW: 41 - RAINFALL: 0.17”

NOVEMBER 22
HIGH 80 - 1931
LOW HIGH 37 - 1929
LOW 20 - 1964, 1898
HIGH LOW 64 - 2010, 1982, 1909
RAINFALL 5.24” - 1961
SNOWFALL 5.0” - 1929
NORMALS - HIGH: 61 - LOW: 41 - RAINFALL: 0.16”

NOVEMBER 23
HIGH 82 - 1931
LOW HIGH 39 - 1971
LOW 15 - 1929
HIGH LOW 67 - 1900
RAINFALL 2.64” - 2004
SNOWFALL T - 1971
NORMALS - HIGH: 60 - LOW: 40 - RAINFALL: 0.16”

NOVEMBER 24
HIGH 85 - 1908
LOW HIGH 35 - 1970
LOW 19 - 1970
HIGH LOW 62 - 1921, 1910
RAINFALL 2.32” - 2000
SNOWFALL T - 1950
NORMALS - HIGH: 60 - LOW: 40 - RAINFALL: 0.17”

NOVEMBER 25
HIGH 82 - 1908
LOW HIGH 42 - 1898
LOW 18 - 1950
HIGH LOW 63 - 1919
RAINFALL 1.70” - 1987
SNOWFALL ” -
NORMALS - HIGH: 60 - LOW: 40 - RAINFALL: 0.17”

NOVEMBER 26
HIGH 84 - 1965
LOW HIGH 42 - 1993, 1903
LOW 23 - 1928
HIGH LOW 68 - 1990
RAINFALL 3.58” - 1988
SNOWFALL ” -
NORMALS - HIGH: 59 - LOW: 39 - RAINFALL: 0.17”

NOVEMBER 27
HIGH 84 - 1927
LOW HIGH 38 - 1992
LOW 17 - 1938
HIGH LOW 65 - 1910
RAINFALL 2.80” - 1973
SNOWFALL 1.0” - 1980
NORMALS - HIGH: 59 - LOW: 39 - RAINFALL: 0.17”

```
     NOVEMBER 28
       HIGH          81 - 1927
       LOW HIGH      35 - 1958
       LOW           21 - 1912
       HIGH LOW      62 - 1997
       RAINFALL   2.58” - 2001
       SNOWFALL       T - 1967
NORMALS – HIGH: 58 – LOW: 39 - RAINFALL: 0.18”

     NOVEMBER 29
       HIGH          82 - 1927
       LOW HIGH      30 - 1976
       LOW           14 - 1976
       HIGH LOW      65 – 2006, 1927
       RAINFALL   3.10” – 1908
       SNOWFALL       ” –
NORMALS – HIGH: 58 – LOW: 39 - RAINFALL: 0.18”

     NOVEMBER 30
       HIGH          80 - 1933
       LOW HIGH      30 - 1976
       LOW           18 - 1911
       HIGH LOW      59 - 1933
       RAINFALL   1.74” – 1991
       SNOWFALL       T – 1974
NORMALS – HIGH: 58 – LOW: 38 - RAINFALL: 0.18”
```

# DECEMBER

```
     DECEMBER 1
       HIGH          80 - 1922
       LOW HIGH      35 - 1903
       LOW           21 - 1979
       HIGH LOW      63 - 1922
       RAINFALL   1.50” - 1991
       SNOWFALL       T - 1955
NORMALS - HIGH: 57 - LOW: 38 - RAINFALL: 0.19”

     DECEMBER 2
       HIGH          79 - 1922
       LOW HIGH      34 - 1929
       LOW           18 - 1960
       HIGH LOW      64 - 1982
       RAINFALL   2.56” - 1905
       SNOWFALL       T - 1971
NORMALS - HIGH: 57 - LOW: 38 - RAINFALL: 0.19”

     DECEMBER 3
       HIGH          80 - 1982
       LOW HIGH      36 - 1966
       LOW           14 - 1929
       HIGH LOW      68 - 1982
       RAINFALL   4.38” - 1993
       SNOWFALL       T - 1945
NORMALS - HIGH: 56 - LOW: 37 - RAINFALL: 0.19”

     DECEMBER 4
       HIGH          80 - 1933
       LOW HIGH      32 - 1985
       LOW           20 - 1890
       HIGH LOW      64 - 1922
       RAINFALL   3.30” - 2011
       SNOWFALL    4.0” - 1898
NORMALS - HIGH: 56 - LOW: 37 - RAINFALL: 0.19”

     DECEMBER 5
       HIGH          81 - 1933
       LOW HIGH      38 - 1964
       LOW           18 - 1899
       HIGH LOW      65 - 1998
       RAINFALL   2.54” - 2011
       SNOWFALL       T - 2005, 1992
NORMALS - HIGH: 56 - LOW: 37 - RAINFALL: 0.19”

     DECEMBER 6
       HIGH          79 - 1998, 1951
       LOW HIGH      32 - 1950
       LOW           14 - 1950
       HIGH LOW      65 - 1956
       RAINFALL   2.13” - 1957
       SNOWFALL    1.0” - 1950
NORMALS - HIGH: 55 - LOW: 37 - RAINFALL: 0.19”
```

DECEMBER 7
HIGH 84 - 1939
LOW HIGH 31 - 1950
LOW 11 - 1950
HIGH LOW 68 - 1966
RAINFALL 1.50” - 1944
SNOWFALL 0.5” - 2005
NORMALS – HIGH: 55 – LOW: 36 - RAINFALL: 0.19”

DECEMBER 8
HIGH 77 - 2007
LOW HIGH 27 - 1917
LOW 16 - 1927
HIGH LOW 63 - 1923
RAINFALL 3.70” - 1924
SNOWFALL 1.0” - 2005
NORMALS – HIGH: 55 – LOW: 36 - RAINFALL: 0.19”

DECEMBER 9
HIGH 77 - 2007
LOW HIGH 32 – 2005
LOW 10 - 1917
HIGH LOW 63 - 1943
RAINFALL 2.65” - 1961
SNOWFALL 1.0” - 1898
NORMALS – HIGH: 55 – LOW: 36 - RAINFALL: 0.20”

DECEMBER 10
HIGH 78 - 1918
LOW HIGH 27 - 1917
LOW 11 - 1917
HIGH LOW 60 - 1946
RAINFALL 2.08” - 1963
SNOWFALL 1.5” - 1932
NORMALS – HIGH: 54 – LOW: 36 - RAINFALL: 0.20”

DECEMBER 11
HIGH 77 – 1996, 1949, 1946
LOW HIGH 19 - 1917
LOW 11 - 1917
HIGH LOW 65 - 1996
RAINFALL 2.33” - 1961
SNOWFALL 0.5” - 1917
NORMALS – HIGH: 54 – LOW: 36 - RAINFALL: 0.18”

DECEMBER 12
HIGH 79 - 1929
LOW HIGH 20 - 1962
LOW 11 – 1962
HIGH LOW 64 - 1929
RAINFALL 4.00” - 1892
SNOWFALL 9.0” - 1958
NORMALS – HIGH: 54 – LOW: 35 - RAINFALL: 0.18”

DECEMBER 13
HIGH 79 - 1948
LOW HIGH 28 - 1958
LOW 11 – 1962, 1958
HIGH LOW 62 - 1984
RAINFALL 2.60” - 1892
SNOWFALL 2.0” - 1914
NORMALS – HIGH: 54 – LOW: 35 - RAINFALL: 0.18”

DECEMBER 14
HIGH 79 - 1908
LOW HIGH 27 - 1914
LOW 8 – 1958
HIGH LOW 67 - 1948
RAINFALL 1.80” – 1984
SNOWFALL 2.0” – 1901
NORMALS – HIGH: 53 – LOW: 35 - RAINFALL: 0.18”

DECEMBER 15
HIGH 82 - 1908
LOW HIGH 25 - 1901
LOW 5 – 1958
HIGH LOW 65 – 1948, 1933
RAINFALL 2.98” – 1906
SNOWFALL T – 2008, 1943
NORMALS – HIGH: 53 – LOW: 35 - RAINFALL: 0.17”

DECEMBER 16
HIGH 83 - 1924
LOW HIGH 18 - 1901
LOW 8 – 1901
HIGH LOW 66 - 1924
RAINFALL 3.25” – 2001
SNOWFALL 4.1” – 1932
NORMALS – HIGH: 53 – LOW: 35 - RAINFALL: 0.18”

DECEMBER 17
HIGH 81 - 1924
LOW HIGH 29 - 1989
LOW 12 – 1983
HIGH LOW 61 – 2002, 1984, 1929, 1924
RAINFALL 2.12” – 1933
SNOWFALL 2.0” – 1983
NORMALS – HIGH: 53 – LOW: 34 - RAINFALL: 0.17”

DECEMBER 18
HIGH 78 - 1984
LOW HIGH 23 – 1901
LOW 8 – 1932, 1901
HIGH LOW 64 - 1924
RAINFALL 3.17” – 2002
SNOWFALL 3.0” – 1909
NORMALS – HIGH: 52 – LOW: 34 - RAINFALL: 0.17”

DECEMBER 19
HIGH 73 - 1980
LOW HIGH 25 - 1909
LOW 11 – 1983
HIGH LOW 57 - 1957
RAINFALL 2.10” – 1900
SNOWFALL 1.0” – 1906
NORMALS – HIGH: 52 – LOW: 34 - RAINFALL: 0.16”

DECEMBER 20
HIGH 76 – 1978
LOW HIGH 18 - 1983
LOW 5 – 1901
HIGH LOW 62 - 1978
RAINFALL 1.74” – 2007
SNOWFALL 0.5” – 1983
NORMALS – HIGH: 52 – LOW: 34 - RAINFALL: 0.17”

```
     DECEMBER 21
       HIGH          76 - 1918
       LOW HIGH      24 - 1980
       LOW            6 - 1901
       HIGH LOW      56 - 1926
       RAINFALL   3.70” - 1926
       SNOWFALL    1.0” - 1912
NORMALS - HIGH: 52 - LOW: 34 - RAINFALL: 0.17”

     DECEMBER 22
       HIGH          77 - 1896
       LOW HIGH      15 - 1989
       LOW            3 - 1989
       HIGH LOW      58 - 1923
       RAINFALL   3.04” - 1920
       SNOWFALL   12.0” - 1963
NORMALS - HIGH: 52 - LOW: 34 - RAINFALL: 0.17”

     DECEMBER 23
       HIGH          78 - 1931
       LOW HIGH      17 - 1989
       LOW            2 - 1989
       HIGH LOW      60 - 1931
       RAINFALL   2.67” - 2009
       SNOWFALL    3.0” - 1998
NORMALS - HIGH: 52 - LOW: 34 - RAINFALL: 0.17”

     DECEMBER 24
       HIGH          81 - 1955
       LOW HIGH      26 - 2004
       LOW           -2 - 1963
       HIGH LOW      61 - 1982
       RAINFALL   4.00” - 2009
       SNOWFALL       T - 2000
NORMALS - HIGH: 52 - LOW: 34 - RAINFALL: 0.17”

     DECEMBER 25
       HIGH          77 - 1922
       LOW HIGH      15 - 1983
       LOW            1 - 1983 - LOW FROM AIRPORT SITE
       HIGH LOW      55 - 1982
       RAINFALL   4.70” - 1987
       SNOWFALL    0.8” - 1926
NORMALS - HIGH: 52 - LOW: 33 - RAINFALL: 0.17”

     DECEMBER 26
       HIGH          77 - 1942
       LOW HIGH      14 - 1983
       LOW            3 - 1983
       HIGH LOW      63 - 1942
       RAINFALL   2.60” - 1987
       SNOWFALL       T - 2000, 1990
NORMALS - HIGH: 51 - LOW: 33 - RAINFALL: 0.16”

     DECEMBER 27
       HIGH          75 - 2005
       LOW HIGH      27 - 1983
       LOW           12 - 1892
       HIGH LOW      61 - 1923
       RAINFALL   4.38” - 1982
       SNOWFALL       T - 2000
NORMALS - HIGH: 51 - LOW: 33 - RAINFALL: 0.16”
```

```
     DECEMBER 28
       HIGH          78 - 1928, 1907
       LOW HIGH      31 - 1925
       LOW           10 - 1925
       HIGH LOW      65 - 1946
       RAINFALL   3.39” - 1982
       SNOWFALL       T - 1950
NORMALS - HIGH: 51 - LOW: 33 - RAINFALL: 0.16”

     DECEMBER 29
       HIGH          79 - 1923
       LOW HIGH      31 - 1917
       LOW            9 - 1983
       HIGH LOW      60 - 1990
       RAINFALL   1.85” - 1910
       SNOWFALL    0.5” - 1895
NORMALS - HIGH: 51 - LOW: 33 - RAINFALL: 0.16”

     DECEMBER 30
       HIGH          78 - 1984
       LOW HIGH      26 - 1983
       LOW            4 - 1983
       HIGH LOW      65 - 1984, 1923
       RAINFALL   2.05” - 1906
       SNOWFALL    2.5” - 1899
NORMALS - HIGH: 51 - LOW: 33 - RAINFALL: 0.15”

     DECEMBER 31
       HIGH          80 - 1951
       LOW HIGH      23 - 1983
       LOW            3 - 1983
       HIGH LOW      62 - 1965, 1951
       RAINFALL   1.98” - 1932
       SNOWFALL    1.0” - 1905
NORMALS - HIGH: 51 - LOW: 33 - RAINFALL: 0.14”
```

# PINE BLUFF, AR

## ANNUAL TEMPERATURE RECORDS

| TOP 10 WARMEST YEARS<br>BY AVERAGE ANNUAL HIGH TEMPERATURE | TOP 10 COOLEST YEARS<br>BY AVERAGE ANNUAL HIGH TEMPERATURE |
|---|---|
| 1. 1921 – 78.61 °F | 1. 1979 – 70.74 °F |
| 2. 1927 – 78.09 °F | 2. 1968 – 70.97 °F |
| 3. 1925 – 78.08 °F | 3. 1958 – 70.97 °F |
| 4. 1918 – 78.02 °F | 4. 1983 – 71.27 °F |
| 5. 1896 – 78.00 °F | 5. 1905 – 71.38 °F |
| 6. 1897 - 77.60 °F | 6. 1989 – 71.58 °F |
| 7. 1943 – 77.25 °F | 7. 2009 – 71.78 °F |
| 8. 1928 - 77.04 °F | 8. 1969 – 72.03 °F |
| 9. 1954 - 76.98 °F | 9. 1966 – 72.04 °F |
| 10. 1938 - 76.98 °F | 10. 1912 – 72.05 °F |

NORMAL – 73.3 °F

| TOP 10 WARMEST YEARS<br>BY AVERAGE ANNUAL TEMPERATURE | TOP 10 COOLEST YEARS<br>BY AVERAGE ANNUAL TEMPERATURE |
|---|---|
| 1. 1921 - 67.1 °F | 1. 1979 – 59.8 °F |
| 2. 1927 - 66.6 °F | 2. 1983 – 59.9 °F |
| 3. 1896 - 66.1 °F | 3. 1903 – 60.5 °F |
| 4. 1938 - 66.0 °F | 4. 1917 – 60.6 °F |
| 5. 1933 - 66.0 °F | 5. 1912 – 60.7 °F |
| 6. 1925 - 66.0 °F | 6. 1958 – 60.8 °F |
| 7. 1998 - 65.9 °F | 7. 1905 – 60.9 °F |
| 8. 1946 - 65.7 °F | 8. 1968 - 61.3 °F |
| 9. 1943 - 65.4 °F | 9. 1960 - 61.5 °F |
| 10. 1934 - 65.4 °F | 10. 1978 - 61.5 °F |

NORMAL – 62.9 °F

| TOP 10 WARMEST YEARS<br>BY AVERAGE ANNUAL LOW TEMPERATURE | TOP 10 COOLEST YEARS<br>BY AVERAGE ANNUAL LOW TEMPERATURE |
|---|---|
| 1. 1998 - 56.58 °F | 1. 1983 – 48.54 °F |
| 2. 1921 - 55.47 °F | 2. 1917 - 48.56 °F |
| 3. 1933 - 55.35 °F | 3. 1903 - 48.66 °F |
| 4. 1990 - 55.18 °F | 4. 1979 – 48.92 °F |
| 5. 1927 - 55.13 °F | 5. 1904 – 49.23 °F |
| 6. 1938 - 55.05 °F | 6. 1901 - 49.39 °F |
| 7. 1991 - 54.94 °F | 7. 1912 – 49.43 °F |
| 8. 1946 - 54.88 °F | 8. 1902 – 49.87 °F |
| 9. 1986 – 54.83 °F | 9. 1976 - 49.99 °F |
| 10. 1939 - 54.49 °F | 10. 1984 – 50.13 °F |

NORMAL – 52.5 °F

## TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY HIGH TEMPERATURE

1. AUG 1943 - 103.5 °F
2. JUL 1901 - 101.2 °F
3. AUG 1954 - 100.1 °F
4. JUL 1980 - 99.9 °F
5. AUG 1947 - 99.5 °F
6. JUL 1943 - 99.5 °F
7. AUG 1924 - 99.5 °F
8. JUL 1918 - 99.3 °F
9. AUG 2000 - 99.1 °F
10. JUL 1896 - 98.9 °F

## TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY HIGH TEMPERATURE

1. JAN 1979 - 38.7 °F
2. JAN 1977 - 40.2 °F
3. DEC 1983 - 40.8 °F
4. DEC 2000 - 41.2 °F
5. JAN 1978 - 41.4 °F
6. JAN 1940 - 41.8 °F
7. FEB 1978 - 42.7 °F
8. FEB 1905 - 42.9 °F
9. JAN 1918 - 43.2 °F
10. JAN 1948 - 44.0 °F

## TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY TEMPERATURE

1. AUG 1943 - 89.0 °F
2. AUG 1934 - 87.0 °F
3. AUG 1947 - 86.9 °F
4. JUL 1943 - 86.7 °F
5. AUG 1999 - 86.5 °F
6. JUL 1998 - 86.4 °F
7. JUL 1980 - 86.4 °F
8. JUL 1930 - 86.3 °F
9. JUL 1993 - 86.1 °F
10. AUG 1954 - 86.0 °F

## TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY TEMPERATURE

1. JAN 1979 - 29.7 °F
2. JAN 1977 - 30.3 °F
3. DEC 1983 - 30.8 °F
4. JAN 1918 - 31.3 °F
5. JAN 1940 - 32.1 °F
6. JAN 1978 - 32.7 °F
7. DEC 2000 - 33.7 °F
8. FEB 1905 - 33.7 °F
9. FEB 1978 - 33.8 °F
10. JAN 1984 - 33.9 °F

## TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY LOW TEMPERATURE

1. JUL 1998 - 76.6 °F
2. JUL 1986 - 75.6 °F
3. AUG 1934 - 75.5 °F
4. AUG 1995 - 75.4 °F
5. JUL 1884 - 75.3 °F
6. JUL 1993 - 75.1 °F
7. JUL 1999 - 74.8 °F
8. AUG 1987 - 74.7 °F
9. JUL 1997 - 74.6 °F
10. AUG 1943 - 74.6 °F

## TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY LOW TEMPERATURE

1. JAN 1918 - 19.5 °F
2. JAN 1977 - 20.4 °F
3. JAN 1979 - 20.8 °F
4. DEC 1983 - 20.9 °F
5. JAN 1984 - 22.0 °F
6. JAN 1940 - 22.5 °F
7. JAN 1978 - 24.0 °F
8. FEB 1905 - 24.4 °F
9. FEB 1978 - 25.0 °F
10. JAN 1948 - 25.1 °F

## TOP 10 HOTTEST DAYS
BY DAILY HIGH TEMPERATURE

| | |
|---|---|
| 1. 15 AUG 1943 - 112 °F | 6. 05 SEP 1924 - 110 °F |
| 2. 27 AUG 1943 - 111 °F | 7. 24 JUL 1924 - 110 °F |
| 3. 16 AUG 1943 - 111 °F | 8. 23 JUL 1924 - 110 °F |
| 4. 03 AUG 2011 - 110 °F | 9. 10 AUG 1943 - 109 °F |
| 5. 06 SEP 1925 - 110 °F | 10. 22 JUL 1943 - 109 °F |

## TOP 10 HOTTEST DAYS
BY AVERAGE DAILY TEMPERATURE

| | |
|---|---|
| 1. 15 AUG 1943 - 96.0 °F | 6. 16 AUG 1943 - 95.0 °F |
| 2. 02 AUG 2011 - 95.5 °F | 7. 04 AUG 2011 - 94.0 °F |
| 3. 29 JUL 1930 - 95.5 °F | 8. 08 AUG 1943 - 94.0 °F |
| 4. 03 AUG 1918 - 95.5 °F | 9. 08 AUG 1934 - 94.0 °F |
| 5. 27 AUG 1943 - 95.0 °F | 10. 26 AUG 1943 - 93.5 °F |

## TOP 10 HOTTEST DAYS
BY DAILY LOW TEMPERATURE

| | |
|---|---|
| 1. 04 AUG 2011 - 84 °F | 6. 13 JUL 1930 - 82 °F |
| 2. 08 JUL 1998 - 83 °F | 7. 25 JUN 1922 - 82 °F |
| 3. 29 JUL 1998 - 82 °F | 8. 03 AUG 1918 - 82 °F |
| 4. 24 AUG 1985 - 82 °F | 9. 19 JUL 1884 - 82 °F |
| 5. 29 JUL 1930 - 82 °F | 10. 25 JUN 1884 - 82 °F |

## TOP 10 COLDEST DAYS
BY DAILY HIGH TEMPERATURE

| | |
|---|---|
| 1. 10 JAN 1962 - 13 °F | 6. 25 DEC 1983 - 15 °F |
| 2. 26 DEC 1983 - 14 °F | 7. 23 DEC 1989 - 17 °F |
| 3. 11 JAN 1962 - 14 °F | 8. 02 FEB 1985 - 18 °F |
| 4. 22 DEC 1989 - 15 °F | 9. 20 DEC 1983 - 18 °F |
| 5. 21 JAN 1985 - 15 °F | 10. 11 JAN 1982 - 18 °F |

## TOP 10 COLDEST DAYS
BY AVERAGE DAILY TEMPERATURE

| | |
|---|---|
| 1. 10 JAN 1962 - 5.5 °F | 6. 22 DEC 1989 - 9.0 °F |
| 2. 11 JAN 1962 - 7.0 °F | 7. 23 DEC 1989 - 9.5 °F |
| 3. 12 FEB 1899 - 7.0 °F | 8. 25 DEC 1983 - 9.5 °F |
| 4. 12 JAN 1918 - 8.0 °F | 9. 11 JAN 1982 - 9.5 °F |
| 5. 26 DEC 1983 - 8.5 °F | 10. 18 JAN 1930 - 9.5 °F |

## TOP 10 COLDEST DAYS
BY DAILY LOW TEMPERATURE

| | |
|---|---|
| 1. 13 JAN 1918 - -6 °F | 6. 10 JAN 1962 - -2 °F |
| 2. 12 JAN 1918 - -6 °F | 7. 18 JAN 1930 - -2 °F |
| 3. 12 FEB 1899 - -5 °F | 8. 13 FEB 1899 - -2 °F |
| 4. 30 JAN 1966 - -2 °F | 9. 02 FEB 1951 - -1 °F |
| 5. 24 DEC 1963 - -2 °F | 10. 12 JAN 1962 - 0 °F |

## EARLIEST DAY AT OR ABOVE 80°F
BY DAILY HIGH TEMPERATURE

07 JAN 1907 - 82 °F

## LATEST DAY AT OR ABOVE 80°F
BY DAILY HIGH TEMPERATURE

31 DEC 1951 - 80 °F

## EARLIEST DAY AT OR ABOVE 90°F
BY DAILY HIGH TEMPERATURE

13 FEB 1918 - 90 °F

## LATEST DAY AT OR ABOVE 90°F
BY DAILY HIGH TEMPERATURE

31 OCT 1937 - 91 °F

EARLIEST DAY AT OR ABOVE 100°F
BY DAILY HIGH TEMPERATURE
29 MAY 1926 – 100 °F

LATEST DAY AT OR ABOVE 100°F
BY DAILY HIGH TEMPERATURE
09 OCT 1928 – 100 °F

EARLIEST DAY AT OR BELOW 32°F
BY DAILY LOW TEMPERATURE
10 OCT 2000 - 30 °F

LATEST DAY AT OR BELOW 32°F
BY DAILY LOW TEMPERATURE
25 APR 1910 - 30 °F

EARLIEST DAY AT OR BELOW 10°F
BY DAILY LOW TEMPERATURE
14 DEC 1958 - 8 °F

LATEST DAY AT OR BELOW 10°F
BY DAILY LOW TEMPERATURE
18 FEB 1910 - 6 °F

LONGEST PERIODS OF CONSECUTIVE DAYS WITH:

| HIGH TEMPERATURES AT OR ABOVE 100°F | TEMPERATURES AT OR BELOW 32°F |
|---|---|
| 1. 19 DAYS – 22 JUL 1896 TO 09 AUG 1896 | 1. 9 DAYS – 16 DEC 1989 TO 24 DEC 1989 |
| 2. 14 DAYS – 07 JUL 1980 TO 20 JUL 1980 | 2. 8 DAYS – 03 JAN 1942 TO 10 JAN 1942 |
| 3. 14 DAYS – 28 JUL 1947 TO 10 AUG 1947 | 3. 7 DAYS – 15 DEC 1901 TO 21 DEC 1901 |
| 4. 14 DAYS – 16 JUL 1943 TO 29 JUL 1943 | 4. 6 DAYS – 06 JAN 1988 TO 11 JAN 1988 |
| 5. 12 DAYS – 29 JUN 1897 TO 10 JUL 1897 | 5. 6 DAYS – 23 DEC 1983 TO 28 DEC 1983 |
| 6. 11 DAYS – 25 AUG 2000 TO 04 SEP 2000 | 6. 6 DAYS – 06 JAN 1973 TO 11 JAN 1973 |
| 7. 11 DAYS – 09 JUL 1944 TO 19 JUL 1944 | 7. 5 DAYS – 29 DEC 2000 TO 02 JAN 2001 |
| 8. 11 DAYS – 28 JUL 1919 TO 07 AUG 1919 | 8. 5 DAYS – 31 JAN 1996 TO 04 FEB 1996 |
| 9. 11 DAYS – 20 JUL 1918 TO 30 JUL 1918 | 9. 5 DAYS – 01 FEB 1985 TO 05 FEB 1985 |
| 10. 10 DAYS – 10 AUG 1954 TO 19 AUG 1954 | 10. 5 DAYS – 29 JAN 1951 TO 02 FEB 1951 |

AVERAGE DATE OF FIRST FROST: 05 NOV
AVERAGE FIRST DATE OF FREEZE: 14 NOV
AVERAGE DATE OF LAST FREEZE: 12 MAR
AVERAGE DATE OF LAST FROST: 25 MAR

GREATEST DAILY TEMPERATURE RANGE:
20 JAN 1985 – MIN 2°F MAX 63°F – 61 DEGREE CHANGE

SMALLEST DAILY TEMPERATURE RANGE:
21 JAN 1983 – MIN 30°F MAX 30°F – 0 DEGREE CHANGE
12 DEC 1919 – MIN 38°F MAX 38°F – 0 DEGREE CHANGE
01 NOV 1919 – MIN 64°F MAX 64°F – 0 DEGREE CHANGE
28 JAN 1918 – MIN 33°F MAX 33°F – 0 DEGREE CHANGE
29 OCT 1917 – MIN 55°F MAX 55°F – 0 DEGREE CHANGE
19 FEB 1914 – MIN 47°F MAX 47°F – 0 DEGREE CHANGE
06 JAN 1912 – MIN 34°F MAX 34°F – 0 DEGREE CHANGE
26 DEC 1911 – MIN 40°F MAX 40°F – 0 DEGREE CHANGE
23 NOV 1911 – MIN 48°F MAX 48°F – 0 DEGREE CHANGE
28 FEB 1911 – MIN 46°F MAX 46°F – 0 DEGREE CHANGE
03 MAR 1904 – MIN 48°F MAX 48°F – 0 DEGREE CHANGE
16 FEB 1893 – MIN 48°F MAX 48°F – 0 DEGREE CHANGE

# ANNUAL PRECIPITATION RECORDS

| TOP 10 WETTEST YEARS<br>BY ANNUAL PRECIPITATION | TOP 10 DRIEST YEARS<br>BY ANNUAL PRECIPITATION |
|---|---|
| 1. 1905 - 82.89″ | 1. 2010 – 31.97″ |
| 2. 2009 – 78.02″ | 2. 1943 – 34.74″ |
| 3. 1957 – 75.31″ | 3. 1954 – 34.90″ |
| 4. 1945 – 74.35″ | 4. 2003 – 35.37″ |
| 5. 1892 – 72.61″ | 5. 1962 – 35.90″ |
| 6. 1979 – 72.53″ | 6. 1929 – 37.07″ |
| 7. 1984 – 70.02″ | 7. 1901 – 37.21″ |
| 8. 1990 – 69.12″ | 8. 1977 – 38.55″ |
| 9. 1939 – 66.68″ | 9. 2005 – 38.62″ |
| 10. 1982 – 66.17″ | 10. 1917 – 38.69″ |

NORMAL - 51.15″

| TOP 10 WETTEST MONTHS<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST MONTHS<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. FEB 1939 – 16.69″ | 1. OCT 1924 – 0.00″ |
| 2. MAY 1905 – 15.71″ | 2. AUG 1886 – 0.00″ |
| 3. JAN 1937 – 15.50″ | 3. JUL 1886 – 0.00″ |
| 4. SEP 1913 – 15.44″ | 4. MAY 1885 – 0.00″ |
| 5. DEC 1982 – 15.02″ | 5. AUG 1999 - T |
| 6. APR 1966 – 14.69″ | 6. OCT 1963 - T |
| 7. JAN 1898 – 14.50″ | 7. JUL 1930 – 0.01″ |
| 8. OCT 2009 – 14.34″ | 8. NOV 1910 – 0.02″ |
| 9. APR 1911 – 14.32″ | 9. JUL 1893 – 0.03″ |
| 10. MAY 1930 – 14.28″ | 10. JUN 1930 – 0.05″ |

TOP 10 HIGHEST DAILY RAINFALL AMOUNTS AND WETTEST DAYS ON RECORD
BY DAILY PRECIPITATION

| | |
|---|---|
| 1. 05 MAY 1905 – 6.80″ | 6. 15 FEB 1939 – 5.32″ |
| 2. 01 OCT 1945 – 6.73″ | 7. 17 OCT 1928 – 5.31″ |
| 3. 18 MAR 1894 – 5.75″ | 8. 22 NOV 1961 – 5.24″ |
| 4. 22 JAN 1906 – 5.65″ | 9. 01 MAY 1958 – 5.15″ |
| 5. 29 OCT 1991 – 5.58″ | 16 JUN 1895 – 5.15″ |
| 03 JAN 1897 – 5.58″ | 10. 22 JAN 1938 – 5.09″ |

| LONGEST PERIOD W/NO MEASURABLE PRECIPITATION | LONGEST PERIOD WITH MEASURABLE PRECIPITATION |
|---|---|
| 1. 43 DAYS – 01 AUG 1886 TO 12 SEP 1886 | 1. 11 DAYS – 09 SEP 2009 TO 19 SEP 2009 |
| 2. 38 DAYS – 23 SEP 1924 TO 30 OCT 1924 | 2. 11 DAYS – 24 APR 1958 TO 04 MAY 1958 |
| 3. 33 DAYS – 28 SEP 1963 TO 30 OCT 1963 | 3. 11 DAYS – 05 JAN 1937 TO 15 JAN 1937 |
| 4. 31 DAYS – 04 SEP 1931 TO 04 OCT 1931 | 4. 11 DAYS – 17 JUN 1888 TO 27 JUN 1888 |
| 5. 31 DAYS – 10 JUL 1930 TO 09 AUG 1930 | 5. 10 DAYS – 03 JUN 1986 TO 12 JUN 1986 |
| 6. 31 DAYS – 02 SEP 1928 TO 02 OCT 1928 | 6. 10 DAYS – 15 APR 1973 TO 24 APR 1973 |
| 7. 30 DAYS – 22 JUN 1980 TO 21 JUL 1980 | 7. 10 DAYS – 10 MAY 1953 TO 19 MAY 1953 |
| 8. 30 DAYS – 30 MAY 1952 TO 28 JUN 1952 | 8. 10 DAYS – 11 MAY 1946 TO 20 MAY 1946 |
| 9. 30 DAYS – 03 AUG 1936 TO 01 SEP 1936 | 9. 10 DAYS – 27 JAN 1923 TO 05 FEB 1923 |
| 10. 30 DAYS – 22 MAY 1911 TO 20 JUN 1911 | 10. 10 DAYS – 11 JUN 1895 TO 20 JUN 1895 |

# ANNUAL SNOWFALL RECORDS

## TOP 10 SNOWIEST YEARS

BY ANNUAL SNOWFALL

1. 1966 - 25.1″
2. 1960 – 18.2″
3. 1982 – 17.8″
4. 1985 – 17.5″
5. 1892 – 17.0″
6. 1910 – 12.3″
7. 1963 – 12.2″
8. 1948 – 11.7″
9. 1958 – 11.4″
10. 2000 – 11.1″

NORMAL - 3.1″

## TOP 10 SNOWIEST SEASONS

BY SEASONAL SNOWFALL

1. WINTER 1965-1966 - 25.1″
2. WINTER 1984-1985 – 17.5″
3. WINTER 1909-1910 - 16.4″
4. WINTER 1981-1982 – 15.8″
5. WINTER 1959-1960 - 14.2″
6. SPRING 1892 - 14.0″
7. WINTER 1963-1964 - 12.2″
8. WINTER 1947-1948 - 11.7″
9. WINTER 1892-1893 - 11.0″
10. WINTER 1999-2000 - 11.0″

## TOP 10 SNOWIEST MONTHS

BY MONTHLY SNOWFALL

1. JAN 1966 - 20.5″
2. MAR 1892 - 14.0″
3. FEB 1985 – 12.5″
4. DEC 1963 - 12.2″
5. JAN 1988 - 12.0″
6. JAN 1893 - 11.0″
7. JAN 2000 - 11.0″
8. JAN 1948 - 10.9″
9. DEC 1958 - 10.4″
10. FEB 1960 - 9.2″

## TOP 10 SNOWIEST DAYS

BY DAILY SNOWFALL

1. 17 MAR 1892 - 14.0″
2. 22 DEC 1963 - 12.0″
3. 28 JAN 1966 - 12.0″
4. 27 JAN 2000 - 11.0″
5. 07 JAN 1988 - 10.0″
6. 18 JAN 1893 - 9.0″
7. 12 DEC 1958 - 9.0″
8. 14 MAR 1924 - 8.0″
9. 09 JAN 1962 - 8.0″
10. 24 FEB 1960 - 7.2″

## EARLIEST SNOWFALL

30 OCT 1993 - T

## LATEST SNOWFALL

20 APR 1983 - T

EARLIEST SNOWFALL GREATER THAN 1.0″

22 NOV 1929 – 5.0″

LATEST SNOWFALL GREATER THAN 1.0″

29 MAR 1894 – 2.0″

EARLIEST SNOWFALL GREATER THAN 10.0″

22 DEC 1963 – 12.0″

LATEST SNOWFALL GREATER THAN 10.0″

17 MAR 1892 – 14.0″

# SPRING RECORDS
## MARCH, APRIL, MAY

| TOP 10 HOTTEST SPRINGS<br>BY AVERAGE SEASONAL HIGH TEMPERATURE | TOP 10 COLDEST SPRINGS<br>BY AVERAGE SEASONAL HIGH TEMPERATURE |
|---|---|
| 1. 1918 – 82.03 °F | 1. 1983 – 69.17 °F |
| 2. 1925 – 79.37 °F | 2. 1958 - 69.47 °F |
| 3. 2012 – 79.33 °F | 3. 1960 – 70.17 °F |
| 4. 1896 – 79.27 °F | 4. 1993 – 70.33 °F |
| 5. 1974 - 79.17 °F | 5. 1912 – 70.67 °F |
| 6. 1929 – 78.17 °F | 6. 1931 – 70.80 °F |
| 7. 1977 – 77.87 °F | 7. 1980 – 71.03 °F |
| 8. 1921 - 77.77 °F | 8. 1915 – 71.27 °F |
| 9. 1963 - 77.53 °F | 9. 1947 – 71.37 °F |
| 10. 1987 – 77.30 °F | 10. 1969 – 71.40 °F |

NORMAL – 73.6 °F

| TOP 10 HOTTEST SPRINGS<br>BY AVERAGE SEASONAL TEMPERATURE | TOP 10 COLDEST SPRINGS<br>BY AVERAGE SEASONAL TEMPERATURE |
|---|---|
| 1. 1896 – 69.1 °F | 1. 1983 – 58.6 °F |
| 2. 2012 – 68.3 °F | 2. 1960 – 59.0 °F |
| 3. 1974 – 67.8 °F | 3. 1984 – 59.0 °F |
| 4. 1918 – 66.9 °F | 4. 1980 – 59.3 °F |
| 5. 1929 – 66.6 °F | 5. 1915 – 59.7 °F |
| 6. 1927 – 66.5 °F | 6. 1931 – 59.8 °F |
| 7. 1963 – 66.4 °F | 7. 1971 – 60.0 °F |
| 8. 1938 – 66.4 °F | 8. 1958 – 60.1 °F |
| 9. 1921 – 66.3 °F | 9. 1917 – 60.3 °F |
| 10. 1991 – 66.3 °F | 10. 1952 – 60.4 °F |

NORMAL – 63.0 °F

| TOP 10 HOTTEST SPRINGS<br>BY AVERAGE SEASONAL LOW TEMPERATURE | TOP 10 COLDEST SPRINGS<br>BY AVERAGE SEASONAL LOW TEMPERATURE |
|---|---|
| 1. 1896 – 57.93 °F | 1. 1984 - 46.17 °F |
| 2. 1991 – 57.30 °F | 2. 1980 – 47.60 °F |
| 3. 2012 – 57.20 °F | 3. 1960 – 47.83 °F |
| 4. 1974 – 56.33 °F | 4. 1891 – 47.90 °F |
| 5. 1938 – 56.30 °F | 5. 1983 – 47.93 °F |
| 6. 1927 – 55.77 °F | 6. 1909 – 48.20 °F |
| 7. 1946 - 55.40 °F | 7. 1971 – 48.23 °F |
| 8. 1967 – 55.27 °F | 8. 1915 – 48.23 °F |
| 9. 1963 - 55.23 °F | 9. 1917 – 48.43 °F |
| 10. 2004 - 55.00 °F | 10. 1913 – 48.47 °F |

NORMAL – 52.3 °F

| TOP 10 WETTEST SPRINGS<br>BY SEASONAL PRECIPITATION | TOP 10 DRIEST SPRINGS<br>BY SEASONAL PRECIPITATION |
|---|---|
| 1. 1905 - 34.46″ | 1. 1925 - 4.79″ |
| 2. 1953 – 28.79″ | 2. 1915 - 6.09″ |
| 3. 1979 – 28.18″ | 3. 1937 – 6.34″ |
| 4. 1922 - 25.18″ | 4. 1916 - 6.60″ |
| 5. 1884 – 25.01″ | 5. 1987 – 7.13″ |
| 6. 1990 – 24.38″ | 6. 1898 – 7.54″ |
| 7. 1927 - 24.16″ | 7. 1972 – 7.58″ |
| 8. 1973 – 24.08″ | 8. 1936 – 7.59″ |
| 9. 1958 – 23.21″ | 9. 1988 – 8.19″ |
| 10. 1968 – 22.71″ | 10. 1962 – 8.37″ |

NORMAL - 15.38″

TOP 10 SNOWIEST SPRINGS
BY SEASONAL SNOWFALL

1. 1892 - 14.0″
2. 1924 – 8.0″
3. 1965 – 7.3″
4. 2008 – 6.0″
5. 1960 – 4.0″
6. 1896 – 2.5″
7. 1917 - 2.0″
8. 1894 – 2.0″
9. 1932 - 1.8″
10. 1891 - 1.2″

NORMAL – T

# SUMMER RECORDS
## JUNE, JULY, AUGUST

| TOP 10 HOTTEST SUMMERS<br>BY AVERAGE SEASONAL HIGH TEMPERATURE | TOP 10 COOLEST SUMMERS<br>BY AVERAGE SEASONAL HIGH TEMPERATURE |
|---|---|
| 1. 1943 - 99.30 °F | 1. 1940 – 87.00 °F |
| 2. 1918 – 98.20 °F | 2. 2004 – 87.07 °F |
| 3. 1954 - 97.50 °F | 3. 1967 – 87.40 °F |
| 4. 1901 – 97.40 °F | 4. 1992 – 88.00 °F |
| 5. 1925 – 96.77 °F | 5. 1989 – 88.27 °F |
| 6. 1924 – 96.57 °F | 6. 1931 – 88.40 °F |
| 7. 1980 - 96.40 °F | 7. 1979 – 88.63 °F |
| 8. 1897 - 96.40 °F | 8. 1950 – 88.67 °F |
| 9. 1896 - 96.33 °F | 9. 2009 – 89.03 °F |
| 10. 1952 - 95.67 °F | 10. 1889 – 89.03 °F |

NORMAL – 91.0 °F

| TOP 10 HOTTEST SUMMERS<br>BY AVERAGE SEASONAL TEMPERATURE | TOP 10 COOLEST SUMMERS<br>BY AVERAGE SEASONAL TEMPERATURE |
|---|---|
| 1. 1943 – 86.6 °F | 1. 1903 – 77.6 °F |
| 2. 1934 - 84.7 °F | 2. 1976 – 77.8 °F |
| 3. 2011 – 84.4 °F | 3. 2004 - 78.0 °F |
| 4. 2010 – 84.4 °F | 4. 1967 – 78.0 °F |
| 5. 1998 - 84.2 °F | 5. 1950 – 78.1 °F |
| 6. 1954 - 84.2 °F | 6. 1961 – 78.2 °F |
| 7. 1925 - 84.1 °F | 7. 1940 – 78.5 °F |
| 8. 1944 - 83.9 °F | 8. 1912 – 78.6 °F |
| 9. 1980 - 83.8 °F | 9. 1992 – 78.7 °F |
| 10. 1918 - 83.7 °F | 10. 1915 – 78.7 °F |

NORMAL – 80.8 °F

| TOP 10 HOTTEST SUMMERS<br>BY AVERAGE SEASONAL LOW TEMPERATURE | TOP 10 COOLEST SUMMERS<br>BY AVERAGE SEASONAL LOW TEMPERATURE |
|---|---|
| 1. 1998 - 74.40 °F | 1. 1903 – 65.40 °F |
| 2. 2010 – 74.13 °F | 2. 1976 - 66.27 °F |
| 3. 1943 – 73.93 °F | 3. 1904 – 67.00 °F |
| 4. 1934 – 73.80 °F | 4. 1894 – 67.37 °F |
| 5. 2011 – 73.27 °F | 5. 1961 – 67.40 °F |
| 6. 1993 – 73.23 °F | 6. 1950 – 67.63 °F |
| 7. 1987 – 72.73 °F | 7. 1906 – 67.73 °F |
| 8. 1937 – 72.50 °F | 8. 1959 - 67.97 °F |
| 9. 1995 – 72.40 °F | 9. 1912 - 68.03 °F |
| 10. 1936 – 72.30 °F | 10. 1955 - 68.07 °F |

NORMAL – 70.5 °F

| TOP 10 WETTEST SUMMERS<br>BY SEASONAL PRECIPITATION | TOP 10 DRIEST SUMMERS<br>BY SEASONAL PRECIPITATION |
|---|---|
| 1. 1989 – 20.33″ | 1. 1930 – 0.66″ |
| 2. 1974 – 19.63″ | 2. 1980 – 1.74″ |
| 3. 1910 – 18.93″ | 3. 1943 - 1.91″ |
| 4. 1905 – 17.91″ | 4. 1952 – 3.50″ |
| 5. 1992 – 17.89″ | 5. 1953 - 3.75″ |
| 6. 1928 – 17.38″ | 6. 2007 – 3.78″ |
| 7. 1903 – 17.35″ | 7. 1934 - 4.17″ |
| 8. 1928 - 17.38″ | 8. 1901 – 4.27″ |
| 9. 1903 - 17.35″ | 9. 1946 - 4.28″ |
| 10. 1927 - 17.00″ | 10. 1954 – 4.97″ |

NORMAL - 9.99″

# FALL RECORDS
## SEPTEMBER, OCTOBER, NOVEMBER

| TOP 10 HOTTEST FALLS<br>BY AVERAGE SEASONAL HIGH TEMPERATURE | TOP 10 COLDEST FALLS<br>BY AVERAGE SEASONAL HIGH TEMPERATURE |
|---|---|
| 1. 1927 – 84.30 °F | 1. 1976 – 70.30 °F |
| 2. 1897 – 82.53 °F | 2. 1957 – 71.23 °F |
| 3. 1909 – 82.13 °F | 3. 1996 – 72.00 °F |
| 4. 1938 – 81.13 °F | 4. 1972 – 72.07 °F |
| 5. 1931 – 81.00 °F | 5. 1993 – 72.13 °F |
| 6. 1928 – 80.67 °F | 6. 1889 – 72.20 °F |
| 7. 1922 – 80.67 °F | 7. 2009 – 72.40 °F |
| 8. 1921 – 80.33 °F | 8. 1968 – 72.43 °F |
| 9. 1934 – 79.93 °F | 9. 2008 – 72.53 °F |
| 10. 1899 – 79.70 °F | 10. 1967 – 72.53 °F |

NORMAL – 74.8 °F

| TOP 10 HOTTEST FALLS<br>BY AVERAGE SEASONAL TEMPERATURE | TOP 10 COLDEST FALLS<br>BY AVERAGE SEASONAL TEMPERATURE |
|---|---|
| 1. 1927 – 70.5 °F | 1. 1976 - 58.0 °F |
| 2. 1931 - 69.9 °F | 2. 1952 – 59.2 °F |
| 3. 1921 - 67.9 °F | 3. 1917 – 60.7 °F |
| 4. 1934 - 67.9 °F | 4. 1903 – 61.2 °F |
| 5. 1933 - 67.9 °F | 5. 1993 – 61.3 °F |
| 6. 1941 - 67.6 °F | 6. 1951 - 61.4 °F |
| 7. 1998 - 67.5 °F | 7. 1957 – 61.4 °F |
| 8. 1938 - 67.5 °F | 8. 1967 - 61.6 °F |
| 9. 1909 - 67.4 °F | 9. 1979 - 61.6 °F |
| 10. 1939 - 67.4 °F | 10. 1889 - 61.6 °F |

NORMAL – 63.6 °F

| TOP 10 HOTTEST FALLS<br>BY AVERAGE SEASONAL LOW TEMPERATURE | TOP 10 COLDEST FALLS<br>BY AVERAGE SEASONAL LOW TEMPERATURE |
|---|---|
| 1. 1931 - 58.87 °F | 1. 1952 - 45.30 °F |
| 2. 1973 – 57.50 °F | 2. 1976 – 45.63 °F |
| 3. 1998 – 57.47 °F | 3. 1917 - 46.43 °F |
| 4. 1986 – 56.90 °F | 4. 1901 – 47.27 °F |
| 5. 2004 – 56.83 °F | 5. 1903 – 47.83 °F |
| 6. 1927 – 56.77 °F | 6. 1953 – 47.93 °F |
| 7. 1941 - 56.40 °F | 7. 1907 – 48.37 °F |
| 8. 1933 - 56.23 °F | 8. 1983 – 48.47 °F |
| 9. 1934 - 55.83 °F | 9. 1979 – 48.80 °F |
| 10. 1985 – 55.77 °F | 10. 1908 – 48.90 °F |

NORMAL – 52.3 °F

| TOP 10 WETTEST FALLS<br>BY SEASONAL PRECIPITATION | TOP 10 DRIEST FALLS<br>BY SEASONAL PRECIPITATION |
|---|---|
| 1. 1984 – 26.25″ | 1. 1995 - 3.81″ |
| 2. 1945 - 24.60″ | 2. 1903 – 3.84″ |
| 3. 2009 – 23.97″ | 3. 1953 – 3.87″ |
| 4. 1913 - 23.91″ | 4. 1922 - 4.51″ |
| 5. 1919 – 21.23″ | 5. 1971 – 4.63″ |
| 6. 1957 – 20.07″ | 6. 1999 – 4.76″ |
| 7. 1996 – 19.40″ | 7. 1912 - 4.95″ |
| 8. 1906 – 18.66″ | 8. 1917 – 5.30″ |
| 9. 2004 – 18.11″ | 9. 1929 – 5.52″ |
| 10. 1898 – 17.94″ | 10. 1963 - 5.57″ |

NORMAL - 12.52″

TOP 10 SNOWIEST FALLS
BY SEASONAL SNOWFALL

1. 1929 - 5.0″
2. 1980 - 1.0″
3. 1976 – 0.5″
4. 1997 - T
5. 1993 - T
6. 1992 - T
7. 1991 - T
8. 1974 - T
9. 1971 - T
10. 1967 - T

NORMAL – T

# WINTER RECORDS
## DECEMBER, JANUARY, FEBRUARY

| TOP 10 WARMEST WINTERS<br>BY AVERAGE SEASONAL HIGH TEMPERATURE | TOP 10 COLDEST WINTERS<br>BY AVERAGE SEASONAL HIGH TEMPERATURE |
|---|---|
| 1. 1931-1932 - 62.27 °F | 1. 1977-1978 - 45.87 °F |
| 2. 1975-1976 - 60.97 °F | 2. 1904-1905 - 46.87 °F |
| 3. 1908-1909 - 60.33 °F | 3. 1978-1979 - 47.27 °F |
| 4. 1906-1907 - 60.23 °F | 4. 2009-2010 - 47.67 °F |
| 5. 1922-1923 - 59.83 °F | 5. 1901-1902 - 47.93 °F |
| 6. 1926-1927 - 59.37 °F | 6. 2000-2001 - 48.53 °F |
| 7. 1949-1950 - 59.30 °F | 7. 1983-1984 - 49.17 °F |
| 8. 1942-1943 - 59.23 °F | 8. 1947-1948 - 50.20 °F |
| 9. 1918-1919 - 59.23 °F | 9. 1967-1968 - 50.23 °F |
| 10. 1910-1911 - 58.93 °F | 10. 1902-1903 - 50.40 °F |

NORMAL - 53.6 °F

| TOP 10 WARMEST WINTERS<br>BY AVERAGE SEASONAL TEMPERATURE | TOP 10 COLDEST WINTERS<br>BY AVERAGE SEASONAL TEMPERATURE |
|---|---|
| 1. 1931-1932 - 51.9 °F | 1. 1977-1978 - 36.3 °F |
| 2. 1910-1911 - 49.6 °F | 2. 1983-1984 - 36.9 °F |
| 3. 1926-1927 - 49.4 °F | 3. 1904-1905 - 37.1 °F |
| 4. 1975-1976 - 49.4 °F | 4. 1978-1979 - 37.2 °F |
| 5. 1949-1950 - 49.3 °F | 5. 1901-1902 - 37.6 °F |
| 6. 1920-1921 - 49.2 °F | 6. 1917-1918 - 38.8 °F |
| 7. 1906-1907 - 49.0 °F | 7. 1976-1977 - 39.5 °F |
| 8. 1951-1952 - 49.0 °F | 8. 2009-2010 - 39.6 °F |
| 9. 1922-1923 - 49.0 °F | 9. 2000-2001 - 40.3 °F |
| 10. 1933-1934 - 48.4 °F | 10. 1902-1903 - 40.3 °F |

NORMAL - 44.1 °F

| TOP 10 WARMEST WINTERS<br>BY AVERAGE SEASONAL LOW TEMPERATURE | TOP 10 COLDEST WINTERS<br>BY AVERAGE SEASONAL LOW TEMPERATURE |
|---|---|
| 1. 1931-1932 - 42.00 °F | 1. 1983-1984 - 24.73 °F |
| 2. 1910-1911 - 40.47 °F | 2. 1917-1918 - 26.63 °F |
| 3. 1920-1921 - 39.53 °F | 3. 1977-1978 - 26.80 °F |
| 4. 1951-1952 - 39.43 °F | 4. 1978-1979 - 27.13 °F |
| 5. 1926-1927 - 39.37 °F | 5. 1901-1902 - 27.13 °F |
| 6. 1949-1950 - 39.33 °F | 6. 1904-1905 - 27.20 °F |
| 7. 1991-1992 - 39.23 °F | 7. 1976-1977 - 27.53 °F |
| 8. 1998-1999 - 39.13 °F | 8. 1962-1963 - 29.63 °F |
| 9. 1997-1998 - 39.13 °F | 9. 1903-1904 - 29.77 °F |
| 10. 1937-1938 - 38.90 °F | 10. 1981-1982 - 29.90 °F |

NORMAL - 34.7 °F

| TOP 10 WETTEST WINTERS<br>BY SEASONAL PRECIPITATION | TOP 10 DRIEST WINTERS<br>BY SEASONAL PRECIPITATION |
|---|---|
| 1. 1938-1939 – 30.21″ | 1. 1935-1936 - 4.17″ |
| 2. 1931-1932 – 29.73″ | 2. 2010-2011 – 5.74″ |
| 3. 1897-1898 - 23.80″ | 3. 1980-1981 – 5.91″ |
| 4. 1936-1937 - 23.76″ | 4. 1962-1963 - 6.14″ |
| 5. 1956-1957 - 23.24″ | 5. 1925-1926 - 6.94″ |
| 6. 1978-1979 – 22.32″ | 6. 1913-1914 – 7.23″ |
| 7. 1929-1930 – 22.03″ | 7. 1966-1967 – 7.34″ |
| 8. 1915-1916 - 21.03″ | 8. 1946-1947 - 7.44″ |
| 9. 1945-1946 – 20.90″ | 9. 1890-1891 – 7.70″ |
| 10. 1982-1983 – 20.83″ | 10. 1927-1928 - 7.79″ |

NORMAL - 13.26″

TOP 10 SNOWIEST WINTERS
BY SEASONAL SNOWFALL

1. 1965-1966 – 25.1″
2. 1984-1985 – 17.5″
3. 1909-1910 – 16.4″
4. 1981-1982 – 15.8″
5. 1959-1960 – 14.2″
6. 1963-1964 - 12.2″
7. 1947-1948 - 11.7″
8. 1999-2000 - 11.0″
9. 1892-1893 - 11.0″
10. 1945-1946 - 10.5″

NORMAL – 3.1″

# JANUARY RECORDS

| TOP 10 WARMEST JAN<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST JAN<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1907 - 63.7 °F | 1. 1979 – 38.7 °F |
| 2. 1933 - 63.4 °F | 2. 1977 – 40.2 °F |
| 3. 1923 - 63.3 °F | 3. 1978 - 41.4 °F |
| 4. 2006 - 61.5 °F | 4. 1940 - 41.8 °F |
| 5. 1911 – 60.8 °F | 5. 1918 - 43.2 °F |
| 6. 1914 – 60.7 °F | 6. 1948 - 44.0 °F |
| 7. 1950 – 60.0 °F | 7. 1905 - 44.0 °F |
| 8. 1932 – 59.9 °F | 8. 1966 - 44.6 °F |
| 9. 1939 – 59.0 °F | 9. 1988 - 44.8 °F |
| 10. 1901 – 58.9 °F | 10. 1985 - 44.9 °F |

NORMAL – 51.7 °F

| TOP 10 WARMEST JAN<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST JAN<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1933 - 52.7 °F | 1. 1979 - 29.7 °F |
| 2. 1907 - 52.5 °F | 2. 1977 – 30.3 °F |
| 3. 1911 - 51.6 °F | 3. 1918 - 31.3 °F |
| 4. 1923 - 51.5 °F | 4. 1940 - 32.1 °F |
| 5. 1950 - 51.4 °F | 5. 1978 - 32.7 °F |
| 6. 2006 – 50.2 °F | 6. 1984 - 33.9 °F |
| 7. 1952 – 49.5 °F | 7. 1948 - 34.5 °F |
| 8. 1932 – 49.5 °F | 8. 1905 - 34.8 °F |
| 9. 1898 – 48.9 °F | 9. 1985 - 35.0 °F |
| 10. 1921 - 48.8 °F | 10. 1988 - 36.1 °F |

NORMAL – 42.3 °F

| TOP 10 WARMEST JAN<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST JAN<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1950 - 42.9 °F | 1. 1918 – 19.5 °F |
| 2. 1911 - 42.4 °F | 2. 1977 – 20.4 °F |
| 3. 1933 - 42.0 °F | 3. 1979 – 20.8 °F |
| 4. 1907 - 41.4 °F | 4. 1984 - 22.0 °F |
| 5. 1990 – 40.6 °F | 5. 1940 – 22.5 °F |
| 6. 1952 – 40.5 °F | 6. 1978 - 24.0 °F |
| 7. 1998 – 40.0 °F | 7. 1948 - 25.1 °F |
| 8. 1898 – 39.7 °F | 8. 1905 - 25.1 °F |
| 9. 1923 – 39.6 °F | 9. 1985 - 25.2 °F |
| 10. 1921 – 39.3 °F | 10. 1963 - 25.9 °F |

NORMAL – 32.9 °F

| TOP 10 HOTTEST DAYS IN JAN<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN JAN<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 11 JAN 1928 – 83 °F | 1. 10 JAN 1962 – 13 °F |
| 2. 25 JAN 1950 – 82 °F | 2. 11 JAN 1962 – 14 °F |
| 3. 23 JAN 1943 – 82 °F | 3. 21 JAN 1985 – 15 °F |
| 4. 25 JAN 1909 – 82 °F | 4. 11 JAN 1982 – 18 °F |
| 5. 07 JAN 1907 – 82 °F | 5. 08 JAN 1988 – 19 °F |
| 6. 30 JAN 2002 – 81 °F | 6. 29 JAN 1966 – 19 °F |
| 7. 24 JAN 1972 – 81 °F | 7. 31 JAN 1951 – 20 °F |
| 8. 09 JAN 1957 – 81 °F | 8. 30 JAN 1951 – 20 °F |
| 9. 16 JAN 1943 – 81 °F | 9. 01 JAN 1977 – 21 °F |
| 10. 31 JAN 2002 – 80 °F | 10. 24 JAN 1948 – 21 °F |

NORMAL – 51.7 °F

| TOP 10 HOTTEST DAYS IN JAN<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN JAN<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 25 JAN 1950 - 74.5 °F | 1. 10 JAN 1962 - 5.5 °F |
| 2. 24 JAN 1950 – 72.5 °F | 2. 11 JAN 1962 - 7.0 °F |
| 3. 30 JAN 2002 – 72.0 °F | 3. 12 JAN 1918 - 8.0 °F |
| 4. 29 JAN 1975 – 72.0 °F | 4. 11 JAN 1982 – 9.5 °F |
| 5. 29 JAN 2002 – 71.5 °F | 5. 18 JAN 1930 – 9.5 °F |
| 6. 16 JAN 1943 – 71.5 °F | 6. 21 JAN 1985 – 10.0 °F |
| 7. 14 JAN 1907 – 71.5 °F | 7. 30 JAN 1966 – 10.0 °F |
| 8. 11 JAN 1995 – 70.5 °F | 8. 29 JAN 1966 – 12.5 °F |
| 9. 17 JAN 1952 – 70.5 °F | 9. 18 JAN 1948 – 12.5 °F |
| 10. 03 JAN 2004 – 70.0 °F | 10. 19 JAN 1940 – 13.0 °F |

NORMAL – 42.3 °F

| TOP 10 HOTTEST DAYS IN JAN<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN JAN<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 25 JAN 1950 – 67 °F | 1. 13 JAN 1918 - -6 °F |
| 2. 12 JAN 1916 – 67 °F | 2. 12 JAN 1918 - -6 °F |
| 3. 03 JAN 2004 – 66 °F | 3. 30 JAN 1966 - -2 °F |
| 4. 29 JAN 1975 – 66 °F | 4. 10 JAN 1966 - -2 °F |
| 5. 03 JAN 1950 – 66 °F | 5. 18 JAN 1930 - -2 °F |
| 6. 29 JAN 2002 – 65 °F | 6. 12 JAN 1962 - 0 °F |
| 7. 01 JAN 1966 – 65 °F | 7. 11 JAN 1962 - 0 °F |
| 8. 24 JAN 1950 – 65 °F | 8. 12 JAN 1982 - 1 °F |
| 9. 12 JAN 2005 – 64 °F | 9. 11 JAN 1982 - 1 °F |
| 10. 23 JAN 1967 – 64 °F | 10. 19 JAN 1940 - 1 °F |

NORMAL – 32.9 °F

| TOP 10 WETTEST JAN<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST JAN<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1937 - 15.50″ | 1. 2003 - 0.19″ |
| 2. 1898 - 14.50″ | 2. 1986 - 0.30″ |
| 3. 1897 - 13.83″ | 3. 1928 - 0.55″ |
| 4. 1916 - 12.10″ | 4. 1911 - 0.56″ |
| 5. 1930 - 12.09″ | 5. 1970 - 0.75″ |
| 6. 1932 - 11.64″ | 6. 1981 - 0.96″ |
| 7. 1957 - 11.59″ | 7. 2000 - 1.01″ |
| 8. 1951 - 10.47″ | 8. 2011 - 1.02″ |
| 9. 1946 - 10.15″ | 9. 1963 - 1.09″ |
| 10. 1935 - 10.04″ | 10. 1893 - 1.10″ |

NORMAL - 3.76″

TOP 10 WETTEST DAYS IN JAN

| | |
|---|---|
| 1. 22 JAN 1906 - 5.65″ | 6. 20 JAN 1935 - 3.78″ |
| 2. 03 JAN 1897 - 5.58″ | 7. 09 JAN 1930 - 3.65″ |
| 3. 22 JAN 1938 - 5.09″ | 8. 29 JAN 1916 - 3.62″ |
| 4. 26 JAN 1952 - 3.98″ | 9. 11 JAN 1898 - 3.60″ |
| 5. 22 JAN 1937 - 3.84″ | 10. 08 JAN 1930 - 3.55″ |

TOP 10 SNOWIEST JAN
BY MONTHLY SNOWFALL

| | |
|---|---|
| 1. 1966 - 20.5″ | 6. 1982 - 8.2″ |
| 2. 1988 - 12.0″ | 7. 1962 - 8.0″ |
| 3. 1893 - 11.0″ | 8. 1918 - 7.0″ |
| 4. 2000 - 11.0″ | 9. 1978 - 6.1″ |
| 5. 1948 - 10.9″ | 10. 1910 - 6.0″ |

NORMAL - 2.3″

TOP 10 SNOWIEST DAYS IN JAN

| | |
|---|---|
| 1. 28 JAN 1966 - 12.0″ | 6. 13 JAN 1982 - 6.2″ |
| 2. 27 JAN 2000 - 11.0″ | 7. 17 JAN 1948 - 6.2″ |
| 3. 07 JAN 1988 - 10.0″ | 8. 06 JAN 1910 - 6.0″ |
| 4. 18 JAN 1893 - 9.0″ | 9. 05 JAN 1960 - 5.0″ |
| 5. 09 JAN 1962 - 8.0″ | 10. 16 JAN 1946 - 5.0″ |

# FEBRUARY RECORDS

| TOP 10 WARMEST FEB<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST FEB<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1976 - 69.6 °F | 1. 1978 - 42.7 °F |
| 2. 1918 – 68.2 °F | 2. 1905 - 42.9 °F |
| 3. 1930 - 66.5 °F | 3. 1902 - 44.2 °F |
| 4. 1954 - 65.5 °F | 4. 1979 - 46.8 °F |
| 5. 1927 - 65.4 °F | 5. 1899 - 47.1 °F |
| 6. 1943 - 65.0 °F | 6. 2010 – 47.3 °F |
| 7. 1918 - 65.0 °F | 7. 1989 - 47.6 °F |
| 8. 1925 - 64.9 °F | 8. 1958 - 47.9 °F |
| 9. 1926 - 63.6 °F | 9. 1985 - 48.7 °F |
| 10. 1892 - 63.5 °F | 10. 2003 – 49.1 °F |

NORMAL – 55.9 °F

| TOP 10 WARMEST FEB<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST FEB<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1976 - 57.4 °F | 1. 1905 - 33.7 °F |
| 2. 1930 - 55.4 °F | 2. 1978 - 33.8 °F |
| 3. 1927 - 55.3 °F | 3. 1902 - 35.5 °F |
| 4. 1932 - 54.3 °F | 4. 1899 – 37.0 °F |
| 5. 1911 - 53.5 °F | 5. 1979 – 37.7 °F |
| 6. 1892 - 53.3 °F | 6. 2010 – 39.3 °F |
| 7. 1938 - 53.2 °F | 7. 1958 – 39.3 °F |
| 8. 1925 - 52.9 °F | 8. 1980 – 39.5 °F |
| 9. 1990 - 52.7 °F | 9. 1968 – 39.5 °F |
| 10. 1999 – 52.5 °F | 10. 1985 – 39.9 °F |

NORMAL – 46.1 °F

| TOP 10 WARMEST FEB<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST FEB<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1976 – 45.2 °F | 1. 1905 - 24.4 °F |
| 2. 1927 - 45.2 °F | 2. 1978 - 25.0 °F |
| 3. 1911 - 44.3 °F | 3. 1902 - 26.8 °F |
| 4. 1930 - 44.2 °F | 4. 1899 - 26.9 °F |
| 5. 1938 - 43.6 °F | 5. 1980 – 28.2 °F |
| 6. 1957 - 43.4 °F | 6. 1979 – 28.6 °F |
| 7. 1932 - 43.4 °F | 7. 1914 – 29.2 °F |
| 8. 1990 - 43.2 °F | 8. 1963 – 29.3 °F |
| 9. 1944 - 43.0 °F | 9. 1947 – 29.4 °F |
| 10. 1986 - 42.8 °F | 10. 1968 – 29.8 °F |

NORMAL – 36.4 °F

| TOP 10 HOTTEST DAYS IN FEB<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN FEB<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 27 FEB 1918 – 93 °F | 1. 02 FEB 1985 – 18 °F |
| 2. 25 FEB 1918 – 92 °F | 2. 19 FEB 1899 – 19 °F |
| 3. 28 FEB 1918 – 91 °F | 3. 10 FEB 1899 – 20 °F |
| 4. 13 FEB 1918 – 90 °F | 4. 03 FEB 1905 – 21 °F |
| 5. 11 FEB 1918 – 88 °F | 5. 04 FEB 1996 – 22 °F |
| 6. 14 FEB 1918 – 86 °F | 6. 03 FEB 1996 – 22 °F |
| 7. 29 FEB 1932 – 85 °F | 7. 05 FEB 1989 – 22 °F |
| 8. 24 FEB 1918 – 85 °F | 8. 04 FEB 1989 – 22 °F |
| 9. 26 FEB 1917 – 85 °F | 9. 01 FEB 1951 – 22 °F |
| 10. 26 FEB 1986 – 84 °F | 10. 06 FEB 1989 – 23 °F |

NORMAL – 55.9 °F

| TOP 10 HOTTEST DAYS IN FEB<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN FEB<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 09 FEB 1957 – 72.5 °F | 1. 12 FEB 1899 – 7.0 °F |
| 2. 24 FEB 1930 – 72.5 °F | 2. 02 FEB 1951 – 13.5 °F |
| 3. 25 FEB 1936 – 72.0 °F | 3. 13 FEB 1899 – 14.0 °F |
| 4. 15 FEB 1921 – 72.0 °F | 4. 04 FEB 1996 – 15.5 °F |
| 5. 15 FEB 1954 – 71.5 °F | 5. 02 FEB 1985 – 15.5 °F |
| 6. 14 FEB 1949 – 71.5 °F | 6. 01 FEB 1951 – 15.5 °F |
| 7. 23 FEB 1930 – 71.5 °F | 7. 03 FEB 1905 – 15.5 °F |
| 8. 17 FEB 1986 – 71.0 °F | 8. 08 FEB 1933 – 16.0 °F |
| 9. 13 FEB 1962 – 71.0 °F | 9. 17 FEB 1903 – 17.0 °F |
| 10. 04 FEB 2008 – 70.5 °F | 10. 10 FEB 1899 – 17.0 °F |

NORMAL – 46.1 °F

| TOP 10 HOTTEST DAYS IN FEB<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN FEB<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 04 FEB 2008 – 66 °F | 1. 12 FEB 1899 – -5 °F |
| 2. 24 FEB 1930 – 66 °F | 2. 13 FEB 1899 – -2 °F |
| 3. 10 FEB 1999 – 64 °F | 3. 02 FEB 1951 – -1 °F |
| 4. 15 FEB 1954 – 64 °F | 4. 07 FEB 1895 – 0 °F |
| 5. 25 FEB 1944 – 64 °F | 5. 14 FEB 1905 – 2 °F |
| 6. 03 FEB 1932 – 64 °F | 6. 17 FEB 1903 – 2 °F |
| 7. 15 FEB 1921 – 64 °F | 7. 13 FEB 1905 – 4 °F |
| 8. 25 FEB 2000 – 63 °F | 8. 18 FEB 1910 – 6 °F |
| 9. 24 FEB 2000 – 63 °F | 9. 15 FEB 1905 – 7 °F |
| 10. 09 FEB 1999 – 63 °F | 10. 11 FEB 2011 – 8 °F |

NORMAL – 36.4 °F

| TOP 10 WETTEST FEB<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST FEB<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1939 - 16.69″ | 1. 1999 - 0.64″ |
| 2. 1956 - 10.13″ | 2. 1972 - 0.74″ |
| 3. 1903 - 9.44″ | 3. 1926 - 0.96″ |
| 4. 1989 - 9.11″ | 4. 1943 - 1.13″ |
| 5. 1990 - 8.81″ | 5. 1947 - 1.24″ |
| 6. 1884 - 8.72″ | 6. 1917 - 1.40″ |
| 7. 1909 - 8.15″ | 7. 1936 - 1.60″ |
| 8. 1987 - 8.09″ | 8. 1927 - 1.73″ |
| 9. 2003 - 7.56″ | 9. 1906 - 1.73″ |
| 10. 1957 - 7.47″ | 10. 1968 - 1.74″ |

NORMAL - 4.06″

TOP 10 WETTEST DAYS IN FEB

| | |
|---|---|
| 1. 15 FEB 1939 - 5.32″ | 6. 04 FEB 1955 - 3.13″ |
| 2. 23 FEB 1962 - 3.68″ | 7. 16 FEB 2001 - 2.71″ |
| 3. 18 FEB 1939 - 3.54″ | 8. 11 FEB 1965 - 2.70″ |
| 4. 09 FEB 1966 - 3.42″ | 9. 04 FEB 1930 - 2.70″ |
| 5. 27 FEB 1910 - 3.35″ | 10. 02 FEB 1956 - 2.67″ |

TOP 10 SNOWIEST FEB
BY MONTHLY SNOWFALL

| | |
|---|---|
| 1. 1985 - 12.5″ | 6. 1905 - 5.0″ |
| 2. 1960 - 9.2″ | 7. 1966 - 4.6″ |
| 3. 1979 - 8.3″ | 8. 1980 - 4.5″ |
| 4. 1982 - 7.6″ | 9. 2003 - 4.1″ |
| 5. 1910 - 6.3″ | 10. 1978 - 4.0″ |

NORMAL - 0.6″

TOP 10 SNOWIEST DAYS IN FEB

| | |
|---|---|
| 1. 24 FEB 1960 - 7.2″ | 6. 23 FEB 1966 - 4.2″ |
| 2. 02 FEB 1985 - 7.0″ | 7. 18 FEB 1910 - 4.0″ |
| 3. 26 FEB 1982 - 6.1″ | 8. 09 FEB 2011 - 3.5″ |
| 4. 07 FEB 1979 - 5.5″ | 9. 01 FEB 1985 - 3.5″ |
| 5. 10 FEB 1980 - 4.5″ | 10. 25 FEB 2003 - 3.4″ |

# MARCH RECORDS

| TOP 10 WARMEST MAR<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST MAR<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1918 - 80.9 °F | 1. 1960 - 51.5 °F |
| 2. 1910 - 75.7 °F | 2. 1915 - 53.6 °F |
| 3. 2012 - 75.6 °F | 3. 1958 - 55.1 °F |
| 4. 1907 - 75.1 °F | 4. 1965 - 55.2 °F |
| 5. 1974 - 74.8 °F | 5. 1969 - 56.6 °F |
| 6. 1938 - 74.4 °F | 6. 1912 - 57.1 °F |
| 7. 1921 - 74.1 °F | 7. 1906 - 57.7 °F |
| 8. 1935 - 73.8 °F | 8. 1970 - 58.0 °F |
| 9. 2007 - 73.5 °F | 9. 1947 - 58.1 °F |
| 10. 1945 - 73.1 °F | 10. 2001 - 58.8 °F |

NORMAL - 65.0 °F

| TOP 10 WARMEST MAR<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST MAR<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 2012 - 64.6 °F | 1. 1960 - 42.3 °F |
| 2. 1907 - 63.6 °F | 2. 1915 - 43.6 °F |
| 3. 1938 - 63.3 °F | 3. 1965 - 46.3 °F |
| 4. 1974 - 63.2 °F | 4. 1969 - 47.2 °F |
| 5. 1921 - 63.2 °F | 5. 1958 - 47.3 °F |
| 6. 1918 - 62.8 °F | 6. 1906 - 47.6 °F |
| 7. 1935 - 62.7 °F | 7. 1947 - 47.7 °F |
| 8. 2007 - 61.8 °F | 8. 1912 - 47.7 °F |
| 9. 1945 - 61.7 °F | 9. 1980 - 47.8 °F |
| 10. 1910 - 60.9 °F | 10. 1891 - 48.8 °F |

NORMAL - 54.4 °F

| TOP 10 WARMEST MAR<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST MAR<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 2012 - 53.5 °F | 1. 1960 - 33.2 °F |
| 2. 1921 - 52.4 °F | 2. 1915 - 33.7 °F |
| 3. 1938 - 52.3 °F | 3. 1891 - 35.7 °F |
| 4. 1907 - 52.0 °F | 4. 1980 - 36.0 °F |
| 5. 1897 - 51.7 °F | 5. 1947 - 37.3 °F |
| 6. 1974 - 51.5 °F | 6. 1965 - 37.4 °F |
| 7. 1935 - 51.5 °F | 7. 1906 - 37.4 °F |
| 8. 1945 - 50.4 °F | 8. 1969 - 37.8 °F |
| 9. 2007 - 50.0 °F | 9. 1913 - 37.9 °F |
| 10. 1973 - 49.9 °F | 10. 1984 - 38.0 °F |

NORMAL - 43.7 °F

| TOP 10 HOTTEST DAYS IN MAR<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN MAR<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 05 MAR 1918 - 96 °F | 1. 02 MAR 1980 - 28 °F |
| 2. 24 MAR 1929 - 95 °F | 2. 12 MAR 1948 - 28 °F |
| 3. 23 MAR 1929 - 94 °F | 3. 17 MAR 1892 - 30 °F |
| 4. 31 MAR 1974 - 93 °F | 4. 05 MAR 1960 - 31 °F |
| 5. 13 MAR 1918 - 93 °F | 5. 06 MAR 1989 - 32 °F |
| 6. 04 MAR 1918 - 93 °F | 6. 19 MAR 1965 - 32 °F |
| 7. 28 MAR 1918 - 92 °F | 7. 04 MAR 1960 - 32 °F |
| 8. 03 MAR 1918 - 91 °F | 8. 16 MAR 1892 - 32 °F |
| 9. 23 MAR 1910 - 91 °F | 9. 02 MAR 1960 - 33 °F |
| 10. 25 MAR 1929 - 90 °F | 10. 01 MAR 1960 - 33 °F |

NORMAL - 65.0 °F

| TOP 10 HOTTEST DAYS IN MAR<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN MAR<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 21 MAR 1897 - 80.0 °F | 1. 02 MAR 1980 - 22.0 °F |
| 2. 16 MAR 1942 - 79.5 °F | 2. 17 MAR 1892 - 22.0 °F |
| 3. 20 MAR 1897 - 79.0 °F | 3. 09 MAR 1932 - 22.5 °F |
| 4. 25 MAR 1929 - 78.5 °F | 4. 03 MAR 1943 - 22.5 °F |
| 5. 28 MAR 1907 - 78.5 °F | 5. 18 MAR 1892 - 24.0 °F |
| 6. 31 MAR 1897 - 78.5 °F | 6. 12 MAR 1948 - 24.5 °F |
| 7. 26 MAR 1991 - 78.0 °F | 7. 03 MAR 1980 - 25.5 °F |
| 8. 20 MAR 1948 - 77.5 °F | 8. 05 MAR 1960 - 25.5 °F |
| 9. 25 MAR 1935 - 77.5 °F | 9. 08 MAR 1996 - 26.5 °F |
| 10. 13 MAR 1918 - 77.5 °F | 10. 19 MAR 1965 - 26.5 °F |

NORMAL - 54.4 °F

| TOP 10 HOTTEST DAYS IN MAR<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN MAR<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 21 MAR 1897 - 75 °F | 1. 09 MAR 1932 - 11 °F |
| 2. 31 MAR 1897 - 74 °F | 2. 19 MAR 1892 - 12 °F |
| 3. 20 MAR 1897 - 73 °F | 3. 18 MAR 1892 - 12 °F |
| 4. 16 MAR 1942 - 72 °F | 4. 03 MAR 1943 - 13 °F |
| 5. 30 MAR 1938 - 72 °F | 5. 17 MAR 1892 - 14 °F |
| 6. 26 MAR 1991 - 70 °F | 6. 03 MAR 1980 - 16 °F |
| 7. 20 MAR 1948 - 69 °F | 7. 02 MAR 1980 - 16 °F |
| 8. 29 MAR 1907 - 69 °F | 8. 07 MAR 1943 - 17 °F |
| 9. 28 MAR 1907 - 69 °F | 9. 20 MAR 1965 - 18 °F |
| 10. 28 MAR 1905 - 69 °F | 10. 08 MAR 2008 - 19 °F |

NORMAL - 43.7 °F

| TOP 10 WETTEST MAR<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST MAR<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1894 – 18.20″ | 1. 1966 - 0.39″ |
| 2. 1922 – 13.53″ | 2. 1918 - 0.49″ |
| 3. 2002 - 12.08″ | 3. 1910 - 0.74″ |
| 4. 1897 - 11.33″ | 4. 1925 - 0.91″ |
| 5. 1961 – 10.69″ | 5. 1954 - 1.44″ |
| 6. 1912 – 10.61″ | 6. 2003 - 1.76″ |
| 7. 1919 – 10.40″ | 7. 1982 – 1.82″ |
| 8. 1980 – 10.30″ | 8. 1916 - 1.82″ |
| 9. 1934 – 10.29″ | 9. 2011 – 1.94″ |
| 10. 1975 – 10.23″ | 10. 1967 - 2.00″ |

NORMAL - 5.40″

TOP 10 WETTEST DAYS IN MAR

| | |
|---|---|
| 1. 18 MAR 1894 – 5.75″ | 6. 22 MAR 1948 - 3.86″ |
| 2. 26 MAR 1934 - 5.00″ | 7. 12 MAR 1975 – 3.69″ |
| 3. 12 MAR 1950 – 4.57″ | 8. 21 MAR 1985 – 3.32″ |
| 4. 28 MAR 1946 - 4.08″ | 9. 14 MAR 1894 – 3.25″ |
| 5. 17 MAR 1919 – 3.95″ | 10. 20 MAR 1968 – 3.18″ |

TOP 10 SNOWIEST MAR
BY MONTHLY SNOWFALL

| | |
|---|---|
| 1. 1892 - 14.0″ | 6. 1896 - 2.5″ |
| 2. 1924 - 8.0″ | 7. 1917 - 2.0″ |
| 3. 1965 - 7.3″ | 8. 1894 - 2.0″ |
| 4. 2008 - 6.0″ | 9. 1932 - 1.8″ |
| 5. 1960 - 4.0″ | 10. 1982 - 1.5″ |

NORMAL - 0.0″

TOP 10 SNOWIEST DAYS IN MAR

| | |
|---|---|
| 1. 17 MAR 1892 – 14.0″ | 6. 13 MAR 1960 - 2.0″ |
| 2. 14 MAR 1924 - 8.0″ | 7. 01 MAR 1960 - 2.0″ |
| 3. 03 MAR 1965 - 7.0″ | 8. 04 MAR 1917 - 2.0″ |
| 4. 07 MAR 2008 - 6.0″ | 9. 29 MAR 1894 - 2.0″ |
| 5. 12 MAR 1896 - 2.5″ | 10. 07 MAR 1982 - 1.5″ |

# APRIL RECORDS

| TOP 10 WARMEST APR<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST APR<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1896 – 83.5 °F | 1. 1983 - 65.9 °F |
| 2. 1894 – 82.4 °F | 2. 1907 - 66.5 °F |
| 3. 1948 – 81.7 °F | 3. 1993 - 69.0 °F |
| 4. 1965 – 80.7 °F | 4. 1997 – 69.2 °F |
| 5. 1981 – 80.4 °F | 5. 1904 – 69.4 °F |
| 6. 1925 – 80.3 °F | 6. 1982 – 69.8 °F |
| 7. 1930 – 79.9 °F | 7. 1973 - 69.9 °F |
| 8. 1946 – 79.7 °F | 8. 1952 – 70.2 °F |
| 9. 2006 – 79.5 °F | 9. 2007 – 70.7 °F |
| 10. 1927 – 79.5 °F | 10. 1953 – 70.9 °F |

NORMAL – 74.1 °F

| TOP 10 WARMEST APR<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST APR<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1896 – 75.7 °F | 1. 1983 - 55.6 °F |
| 2. 1894 – 71.6 °F | 2. 1907 - 56.0 °F |
| 3. 1948 – 69.2 °F | 3. 1904 - 57.9 °F |
| 4. 1927 – 69.0 °F | 4. 1984 – 58.7 °F |
| 5. 1925 – 68.8 °F | 5. 1982 - 58.8 °F |
| 6. 1981 – 68.7 °F | 6. 1901 - 58.8 °F |
| 7. 1965 – 68.7 °F | 7. 1997 – 59.4 °F |
| 8. 2006 – 68.4 °F | 8. 1993 - 59.4 °F |
| 9. 1967 – 68.1 °F | 9. 1953 - 59.4 °F |
| 10. 1946 - 68.0 °F | 10. 1952 – 59.4 °F |

NORMAL – 62.9 °F

| TOP 10 WARMEST APR<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST APR<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1896 - 64.7 °F | 1. 1984 - 45.2 °F |
| 2. 1894 – 60.7 °F | 2. 1983 - 45.3 °F |
| 3. 1927 – 58.4 °F | 3. 1907 - 45.5 °F |
| 4. 1967 – 58.3 °F | 4. 1904 - 46.3 °F |
| 5. 1991 – 58.0 °F | 5. 1901 - 46.6 °F |
| 6. 2001 – 57.6 °F | 6. 1980 - 47.6 °F |
| 7. 2006 – 57.3 °F | 7. 1982 - 47.7 °F |
| 8. 1999 – 57.3 °F | 8. 1953 - 47.9 °F |
| 9. 1925 – 57.2 °F | 9. 1910 – 48.2 °F |
| 10. 1981 - 56.9 °F | 10. 1926 – 48.2 °F |

NORMAL – 51.8 °F

| TOP 10 HOTTEST DAYS IN APR<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN APR<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 23 APR 1905 - 96 °F | 1. 02 APR 1901 - 43 °F |
| 2. 27 APR 1987 - 95 °F | 2. 20 APR 1983 - 44 °F |
| 3. 19 APR 1987 - 94 °F | 3. 01 APR 1900 - 44 °F |
| 4. 20 APR 1987 - 94 °F | 4. 05 APR 1996 - 45 °F |
| 5. 30 APR 1943 - 94 °F | 5. 14 APR 1980 - 45 °F |
| 6. 15 APR 1924 - 94 °F | 6. 06 APR 1971 - 45 °F |
| 7. 03 APR 1918 - 94 °F | 7. 15 APR 1933 - 46 °F |
| 8. 18 APR 2006 - 93 °F | 8. 09 APR 2003 - 47 °F |
| 9. 10 APR 1943 - 93 °F | 9. 02 APR 1915 - 47 °F |
| 10. 21 APR 1925 - 93 °F | 10. 19 APR 1940 - 48 °F |

NORMAL - 74.1 °F

| TOP 10 HOTTEST DAYS IN APR<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN APR<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 27 APR 1994 - 81.5 °F | 1. 05 APR 1996 - 35.5 °F |
| 2. 18 APR 1975 - 81.5 °F | 2. 06 APR 1971 - 36.5 °F |
| 3. 26 APR 1994 - 81.0 °F | 3. 01 APR 1900 - 39.0 °F |
| 4. 04 APR 1948 - 81.0 °F | 4. 14 APR 1980 - 39.5 °F |
| 5. 03 APR 1940 - 80.5 °F | 5. 25 APR 1910 - 40.0 °F |
| 6. 18 APR 2006 - 80.0 °F | 6. 12 APR 1900 - 40.0 °F |
| 7. 17 APR 2006 - 80.0 °F | 7. 08 APR 2007 - 41.0 °F |
| 8. 13 APR 1972 - 80.0 °F | 8. 15 APR 1980 - 41.0 °F |
| 9. 30 APR 1943 - 80.0 °F | 9. 02 APR 1901 - 41.0 °F |
| 10. 21 APR 1925 - 80.0 °F | 10. 09 APR 2003 - 41.5 °F |

NORMAL - 62.9 °F

| TOP 10 HOTTEST DAYS IN APR<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN APR<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 27 APR 1994 - 74 °F | 1. 05 APR 1996 - 26 °F |
| 2. 18 APR 1975 - 74 °F | 2. 06 APR 1971 - 28 °F |
| 3. 28 APR 1970 - 73 °F | 3. 03 APR 1975 - 29 °F |
| 4. 26 APR 1994 - 72 °F | 4. 01 APR 1924 - 29 °F |
| 5. 27 APR 1985 - 72 °F | 5. 01 APR 1926 - 30 °F |
| 6. 29 APR 1970 - 72 °F | 6. 02 APR 1924 - 30 °F |
| 7. 12 APR 1948 - 72 °F | 7. 01 APR 1923 - 30 °F |
| 8. 03 APR 1940 - 72 °F | 8. 05 APR 1920 - 30 °F |
| 9. 19 APR 1920 - 72 °F | 9. 25 APR 1910 - 30 °F |
| 10. 10 APR 2011 - 71 °F | 10. 04 APR 1903 - 30 °F |

NORMAL - 51.8 °F

| TOP 10 WETTEST APR<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST APR<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1966 - 14.69″ | 1. 1930 - 0.54″ |
| 2. 1911 - 14.32″ | 2. 1987 – 0.60″ |
| 3. 2011 – 13.26″ | 3. 1925 – 0.62″ |
| 4. 1991 - 13.24″ | 4. 1915 – 0.67″ |
| 5. 1997 - 13.20″ | 5. 2002 – 0.70″ |
| 6. 1942 – 12.75″ | 6. 1931 – 0.74″ |
| 7. 1905 - 12.53″ | 7. 1960 – 0.92″ |
| 8. 1918 - 12.15″ | 8. 1895 – 1.26″ |
| 9. 1979 - 12.02″ | 9. 1965 - 1.48″ |
| 10. 1957 - 11.56″ | 10. 1919 - 1.50″ |

NORMAL - 4.93″

TOP 10 WETTEST DAYS IN APR

| | |
|---|---|
| 1. 26 APR 1942 – 4.69″ | 6. 06 APR 1918 – 4.05″ |
| 2. 24 APR 1966 – 4.38″ | 7. 26 APR 2011 – 3.90″ |
| 3. 21 APR 1927 – 4.30″ | 8. 06 APR 1928 – 3.90″ |
| 4. 15 APR 1927 – 4.20″ | 9. 19 APR 1918 – 3.90″ |
| 5. 23 APR 1941 – 4.05″ | 10. 15 APR 1910 – 3.90″ |

TOP 10 SNOWIEST APR
BY MONTHLY SNOWFALL

| | |
|---|---|
| 1. 1886 – 2.5″ | 6. - |
| 2. 1983 – T | 7. - |
| 3. 1971 – T | 8. - |
| 4. 1928 – T | 9. - |
| 5. | 10. - |

NORMAL – 0.0″

TOP 10 SNOWIEST DAYS IN APR

| | |
|---|---|
| 1. 05 APR 1886 - 2.5″ | 6. – ″ |
| 2. 20 APR 1983 – T | 7. – ″ |
| 3. 06 APR 1971 – T | 8. – ″ |
| 4. 15 APR 1928 – T | 9. – ″ |
| 5. – ″ | 10. - ″ |

# MAY RECORDS

| TOP 10 WARMEST MAY<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST MAY<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1918 - 89.8 °F | 1. 1976 - 75.8 °F |
| 2. 1896 – 89.1 °F | 2. 1907 - 76.1 °F |
| 3. 1962 – 89.0 °F | 3. 1954 - 77.0 °F |
| 4. 1898 – 87.4 °F | 4. 1917 – 77.0 °F |
| 5. 1886 – 87.3 °F | 5. 1931 – 77.1 °F |
| 6. 1987 – 87.1 °F | 6. 1990 – 78.1 °F |
| 7. 1902 – 87.1 °F | 7. 1935 – 78.3 °F |
| 8. 1998 - 86.8 °F | 8. 2009 – 78.4 °F |
| 9. 1977 - 86.5 °F | 9. 1946 – 78.5 °F |
| 10. 2012 – 86.1 °F | 10. 1910 – 78.5 °F |

NORMAL – 81.8 °F

| TOP 10 WARMEST MAY<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST MAY<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1896 – 78.1 °F | 1. 1885 - 64.2 °F |
| 2. 1998 - 76.7 °F | 2. 1976 - 65.0 °F |
| 3. 1962 - 76.6 °F | 3. 1907 - 65.2 °F |
| 4. 1987 - 76.4 °F | 4. 1917 - 65.5 °F |
| 5. 1996 - 76.0 °F | 5. 1954 - 66.5 °F |
| 6. 1918 - 75.8 °F | 6. 1931 - 67.2 °F |
| 7. 1898 - 75.4 °F | 7. 1909 - 67.3 °F |
| 8. 1902 - 75.3 °F | 8. 1981 - 67.4 °F |
| 9. 1991 - 75.0 °F | 9. 1910 - 67.8 °F |
| 10. 2012 - 74.9 °F | 10. 1983 - 68.0 °F |

NORMAL – 71.5 °F

| TOP 10 WARMEST MAY<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST MAY<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1991 - 67.1 °F | 1. 1917 - 53.9 °F |
| 2. 1896 – 67.1 °F | 2. 1885 - 53.9 °F |
| 3. 1996 - 66.8 °F | 3. 1976 - 54.3 °F |
| 4. 1998 - 66.6 °F | 4. 1907 - 54.3 °F |
| 5. 1987 - 65.7 °F | 5. 1984 - 55.3 °F |
| 6. 1899 - 65.1 °F | 6. 1909 - 55.5 °F |
| 7. 1933 - 64.7 °F | 7. 1904 – 55.6 °F |
| 8. 1965 - 64.6 °F | 8. 1924 - 55.8 °F |
| 9. 2000 - 64.5 °F | 9. 1981 - 55.9 °F |
| 10. 1943 - 64.4 °F | 10. 1954 - 56.0 °F |

NORMAL – 61.3 °F

| TOP 10 HOTTEST DAYS IN MAY<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN MAY<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 29 MAY 1926 - 100 °F | 1. 02 MAY 2011 - 56 °F |
| 2. 29 MAY 1926 - 99 °F | 2. 04 MAY 1978 - 56 °F |
| 3. 21 MAY 1902 - 99 °F | 3. 04 MAY 1907 - 56 °F |
| 4. 31 MAY 1886 - 99 °F | 4. 01 MAY 1994 - 57 °F |
| 5. 31 MAY 1998 - 99 °F | 5. 14 MAY 1953 - 57 °F |
| 6. 31 MAY 1921 - 98 °F | 6. 02 MAY 1994 - 58 °F |
| 7. 30 MAY 1921 - 98 °F | 7. 28 MAY 1992 - 58 °F |
| 8. 24 MAY 1918 - 98 °F | 8. 01 MAY 1907 - 58 °F |
| 9. 23 MAY 1918 - 98 °F | 9. 17 MAY 1945 - 59 °F |
| 10. 25 MAY 1902 - 98 °F | 10. 14 MAY 1912 - 59 °F |

NORMAL - 81.8 °F

| TOP 10 HOTTEST DAYS IN MAY<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN MAY<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 31 MAY 1998 - 85.5 °F | 1. 01 MAY 1909 - 49.5 °F |
| 2. 31 MAY 1934 - 85.0 °F | 2. 04 MAY 1954 - 49.5 °F |
| 3. 29 MAY 1926 - 85.0 °F | 3. 02 MAY 1994 - 51.0 °F |
| 4. 22 MAY 1902 - 85.0 °F | 4. 04 MAY 1907 - 51.0 °F |
| 5. 31 MAY 1951 - 84.5 °F | 5. 02 MAY 2011 - 51.5 °F |
| 6. 29 MAY 1927 - 84.5 °F | 6. 04 MAY 1978 - 52.5 °F |
| 7. 31 MAY 1921 - 84.5 °F | 7. 03 MAY 1921 - 52.5 °F |
| 8. 23 MAY 1902 - 84.5 °F | 8. 06 MAY 1917 - 53.0 °F |
| 9. 30 MAY 1898 - 84.5 °F | 9. 02 MAY 1911 - 53.0 °F |
| 10. 23 MAY 1896 - 84.5 °F | 10. 01 MAY 1907 - 53.0 °F |

NORMAL - 71.5 °F

| TOP 10 HOTTEST DAYS IN MAY<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN MAY<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 10 MAY 1933 - 76 °F | 1. 02 MAY 1909 - 36 °F |
| 2. 29 MAY 1927 - 76 °F | 2. 02 MAY 1903 - 37 °F |
| 3. 30 MAY 1898 - 76 °F | 3. 01 MAY 1909 - 38 °F |
| 4. 26 MAY 2000 - 75 °F | 4. 01 MAY 1908 - 38 °F |
| 5. 17 MAY 1995 - 75 °F | 5. 01 MAY 1903 - 39 °F |
| 6. 14 MAY 1995 - 75 °F | 6. 31 MAY 1984 - 40 °F |
| 7. 30 MAY 1989 - 75 °F | 7. 01 MAY 1984 - 40 °F |
| 8. 22 MAY 1957 - 75 °F | 8. 09 MAY 1917 - 40 °F |
| 9. 30 MAY 1927 - 75 °F | 9. 02 MAY 1984 - 41 °F |
| 10. 23 MAY 1896 - 75 °F | 10. 12 MAY 1960 - 41 °F |

NORMAL - 61.3 °F

| TOP 10 WETTEST MAY<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST MAY<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1905 – 15.71″ | 1. 1886 - 0.33″ |
| 2. 1930 - 14.28″ | 2. 1911 – 0.65″ |
| 3. 1979 - 13.01″ | 3. 1894 – 0.74″ |
| 4. 1953 – 12.49″ | 4. 1926 – 1.10″ |
| 5. 1892 – 12.14″ | 5. 1998 - 1.14″ |
| 6. 2009 – 11.71″ | 6. 1918 - 1.15″ |
| 7. 1967 – 10.65″ | 7. 1915 - 1.19″ |
| 8. 1968 – 10.55″ | 8. 1977 - 1.23″ |
| 9. 1984 – 10.52″ | 9. 1964 - 1.30″ |
| 10. 1884 – 10.48″ | 10. 1896 - 1.37″ |

NORMAL - 5.05″

TOP 10 WETTEST DAYS IN MAY

| | |
|---|---|
| 1. 05 MAY 1905 – 6.80″ | 6. 21 MAY 1947 – 3.73″ |
| 2. 01 MAY 1958 – 5.15″ | 7. 11 MAY 1953 – 3.69″ |
| 3. 20 MAY 1955 – 4.48″ | 8. 02 MAY 1984 – 3.64″ |
| 4. 15 MAY 1983 – 4.13″ | 9. 18 MAY 1930 – 3.60″ |
| 5. 04 MAY 1979 – 4.07″ | 10. 31 MAY 1909 – 3.46″ |

# JUNE RECORDS

| TOP 10 WARMEST JUN<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST JUN<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1925 - 98.8 °F | 1. 1912 - 83.3 °F |
| 2. 1918 - 97.2 °F | 2. 2003 - 84.1 °F |
| 3. 1953 - 96.8 °F | 3. 1903 - 84.2 °F |
| 4. 1952 - 96.0 °F | 4. 2004 - 85.1 °F |
| 5. 1914 - 95.9 °F | 5. 1976 - 85.1 °F |
| 6. 2011 - 95.4 °F | 6. 1940 - 85.2 °F |
| 7. 1943 - 94.9 °F | 7. 1935 - 85.2 °F |
| 8. 1901 - 94.8 °F | 8. 1989 - 85.4 °F |
| 9. 1911 - 94.7 °F | 9. 1938 - 85.9 °F |
| 10. 2010 - 94.5 °F | 10. 1974 - 86.1 °F |

NORMAL - 89.1 °F

| TOP 10 WARMEST JUN<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST JUN<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1925 - 85.3 °F | 1. 1903 - 72.0 °F |
| 2. 1953 - 84.4 °F | 2. 1912 - 73.7 °F |
| 3. 2010 - 84.2 °F | 3. 1955 - 74.5 °F |
| 4. 1943 - 84.1 °F | 4. 1976 - 74.9 °F |
| 5. 2011 - 84.0 °F | 5. 2003 - 75.7 °F |
| 6. 1952 - 83.4 °F | 6. 1982 - 75.7 °F |
| 7. 1914 - 83.4 °F | 7. 1974 - 75.7 °F |
| 8. 1918 - 83.3 °F | 8. 1983 - 76.0 °F |
| 9. 1998 - 83.2 °F | 9. 1910 - 76.0 °F |
| 10. 1944 - 82.7 °F | 10. 1961 - 76.3 °F |

NORMAL - 79.1 °F

| TOP 10 WARMEST JUN<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST JUN<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 2010 - 73.8 °F | 1. 1903 - 59.8 °F |
| 2. 1998 - 73.4 °F | 2. 1955 - 62.9 °F |
| 3. 1943 - 73.3 °F | 3. 1912 - 64.1 °F |
| 4. 1922 - 72.7 °F | 4. 1910 - 64.6 °F |
| 5. 2011 - 72.6 °F | 5. 1976 - 64.7 °F |
| 6. 1994 - 72.2 °F | 6. 1982 - 65.0 °F |
| 7. 1953 - 72.0 °F | 7. 1983 - 65.2 °F |
| 8. 1990 - 71.9 °F | 8. 1913 - 65.2 °F |
| 9. 1991 - 71.7 °F | 9. 1974 - 65.3 °F |
| 10. 1944 - 71.7 °F | 10. 1894 - 65.3 °F |

NORMAL - 69.0 °F

| TOP 10 HOTTEST DAYS IN JUN<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN JUN<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 20 JUN 1936 - 107 °F | 1. 01 JUN 1903 - 62 °F |
| 2. 20 JUN 1918 - 107 °F | 2. 16 JUN 1961 - 66 °F |
| 3. 29 JUN 1925 - 106 °F | 3. 09 JUN 1913 - 68 °F |
| 4. 18 JUN 1918 - 106 °F | 4. 23 JUN 1912 - 68 °F |
| 5. 21 JUN 1925 - 105 °F | 5. 01 JUN 1907 - 68 °F |
| 6. 28 JUN 1954 - 104 °F | 6. 12 JUN 1889 - 68 °F |
| 7. 28 JUN 1925 - 104 °F | 7. 15 JUN 1955 - 69 °F |
| 8. 21 JUN 1918 - 104 °F | 8. 04 JUN 2009 - 70 °F |
| 9. 19 JUN 1918 - 104 °F | 9. 17 JUN 1961 - 70 °F |
| 10. 30 JUN 1894 - 104 °F | 10. 19 JUN 1920 - 70 °F |

NORMAL - 89.1 °F

| TOP 10 HOTTEST DAYS IN JUN<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN JUN<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 20 JUN 1936 - 93.5 °F | 1. 01 JUN 1903 - 57.0 °F |
| 2. 21 JUN 1936 - 91.0 °F | 2. 13 JUN 1903 - 62.0 °F |
| 3. 19 JUN 2011 - 90.0 °F | 3. 12 JUN 1903 - 62.0 °F |
| 4. 24 JUN 1925 - 90.0 °F | 4. 16 JUN 1961 - 63.0 °F |
| 5. 23 JUN 1925 - 90.0 °F | 5. 03 JUN 1956 - 63.0 °F |
| 6. 25 JUN 1922 - 90.0 °F | 6. 01 JUN 1894 - 63.0 °F |
| 7. 20 JUN 1990 - 89.5 °F | 7. 12 JUN 1889 - 63.0 °F |
| 8. 18 JUN 2011 - 89.0 °F | 8. 01 JUN 1907 - 63.5 °F |
| 9. 29 JUN 1980 - 89.0 °F | 9. 02 JUN 1903 - 63.5 °F |
| 10. 27 JUN 1980 - 89.0 °F | 10. 17 JUN 1961 - 64.0 °F |

NORMAL - 79.1 °F

| TOP 10 HOTTEST DAYS IN JUN<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN JUN<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 25 JUN 1922 - 82 °F | 1. 02 JUN 1984 - 49 °F |
| 2. 19 JUN 2011 - 81 °F | 2. 03 JUN 1956 - 49 °F |
| 3. 10 JUN 1998 - 80 °F | 3. 12 JUN 1903 - 49 °F |
| 4. 21 JUN 1990 - 80 °F | 4. 02 JUN 1956 - 50 °F |
| 5. 04 JUN 1985 - 80 °F | 5. 13 JUN 1903 - 50 °F |
| 6. 21 JUN 1936 - 80 °F | 6. 08 JUN 1894 - 50 °F |
| 7. 20 JUN 1936 - 80 °F | 7. 01 JUN 1894 - 50 °F |
| 8. 13 JUN 1897 - 80 °F | 8. 01 JUN 1889 - 50 °F |
| 9. 18 JUN 2011 - 79 °F | 9. 03 JUN 1984 - 51 °F |
| 10. 21 JUN 1998 - 79 °F | 10. 01 JUN 1966 - 51 °F |

NORMAL - 69.0 °F

| TOP 10 WETTEST JUN<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST JUN<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1927 – 10.18″ | 1. 1930 - 0.05″ |
| 2. 1895 - 9.91″ | 2. 1980 - 0.10″ |
| 3. 1904 - 9.34″ | 3. 1966 – 0.14″ |
| 4. 1928 - 9.33″ | 4. 1952 - 0.22″ |
| 5. 1919 - 9.25″ | 5. 1936 - 0.22″ |
| 6. 1974 - 8.42″ | 6. 1953 - 0.40″ |
| 7. 1989 - 8.27″ | 7. 1988 - 0.53″ |
| 8. 1939 - 8.00″ | 8. 1887 – 0.55″ |
| 9. 1945 - 7.97″ | 9. 1946 – 0.57″ |
| 10. 1893 - 6.60″ | 10. 1925 – 0.71″ |

NORMAL - 3.58″

TOP 10 WETTEST DAYS IN JUN

| | |
|---|---|
| 1. 16 JUN 1895 – 5.15″ | 6. 06 JUN 1981 – 3.03″ |
| 2. 02 JUN 1927 – 4.69″ | 7. 24 JUN 1994 – 2.87″ |
| 3. 07 JUN 1974 – 4.26″ | 8. 11 JUN 1945 – 2.66″ |
| 4. 26 JUN 1903 – 3.55″ | 9. 14 JUN 1929 - 2.66″ |
| 5. 12 JUN 1919 – 3.47″ | 10. 11 JUN 1921 – 2.61″ |

# JULY RECORDS

| TOP 10 WARMEST JUL<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST JUL<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1901 - 101.2 °F | 1. 1940 - 86.8 °F |
| 2. 1980 - 99.9 °F | 2. 1967 - 87.4 °F |
| 3. 1943 - 99.5 °F | 3. 2009 - 88.1 °F |
| 4. 1918 - 99.3 °F | 4. 2007 - 88.1 °F |
| 5. 1896 - 98.9 °F | 5. 1905 - 88.1 °F |
| 6. 1954 - 98.5 °F | 6. 1989 - 88.4 °F |
| 7. 1944 - 98.5 °F | 7. 1906 - 88.5 °F |
| 8. 1930 - 98.5 °F | 8. 2004 - 88.7 °F |
| 9. 1897 - 98.5 °F | 9. 1911 - 89.1 °F |
| 10. 1929 - 98.3 °F | 10. 1931 - 89.4 °F |

NORMAL - 92.2 °F

| TOP 10 WARMEST JUL<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST JUL<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1943 - 86.7 °F | 1. 1906 - 78.2 °F |
| 2. 1998 - 86.4 °F | 2. 1967 - 78.3 °F |
| 3. 1980 - 86.4 °F | 3. 1905 - 78.4 °F |
| 4. 1930 - 86.3 °F | 4. 2009 - 78.7 °F |
| 5. 1993 - 86.1 °F | 5. 1940 - 79.2 °F |
| 6. 1986 - 85.9 °F | 6. 1891 - 79.2 °F |
| 7. 1901 - 85.8 °F | 7. 1911 - 79.3 °F |
| 8. 2011 - 85.6 °F | 8. 2007 - 79.4 °F |
| 9. 1896 - 85.6 °F | 9. 1950 - 79.4 °F |
| 10. 1954 - 85.5 °F | 10. 2004 - 79.7 °F |

NORMAL - 82.0 °F

| TOP 10 WARMEST JUL<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST JUL<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1998 - 76.6 °F | 1. 1918 - 67.1 °F |
| 2. 1986 - 75.6 °F | 2. 1904 - 67.1 °F |
| 3. 1993 - 75.1 °F | 3. 1906 - 67.8 °F |
| 4. 1999 - 74.8 °F | 4. 1903 - 68.1 °F |
| 5. 1997 - 74.6 °F | 5. 1894 - 68.1 °F |
| 6. 1934 - 74.6 °F | 6. 1959 - 68.2 °F |
| 7. 2011 - 74.5 °F | 7. 1891 - 68.3 °F |
| 8. 2010 - 74.3 °F | 8. 1905 - 68.7 °F |
| 9. 1930 - 74.1 °F | 9. 1961 - 68.8 °F |
| 10. 1932 - 74.0 °F | 10. 1950 - 68.9 °F |

NORMAL - 71.9 °F

| TOP 10 HOTTEST DAYS IN JUL<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN JUL<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 24 JUL 1924 - 110 °F | 1. 10 JUL 1996 - 72 °F |
| 2. 23 JUL 1924 - 110 °F | 2. 07 JUL 1940 - 72 °F |
| 3. 22 JUL 1943 - 109 °F | 3. 14 JUL 1990 - 74 °F |
| 4. 29 JUL 1930 - 109 °F | 4. 21 JUL 1970 - 74 °F |
| 5. 26 JUL 1918 - 109 °F | 5. 06 JUL 1967 - 74 °F |
| 6. 18 JUL 1980 - 108 °F | 6. 13 JUL 1940 - 74 °F |
| 7. 04 JUL 1926 - 108 °F | 7. 26 JUL 1933 - 74 °F |
| 8. 12 JUL 1901 - 108 °F | 8. 13 JUL 2007 - 75 °F |
| 9. 30 JUL 1986 - 107 °F | 9. 26 JUL 2004 - 75 °F |
| 10. 15 JUL 1980 - 107 °F | 10. 22 JUL 1970 - 75 °F |

NORMAL - 92.2 °F

| TOP 10 HOTTEST DAYS IN JUL<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN JUL<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 29 JUL 1930 - 95.5 °F | 1. 22 JUL 1970 - 67.0 °F |
| 2. 31 JUL 1986 - 93.5 °F | 2. 21 JUL 1970 - 67.5 °F |
| 3. 13 JUL 1930 - 93.5 °F | 3. 14 JUL 1990 - 68.0 °F |
| 4. 12 JUL 1930 - 93.5 °F | 4. 09 JUL 1894 - 68.0 °F |
| 5. 30 JUL 1986 - 92.5 °F | 5. 07 JUL 1972 - 68.5 °F |
| 6. 25 JUL 1943 - 92.5 °F | 6. 06 JUL 1972 - 68.5 °F |
| 7. 23 JUL 1943 - 92.5 °F | 7. 14 JUL 1967 - 68.5 °F |
| 8. 24 JUL 1924 - 92.5 °F | 8. 15 JUL 1967 - 69.0 °F |
| 9. 18 JUL 1980 - 92.0 °F | 9. 06 JUL 1967 - 69.0 °F |
| 10. 22 JUL 1943 - 92.0 °F | 10. 02 JUL 1924 - 69.0 °F |

NORMAL - 82.0 °F

| TOP 10 HOTTEST DAYS IN JUL<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN JUL<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 08 JUL 1998 - 83 °F | 1. 07 JUL 1972 - 56 °F |
| 2. 29 JUL 1998 - 82 °F | 2. 15 JUL 1967 - 56 °F |
| 3. 29 JUL 1930 - 82 °F | 3. 23 JUL 1947 - 56 °F |
| 4. 13 JUL 1930 - 82 °F | 4. 02 JUL 1924 - 56 °F |
| 5. 19 JUL 1884 - 82 °F | 5. 15 JUL 1926 - 57 °F |
| 6. 31 JUL 1986 - 81 °F | 6. 05 JUL 1922 - 57 °F |
| 7. 30 JUL 1930 - 81 °F | 7. 06 JUL 1915 - 57 °F |
| 8. 12 JUL 1930 - 81 °F | 8. 25 JUL 1911 - 57 °F |
| 9. 05 JUL 1884 - 81 °F | 9. 22 JUL 1902 - 57 °F |
| 10. 10 JUL 2011 - 80 °F | 10. 09 JUL 1901 - 57 °F |

NORMAL - 71.9 °F

| TOP 10 WETTEST JUL<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST JUL<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1936 - 14.16″ | 1. 1930 - 0.01″ |
| 2. 1989 - 10.03″ | 2. 1893 - 0.03″ |
| 3. 1891 - 9.92″ | 3. 1942 - 0.15″ |
| 4. 1941 - 9.23″ | 4. 1978 - 0.22″ |
| 5. 1948 - 9.09″ | 5. 1919 - 0.29″ |
| 6. 2009 - 9.02″ | 6. 1943 - 0.32″ |
| 7. 1931 - 8.87″ | 7. 1947 - 0.33″ |
| 8. 1992 - 8.10″ | 8. 1934 - 0.46″ |
| 9. 1905 - 7.84″ | 9. 1901 - 0.46″ |
| 10. 1971 - 7.52″ | 10. 1896 – 0.48″ |

NORMAL - 3.93″

TOP 10 WETTEST DAYS IN JUL

| | |
|---|---|
| 1. 31 JUL 1902 – 4.65″ | 6. 18 JUL 1954 - 3.54″ |
| 2. 27 JUL 1983 – 4.33″ | 7. 03 JUL 1951 – 3.45″ |
| 3. 22 JUL 1936 – 4.18″ | 8. 25 JUL 1913 – 3.40″ |
| 4. 29 JUL 1967 – 4.04″ | 9. 21 JUL 1936 – 3.40″ |
| 5. 02 JUL 1936 – 3.57″ | 10. 24 JUL 1971 – 3.33″ |

# AUGUST RECORDS

| TOP 10 WARMEST AUG<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST AUG<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1943 - 103.5 °F | 1. 1992 – 86.2 °F |
| 2. 1954 – 100.1 °F | 2. 1966 - 86.3 °F |
| 3. 1947 - 99.5 °F | 3. 1931 - 86.3 °F |
| 4. 1924 - 99.5 °F | 4. 1915 - 86.4 °F |
| 5. 2000 - 99.1 °F | 5. 1967 - 86.5 °F |
| 6. 1934 - 98.5 °F | 6. 2004 – 87.4 °F |
| 7. 1980 - 98.3 °F | 7. 1950 – 87.4 °F |
| 8. 1918 - 98.1 °F | 8. 1971 – 88.0 °F |
| 9. 1932 - 97.9 °F | 9. 2009 – 88.1 °F |
| 10. 1896 - 97.8 °F | 10. 2008 – 88.2 °F |

NORMAL – 91.8 °F

| TOP 10 WARMEST AUG<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST AUG<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1943 – 89.0 °F | 1. 1884 – 76.4 °F |
| 2. 1934 – 87.0 °F | 2. 2004 - 76.6 °F |
| 3. 1947 - 86.9 °F | 3. 1992 - 76.6 °F |
| 4. 1999 - 86.5 °F | 4. 1967 - 76.6 °F |
| 5. 1954 - 86.0 °F | 5. 1915 - 77.0 °F |
| 6. 1995 - 85.9 °F | 6. 1950 - 77.1 °F |
| 7. 1928 - 85.7 °F | 7. 1931 - 77.5 °F |
| 8. 1924 - 85.7 °F | 8. 1966 - 77.6 °F |
| 9. 1980 - 85.3 °F | 9. 1976 – 78.1 °F |
| 10. 1921 - 85.3 °F | 10. 1961 – 78.1 °F |

NORMAL – 81.1 °F

| TOP 10 WARMEST AUG<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST AUG<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1934 - 75.5 °F | 1. 1976 - 65.0 °F |
| 2. 1995 - 75.4 °F | 2. 2004 - 65.8 °F |
| 3. 1987 – 74.7 °F | 3. 1967 - 66.6 °F |
| 4. 1943 - 74.6 °F | 4. 1950 - 66.9 °F |
| 5. 1987 – 74.7 °F | 5. 1992 – 67.0 °F |
| 6. 2010 – 74.3 °F | 6. 1904 - 67.2 °F |
| 7. 1947 - 74.2 °F | 7. 1884 - 67.3 °F |
| 8. 1928 - 73.9 °F | 8. 1953 - 67.5 °F |
| 9. 2000 - 73.8 °F | 9. 1915 - 67.7 °F |
| 10. 1993 - 73.8 °F | 10. 1917 - 67.8 °F |

NORMAL – 70.5 °F

| TOP 10 HOTTEST DAYS IN AUG<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN AUG<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 15 AUG 1943 - 112 °F | 1. 30 AUG 1915 - 71 °F |
| 2. 27 AUG 1943 - 111 °F | 2. 27 AUG 1900 - 71 °F |
| 3. 16 AUG 1943 - 111 °F | 3. 24 AUG 1891 - 72 °F |
| 4. 03 AUG 2011 - 110 °F | 4. 06 AUG 1993 - 73 °F |
| 5. 10 AUG 1943 - 109 °F | 5. 31 AUG 1967 - 73 °F |
| 6. 11 AUG 1918 - 109 °F | 6. 16 AUG 1964 - 73 °F |
| 7. 04 AUG 1918 - 109 °F | 7. 26 AUG 1946 - 73 °F |
| 8. 03 AUG 1918 - 109 °F | 8. 28 AUG 1927 - 73 °F |
| 9. 07 AUG 1947 - 108 °F | 9. 24 AUG 1918 - 73 °F |
| 10. 26 AUG 1943 - 108 °F | 10. 19 AUG 2008 - 74 °F |

NORMAL - 91.8 °F

| TOP 10 HOTTEST DAYS IN AUG<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN AUG<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 15 AUG 1943 - 96.0 °F | 1. 24 AUG 1891 - 63.0 °F |
| 2. 03 AUG 2011 - 95.5 °F | 2. 31 AUG 1915 - 65.5 °F |
| 3. 03 AUG 1918 - 95.5 °F | 3. 13 AUG 2004 - 66.0 °F |
| 4. 27 AUG 1943 - 95.0 °F | 4. 14 AUG 2004 - 66.5 °F |
| 5. 16 AUG 1943 - 95.0 °F | 5. 31 AUG 1967 - 66.5 °F |
| 6. 08 AUG 1943 - 94.0 °F | 6. 31 AUG 1946 - 66.5 °F |
| 7. 08 AUG 1934 - 94.0 °F | 7. 16 AUG 1992 - 67.0 °F |
| 8. 04 AUG 2011 - 94.0 °F | 8. 12 AUG 2004 - 67.5 °F |
| 9. 26 AUG 1943 - 93.5 °F | 9. 13 AUG 1967 - 67.5 °F |
| 10. 10 AUG 1943 - 93.5 °F | 10. 12 AUG 1967 - 67.5 °F |

NORMAL - 81.1 °F

| TOP 10 HOTTEST DAYS IN AUG<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN AUG<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 04 AUG 2011 - 84 °F | 1. 14 AUG 2004 - 52 °F |
| 2. 24 AUG 1985 - 82 °F | 2. 29 AUG 1906 - 52 °F |
| 3. 03 AUG 1918 - 82 °F | 3. 22 AUG 1956 - 53 °F |
| 4. 05 AUG 2011 - 81 °F | 4. 30 AUG 1906 - 53 °F |
| 5. 03 AUG 2011 - 81 °F | 5. 23 AUG 1888 - 53 °F |
| 6. 04 AUG 2010 - 81 °F | 6. 28 AUG 1967 - 54 °F |
| 7. 05 AUG 1943 - 81 °F | 7. 28 AUG 1906 - 54 °F |
| 8. 09 AUG 1934 - 81 °F | 8. 24 AUG 1891 - 54 °F |
| 9. 08 AUG 1934 - 81 °F | 9. 13 AUG 1967 - 55 °F |
| 10. 15 AUG 1930 - 81 °F | 10. 23 AUG 1956 - 55 °F |

NORMAL - 70.5 °F

| TOP 10 WETTEST AUG<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST AUG<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1911 – 8.31″ | 1. 1886 – 0.00″ |
| 2. 1950 – 8.09″ | 2. 2007 - 0.13″ |
| 3. 1910 – 7.04″ | 3. 2000 - 0.13″ |
| 4. 1978 - 6.84″ | 4. 1943 - 0.16″ |
| 5. 1915 - 6.77″ | 5. 1983 - 0.20″ |
| 6. 1969 - 6.75″ | 6. 1891 - 0.25″ |
| 7. 1974 - 6.30″ | 7. 1936 - 0.33″ |
| 8. 1966 - 6.17″ | 8. 1885 - 0.41″ |
| 9. 1981 - 6.10″ | 9. 1951 - 0.42″ |
| 10. 1905 - 6.03″ | 10. 1913 - 0.43″ |

NORMAL - 2.48″

TOP 10 WETTEST DAYS IN AUG

| | |
|---|---|
| 1. 17 AUG 1969 – 4.29″ | 6. 30 AUG 1888 – 3.00″ |
| 2. 17 AUG 1982 – 3.76″ | 7. 12 AUG 1910 – 2.90″ |
| 3. 30 AUG 1978 – 3.38″ | 8. 06 AUG 1993 – 2.85″ |
| 4. 16 AUG 1986 – 3.20″ | 9. 14 AUG 1968 – 2.58″ |
| 5. 19 AUG 1905 – 3.10″ | 10. 07 AUG 1945 – 2.52″ |

# SEPTEMBER RECORDS

| TOP 10 WARMEST SEP<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST SEP<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1925 - 97.9 °F | 1. 1974 – 78.4 °F |
| 2. 1939 - 95.4 °F | 2. 1950 – 79.3 °F |
| 3. 1921 - 94.7 °F | 3. 1967 – 79.7 °F |
| 4. 1897 - 94.0 °F | 4. 1989 – 80.6 °F |
| 5. 1927 - 93.3 °F | 5. 1957 – 81.6 °F |
| 6. 1936 – 93.2 °F | 6. 1968 – 81.9 °F |
| 7. 1922 – 92.9 °F | 7. 1966 – 82.1 °F |
| 8. 1926 – 92.6 °F | 8. 1890 – 82.1 °F |
| 9. 1947 – 92.5 °F | 9. 1949 – 82.3 °F |
| 10. 1954 – 92.4 °F | 10. 2008 – 82.4 °F |

NORMAL – 85.6 °F

| TOP 10 WARMEST SEP<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST SEP<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1925 – 84.9 °F | 1. 1974 – 69.5 °F |
| 2. 1921 – 82.8 °F | 2. 1902 – 70.1 °F |
| 3. 1939 – 82.4 °F | 3. 1918 – 70.3 °F |
| 4. 1936 – 82.1 °F | 4. 1949 – 70.4 °F |
| 5. 1933 – 81.4 °F | 5. 1967 – 70.5 °F |
| 6. 1926 – 80.7 °F | 6. 1968 – 70.7 °F |
| 7. 1911 – 80.7 °F | 7. 1979 – 71.2 °F |
| 8. 1900 – 80.3 °F | 8. 1950 – 71.2 °F |
| 9. 1931 – 80.2 °F | 9. 1903 – 71.2 °F |
| 10. 1895 – 80.2 °F | 10. 1981 – 71.4 °F |

NORMAL – 74.1 °F

| TOP 10 WARMEST SEP<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST SEP<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1925 – 71.8 °F | 1. 1918 - 55.3 °F |
| 2. 1936 – 70.9 °F | 2. 1902 – 57.2 °F |
| 3. 1921 – 70.8 °F | 3. 1956 – 57.4 °F |
| 4. 1933 – 70.4 °F | 4. 1903 - 57.4 °F |
| 5. 1911 - 69.9 °F | 5. 1953 - 57.9 °F |
| 6. 1998 - 69.6 °F | 6. 1899 – 58.1 °F |
| 7. 1939 - 69.4 °F | 7. 1949 – 58.5 °F |
| 8. 1986 – 69.2 °F | 8. 2011 – 58.6 °F |
| 9. 1931 - 69.0 °F | 9. 1901 - 58.6 °F |
| 10. 1926 - 68.9 °F | 10. 1981 - 58.9 °F |

NORMAL – 62.7 °F

| TOP 10 HOTTEST DAYS IN SEP<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN SEP<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 06 SEP 1925 - 110 °F | 1. 28 SEP 1980 - 60 °F |
| 2. 05 SEP 1925 - 110 °F | 2. 28 SEP 1964 - 60 °F |
| 3. 08 SEP 1925 - 109 °F | 3. 30 SEP 1972 - 61 °F |
| 4. 04 SEP 1925 - 109 °F | 4. 06 SEP 1891 - 61 °F |
| 5. 07 SEP 1925 - 108 °F | 5. 15 SEP 1993 - 62 °F |
| 6. 09 SEP 1925 - 107 °F | 6. 29 SEP 1980 - 62 °F |
| 7. 03 SEP 1925 - 107 °F | 7. 28 SEP 1967 - 62 °F |
| 8. 08 SEP 1947 - 106 °F | 8. 30 SEP 1920 - 63 °F |
| 9. 07 SEP 1947 - 106 °F | 9. 23 SEP 1989 - 64 °F |
| 10. 05 SEP 1947 - 106 °F | 10. 30 SEP 1984 - 64 °F |

NORMAL - 85.6 °F

| TOP 10 HOTTEST DAYS IN SEP<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN SEP<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 02 SEP 1947 - 91.5 °F | 1. 29 SEP 1967 - 53.0 °F |
| 2. 04 SEP 1939 - 91.5 °F | 2. 28 SEP 1967 - 53.0 °F |
| 3. 08 SEP 1925 - 91.5 °F | 3. 27 SEP 1942 - 53.0 °F |
| 4. 07 SEP 1925 - 91.5 °F | 4. 30 SEP 1920 - 53.0 °F |
| 5. 06 SEP 1925 - 91.5 °F | 5. 22 SEP 1983 - 53.5 °F |
| 6. 07 SEP 1947 - 91.0 °F | 6. 30 SEP 1984 - 54.5 °F |
| 7. 05 SEP 1925 - 91.0 °F | 7. 30 SEP 1972 - 54.5 °F |
| 8. 04 SEP 1925 - 91.0 °F | 8. 28 SEP 1980 - 55.0 °F |
| 9. 01 SEP 1947 - 90.5 °F | 9. 30 SEP 1916 - 55.0 °F |
| 10. 09 SEP 1925 - 90.5 °F | 10. 30 SEP 1895 - 55.0 °F |

NORMAL - 74.1 °F

| TOP 10 HOTTEST DAYS IN SEP<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN SEP<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 09 SEP 1996 - 80 °F | 1. 29 SEP 1967 - 38 °F |
| 2. 04 SEP 1939 - 79 °F | 2. 23 SEP 1983 - 39 °F |
| 3. 05 SEP 1922 - 79 °F | 3. 22 SEP 1983 - 39 °F |
| 4. 09 SEP 1884 - 79 °F | 4. 27 SEP 1942 - 39 °F |
| 5. 07 SEP 1939 - 78 °F | 5. 30 SEP 1949 - 40 °F |
| 6. 04 SEP 1936 - 78 °F | 6. 30 SEP 1916 - 40 °F |
| 7. 03 SEP 1936 - 78 °F | 7. 29 SEP 1909 - 40 °F |
| 8. 03 SEP 2000 - 77 °F | 8. 15 SEP 1902 - 40 °F |
| 9. 07 SEP 1990 - 77 °F | 9. 30 SEP 1899 - 40 °F |
| 10. 02 SEP 1947 - 77 °F | 10. 27 SEP 1899 - 40 °F |

NORMAL - 62.7 °F

| TOP 10 WETTEST SEP<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST SEP<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1913 - 15.44″ | 1. 2001 - 0.11″ |
| 2. 1886 - 9.66″ | 2. 1928 - 0.14″ |
| 3. 1902 - 9.31″ | 3. 2004 - 0.17″ |
| 4. 1965 - 9.03″ | 4. 1889 - 0.21″ |
| 5. 1898 - 9.01″ | 5. 1897 - 0.22″ |
| 6. 1958 - 8.67″ | 6. 1931 - 0.26″ |
| 7. 1980 - 8.02″ | 7. 1891 - 0.28″ |
| 8. 2009 - 7.51″ | 8. 1929 - 0.31″ |
| 9. 2007 - 7.16″ | 9. 1922 - 0.38″ |
| 10. 1930 - 6.76″ | 10. 1995 - 0.54″ |

NORMAL - 2.69″

TOP 10 WETTEST DAYS IN SEP

| | |
|---|---|
| 1. 14 SEP 1886 – 5.02″ | 6. 12 SEP 1902 – 3.25″ |
| 2. 24 SEP 1984 – 3.90″ | 7. 03 SEP 2008 – 3.20″ |
| 3. 10 SEP 1965 – 3.73″ | 8. 24 SEP 2005 – 3.17″ |
| 4. 22 SEP 1919 – 3.51″ | 9. 15 SEP 2009 – 2.99″ |
| 5. 12 SEP 1892 – 3.46″ | 10. 06 SEP 1994 – 2.97″ |

# OCTOBER RECORDS

| TOP 10 WARMEST OCT<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST OCT<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1927 - 87.5 °F | 1. 2009 – 68.4 °F |
| 2. 1963 - 86.8 °F | 2. 1906 - 69.0 °F |
| 3. 1897 - 86.4 °F | 3. 2002 – 70.5 °F |
| 4. 1938 - 85.0 °F | 4. 1976 – 70.5 °F |
| 5. 1928 - 84.4 °F | 5. 1957 – 70.5 °F |
| 6. 1924 – 84.1 °F | 6. 1988 – 71.4 °F |
| 7. 1947 – 83.5 °F | 7. 1966 – 71.8 °F |
| 8. 1934 – 83.5 °F | 8. 1913 – 71.8 °F |
| 9. 1940 – 82.1 °F | 9. 1993 – 71.9 °F |
| 10. 1944 – 82.0 °F | 10. 1952 – 71.9 °F |

NORMAL – 75.1 °F

| TOP 10 WARMEST OCT<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST OCT<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1941 – 71.5 °F | 1. 1952 - 55.1 °F |
| 2. 1927 – 71.1 °F | 2. 1976 – 57.1 °F |
| 3. 1947 – 70.8 °F | 3. 1917 - 57.7 °F |
| 4. 1963 – 70.6 °F | 4. 1906 – 58.0 °F |
| 5. 1934 – 70.6 °F | 5. 1895 - 58.6 °F |
| 6. 1928 – 70.6 °F | 6. 2009 – 59.9 °F |
| 7. 1884 – 70.3 °F | 7. 1908 – 60.0 °F |
| 8. 1971 – 69.6 °F | 8. 1957 – 60.1 °F |
| 9. 1938 – 69.6 °F | 9. 1966 – 60.2 °F |
| 10. 1931 – 69.4 °F | 10. 2001 – 60.9 °F |

NORMAL – 63.4 °F

| TOP 10 WARMEST OCT<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST OCT<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1941 – 61.4 °F | 1. 1952 – 38.4 °F |
| 2. 2004 – 60.0 °F | 2. 1917 - 41.7 °F |
| 3. 1884 - 59.9 °F | 3. 1908 - 43.3 °F |
| 4. 1919 - 58.9 °F | 4. 1976 - 43.6 °F |
| 5. 1926 – 58.2 °F | 5. 1895 - 43.6 °F |
| 6. 1947 – 58.1 °F | 6. 1948 - 45.8 °F |
| 7. 1985 - 57.6 °F | 7. 1906 - 47.1 °F |
| 8. 1934 – 57.6 °F | 8. 2011 – 47.2 °F |
| 9. 1971 - 57.3 °F | 9. 1901 - 47.2 °F |
| 10. 1931 – 57.3 °F | 10. 1891 - 47.2 °F |

NORMAL – 51.6 °F

| TOP 10 HOTTEST DAYS IN OCT<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN OCT<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 09 OCT 1928 – 100 °F | 1. 30 OCT 1925 – 37 °F |
| 2. 10 OCT 1928 – 98 °F | 2. 29 OCT 1925 – 39 °F |
| 3. 03 OCT 1926 – 98 °F | 3. 30 OCT 1993 – 40 °F |
| 4. 02 OCT 1926 – 98 °F | 4. 31 OCT 1925 – 42 °F |
| 5. 13 OCT 1928 – 97 °F | 5. 30 OCT 1895 – 45 °F |
| 6. 27 OCT 1927 – 97 °F | 6. 31 OCT 1993 – 47 °F |
| 7. 26 OCT 1927 – 97 °F | 7. 23 OCT 1913 – 48 °F |
| 8. 25 OCT 1927 – 97 °F | 8. 19 OCT 1989 – 49 °F |
| 9. 11 OCT 1963 – 96 °F | 9. 27 OCT 1981 – 49 °F |
| 10. 23 OCT 1939 – 96 °F | 10. 23 OCT 1936 – 50 °F |

NORMAL – 75.1 °F

| TOP 10 HOTTEST DAYS IN OCT<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN OCT<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 03 OCT 1926 – 85.5 °F | 1. 30 OCT 1925 – 34.5 °F |
| 2. 02 OCT 1926 – 84.5 °F | 2. 31 OCT 1925 – 36.0 °F |
| 3. 03 OCT 1986 – 83.0 °F | 3. 30 OCT 1993 – 36.5 °F |
| 4. 04 OCT 1925 – 83.0 °F | 4. 29 OCT 1925 – 36.5 °F |
| 5. 04 OCT 1941 – 83.0 °F | 5. 31 OCT 1993 – 38.0 °F |
| 6. 05 OCT 1954 – 82.5 °F | 6. 30 OCT 1917 – 40.0 °F |
| 7. 01 OCT 1941 – 82.5 °F | 7. 27 OCT 1957 – 41.5 °F |
| 8. 09 OCT 1928 – 82.5 °F | 8. 30 OCT 1913 – 41.5 °F |
| 9. 01 OCT 1926 – 82.5 °F | 9. 19 OCT 1989 – 42.0 °F |
| 10. 02 OCT 1911 – 82.5 °F | 10. 30 OCT 1980 – 42.0 °F |

NORMAL – 63.4 °F

| TOP 10 HOTTEST DAYS IN OCT<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN OCT<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 03 OCT 1986 – 76 °F | 1. 30 OCT 1917 – 25 °F |
| 2. 08 OCT 1920 – 76 °F | 2. 31 OCT 1917 – 26 °F |
| 3. 05 OCT 1941 – 75 °F | 3. 24 OCT 1917 – 27 °F |
| 4. 04 OCT 1941 – 75 °F | 4. 29 OCT 1914 – 27 °F |
| 5. 01 OCT 1893 – 75 °F | 5. 28 OCT 1914 – 27 °F |
| 6. 03 OCT 1941 – 74 °F | 6. 23 OCT 1952 – 28 °F |
| 7. 27 OCT 1939 – 74 °F | 7. 25 OCT 1917 – 28 °F |
| 8. 09 OCT 1939 – 74 °F | 8. 31 OCT 1993 – 29 °F |
| 9. 07 OCT 1925 – 74 °F | 9. 28 OCT 1957 – 29 °F |
| 10. 18 OCT 2004 – 73 °F | 10. 29 OCT 1952 – 29 °F |

NORMAL – 51.6 °F

| TOP 10 WETTEST OCT<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST OCT<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 2009 – 14.34″ | 1. 1924 - 0.00″ |
| 2. 1984 - 14.05″ | 2. 1944 - 0.13″ |
| 3. 1949 - 13.82″ | 3. 1893 - 0.20″ |
| 4. 1919 - 11.74″ | 4. 1965 - 0.22″ |
| 5. 1945 – 10.35″ | 5. 1952 - 0.32″ |
| 6. 1991 – 10.34″ | 6. 1958 – 0.33″ |
| 7. 2001 - 9.41″ | 7. 2005 - 0.34″ |
| 8. 1990 - 9.20″ | 8. 1938 - 0.35″ |
| 9. 1928 - 8.12″ | 9. 1989 - 0.36″ |
| 10. 2007 - 7.78″ | 10. 1904 - 0.40″ |

NORMAL - 5.00″

TOP 10 WETTEST DAYS IN OCT

| | |
|---|---|
| 1. 01 OCT 1945 – 6.73″ | 6. 17 OCT 2007 – 3.59″ |
| 2. 29 OCT 1991 – 5.58″ | 7. 10 OCT 2001 – 3.54″ |
| 3. 17 OCT 1928 – 5.31″ | 8. 05 OCT 1949 – 3.52″ |
| 4. 07 OCT 2008 – 4.56″ | 9. 31 OCT 1919 – 3.41″ |
| 5. 25 OCT 1976 – 3.92″ | 10. 07 OCT 1984 - 3.10″ |

TOP 10 SNOWIEST OCT
BY MONTHLY SNOWFALL

| | | | | | |
|---|---|---|---|---|---|
| 1. 1993 | – | T | 6. | – | ″ |
| 2. | – | ″ | 7. | – | ″ |
| 3. | – | ″ | 8. | – | ″ |
| 4. | – | ″ | 9. | – | ″ |
| 5. | – | ″ | 10. | – | ″ |

NORMAL - 0.0″

TOP 10 SNOWIEST DAYS IN OCT

| | | | | | |
|---|---|---|---|---|---|
| 1. 30 OCT 1993 | – | T | 6. | – | ″ |
| 2. | – | ″ | 7. | – | ″ |
| 3. | – | ″ | 8. | – | ″ |
| 4. | – | ″ | 9. | – | ″ |
| 5. | – | ″ | 10. | – | ″ |

# NOVEMBER RECORDS

| TOP 10 WARMEST NOV<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST NOV<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1909 – 74.3 °F | 1. 1972 - 54.9 °F |
| 2. 1927 – 72.1 °F | 2. 1976 - 56.8 °F |
| 3. 1908 – 72.0 °F | 3. 2000 - 57.5 °F |
| 4. 1931 – 70.1 °F | 4. 1951 - 57.9 °F |
| 5. 1999 – 69.5 °F | 5. 1997 – 58.0 °F |
| 6. 1913 - 69.5 °F | 6. 1996 – 58.1 °F |
| 7. 1990 - 69.3 °F | 7. 1929 – 58.5 °F |
| 8. 1942 – 69.2 °F | 8. 1889 - 58.7 °F |
| 9. 2001 – 69.0 °F | 9. 1993 – 59.2 °F |
| 10. 1934 – 69.0 °F | 10. 1991 – 59.3 °F |

NORMAL – 63.6 °F

| TOP 10 WARMEST NOV<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST NOV<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1909 – 60.9 °F | 1. 1976 – 45.0 °F |
| 2. 1927 – 60.5 °F | 2. 1951 - 46.7 °F |
| 3. 1931 – 60.2 °F | 3. 1959 - 47.3 °F |
| 4. 1965 – 58.5 °F | 4. 1903 - 47.6 °F |
| 5. 1990 – 58.0 °F | 5. 1972 - 47.7 °F |
| 6. 1942 – 58.0 °F | 6. 1911 – 48.6 °F |
| 7. 1913 - 57.9 °F | 7. 1929 - 49.0 °F |
| 8. 1902 - 57.6 °F | 8. 1920 – 49.1 °F |
| 9. 1973 - 57.5 °F | 9. 1907 – 49.1 °F |
| 10. 1934 - 57.5 °F | 10. 1993 – 49.2 °F |

NORMAL – 53.1 °F

| TOP 10 WARMEST NOV<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST NOV<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1931 - 50.3 °F | 1. 1976 - 33.1 °F |
| 2. 1965 – 49.1 °F | 2. 1903 - 34.3 °F |
| 3. 1927 - 48.8 °F | 3. 1959 - 34.5 °F |
| 4. 1973 – 48.2 °F | 4. 1912 - 35.4 °F |
| 5. 2004 - 48.1 °F | 5. 1951 - 35.5 °F |
| 6. 1994 – 47.8 °F | 6. 1907 - 35.9 °F |
| 7. 1985 - 47.8 °F | 7. 1901 - 36.0 °F |
| 8. 1909 - 47.5 °F | 8. 1904 - 36.3 °F |
| 9. 1902 - 47.5 °F | 9. 1953 - 36.4 °F |
| 10. 1998 - 47.1 °F | 10. 1979 - 36.6 °F |

NORMAL – 42.7 °F

| TOP 10 HOTTEST DAYS IN NOV<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN NOV<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 01 NOV 1938 – 88 °F | 1. 29 NOV 1976 – 30 °F |
| 2. 14 NOV 1955 – 87 °F | 2. 14 NOV 1987 – 32 °F |
| 3. 13 NOV 1955 – 87 °F | 3. 30 NOV 1976 – 34 °F |
| 4. 01 NOV 1944 – 87 °F | 4. 24 NOV 1970 – 35 °F |
| 5. 18 NOV 1930 – 87 °F | 5. 28 NOV 1958 – 35 °F |
| 6. 01 NOV 1927 – 87 °F | 6. 29 NOV 1952 – 35 °F |
| 7. 08 NOV 1908 – 87 °F | 7. 29 NOV 1911 – 35 °F |
| 8. 01 NOV 1961 – 86 °F | 8. 08 NOV 1991 – 36 °F |
| 9. 01 NOV 1937 – 86 °F | 9. 30 NOV 1952 – 36 °F |
| 10. 02 NOV 1936 – 86 °F | 10. 28 NOV 1952 – 36 °F |

NORMAL – 63.6 °F

| TOP 10 HOTTEST DAYS IN NOV<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN NOV<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 02 NOV 1936 – 79.0 °F | 1. 29 NOV 1976 – 22.0 °F |
| 2. 15 NOV 1955 – 78.0 °F | 2. 19 NOV 1903 – 26.5 °F |
| 3. 13 NOV 1955 – 77.5 °F | 3. 24 NOV 1970 – 27.0 °F |
| 4. 02 NOV 1945 – 76.0 °F | 4. 29 NOV 1911 – 27.0 °F |
| 5. 19 NOV 1942 – 76.0 °F | 5. 30 NOV 1976 – 27.5 °F |
| 6. 15 NOV 1955 – 75.0 °F | 6. 24 NOV 1950 – 28.5 °F |
| 7. 10 NOV 1935 – 75.0 °F | 7. 21 NOV 1937 – 29.0 °F |
| 8. 07 NOV 1989 – 74.5 °F | 8. 23 NOV 1929 – 29.0 °F |
| 9. 16 NOV 1958 – 74.5 °F | 9. 22 NOV 1929 – 29.5 °F |
| 10. 03 NOV 1938 – 74.5 °F | 10. 20 NOV 1914 – 29.5 °F |

NORMAL – 53.1 °F

| TOP 10 HOTTEST DAYS IN NOV<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN NOV<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 02 NOV 1936 – 72 °F | 1. 29 NOV 1976 – 14 °F |
| 2. 15 NOV 1955 – 70 °F | 2. 19 NOV 1903 – 14 °F |
| 3. 10 NOV 1935 – 70 °F | 3. 23 NOV 1929 – 15 °F |
| 4. 14 NOV 2011 – 69 °F | 4. 20 NOV 1914 – 16 °F |
| 5. 01 NOV 1995 – 68 °F | 5. 27 NOV 1938 – 17 °F |
| 6. 26 NOV 1990 – 68 °F | 6. 21 NOV 1914 – 17 °F |
| 7. 19 NOV 1985 – 68 °F | 7. 25 NOV 1950 – 18 °F |
| 8. 14 NOV 1955 – 68 °F | 8. 15 NOV 1916 – 18 °F |
| 9. 13 NOV 1955 – 68 °F | 9. 30 NOV 1911 – 18 °F |
| 10. 02 NOV 1945 – 68 °F | 10. 27 NOV 1903 – 18 °F |

NORMAL – 42.7 °F

| TOP 10 WETTEST NOV<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST NOV<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 2004 - 12.18″ | 1. 1910 - 0.02″ |
| 2. 1987 - 11.30″ | 2. 1949 - 0.44″ |
| 3. 1906 - 10.96″ | 3. 1903 - 0.51″ |
| 4. 1957 - 10.16″ | 4. 1894 - 0.84″ |
| 5. 1892 - 9.83″ | 5. 1967 - 1.45″ |
| 6. 1988 - 9.22″ | 6. 1962 - 1.46″ |
| 7. 2000 - 8.87″ | 7. 1917 - 1.46″ |
| 8. 1986 - 8.76″ | 8. 1954 - 1.53″ |
| 9. 1948 - 8.57″ | 9. 1976 - 1.54″ |
| 10. 1945 - 8.48″ | 10. 1913 - 1.55″ |

NORMAL - 4.83″

TOP 10 WETTEST DAYS IN NOV

| | |
|---|---|
| 1. 22 NOV 1961 - 5.24″ | 6. 13 NOV 1957 - 3.53″ |
| 2. 20 NOV 1907 - 4.75″ | 7. 18 NOV 1906 - 3.35″ |
| 3. 16 NOV 1987 - 4.10″ | 8. 06 NOV 1972 - 3.23″ |
| 4. 01 NOV 1892 - 4.02″ | 9. 18 NOV 1969 - 3.18″ |
| 5. 26 NOV 1988 - 3.58″ | 10. 17 NOV 1906 - 3.15″ |

TOP 10 SNOWIEST NOV
BY MONTHLY SNOWFALL

| | |
|---|---|
| 1. 1929 - 5.0″ | 6. 1991 - T |
| 2. 1980 - 1.0″ | 7. 1974 - T |
| 3. 1976 - 0.5″ | 8. 1971 - T |
| 4. 1997 - T | 9. 1967 - T |
| 5. 1992 - T | 10. 1966 - T |

NORMAL - 0.0″

TOP 10 SNOWIEST DAYS IN NOV

| | |
|---|---|
| 1. 22 NOV 1929 - 5.0″ | 6. 30 NOV 1974 - T |
| 2. 27 NOV 1980 - 1.0″ | 7. 23 NOV 1971 - T |
| 3. 15 NOV 1997 - T | 8. 22 NOV 1971 - T |
| 4. 27 NOV 1992 - T | 9. 28 NOV 1967 - T |
| 5. 19 NOV 1991 - T | 10. 02 NOV 1966 - T |

# DECEMBER RECORDS

| TOP 10 WARMEST DEC<br>BY AVERAGE MONTHLY HIGH TEMPERATURE | TOP 10 COLDEST DEC<br>BY AVERAGE MONTHLY HIGH TEMPERATURE |
|---|---|
| 1. 1896 - 64.0 °F | 1. 1983 – 40.8 °F |
| 2. 1933 - 63.2 °F | 2. 2000 - 41.2 °F |
| 3. 1923 - 63.1 °F | 3. 1963 - 44.4 °F |
| 4. 1946 - 63.0 °F | 4. 1914 - 44.6 °F |
| 5. 1984 - 62.6 °F | 5. 1917 - 45.8 °F |
| 6. 1956 - 62.4 °F | 6. 1989 - 46.6 °F |
| 7. 1922 - 62.2 °F | 7. 1905 – 48.0 °F |
| 8. 1908 - 62.2 °F | 8. 2009 – 48.5 °F |
| 9. 1895 - 61.7 °F | 9. 1901 - 49.5 °F |
| 10. 1918 - 61.4 °F | 10. 1944 - 49.6 °F |

NORMAL – 53.3 °F

| TOP 10 WARMEST DEC<br>BY AVERAGE MONTHLY TEMPERATURE | TOP 10 COLDEST DEC<br>BY AVERAGE MONTHLY TEMPERATURE |
|---|---|
| 1. 1984 - 53.4 °F | 1. 1983 – 30.8 °F |
| 2. 1923 - 53.2 °F | 2. 2000 - 33.7 °F |
| 3. 1933 - 53.3 °F | 3. 1963 - 35.2 °F |
| 4. 1946 - 52.3 °F | 4. 1917 - 36.1 °F |
| 5. 1931 - 51.9 °F | 5. 1989 - 36.8 °F |
| 6. 1922 - 51.3 °F | 6. 1914 - 38.0 °F |
| 7. 1971 - 51.0 °F | 7. 1905 - 38.8 °F |
| 8. 1956 – 50.8 °F | 8. 1901 - 38.8 °F |
| 9. 1918 – 50.1 °F | 9. 1909 – 39.1 °F |
| 10. 1921 – 49.8 °F | 10. 1903 - 39.3 °F |

NORMAL – 44.1 °F

| TOP 10 WARMEST DEC<br>BY AVERAGE MONTHLY LOW TEMPERATURE | TOP 10 COLDEST DEC<br>BY AVERAGE MONTHLY LOW TEMPERATURE |
|---|---|
| 1. 1984 - 44.1 °F | 1. 1983 – 20.9 °F |
| 2. 1931 - 43.5 °F | 2. 1963 - 26.0 °F |
| 3. 1923 - 43.4 °F | 3. 2000 - 26.2 °F |
| 4. 1933 - 42.8 °F | 4. 1903 – 26.5 °F |
| 5. 1971 - 42.7 °F | 5. 1917 - 26.8 °F |
| 6. 1946 - 41.6 °F | 6. 1989 – 27.0 °F |
| 7. 1991 – 40.8 °F | 7. 1909 - 27.7 °F |
| 8. 1922 – 40.5 °F | 8. 1901 – 28.0 °F |
| 9. 1987 – 40.1 °F | 9. 1976 – 28.9 °F |
| 10. 1940 – 39.8 °F | 10. 1950 – 29.1 °F |

NORMAL – 34.9 °F

| TOP 10 HOTTEST DAYS IN DEC<br>BY DAILY HIGH TEMPERATURE | TOP 10 COLDEST DAYS IN DEC<br>BY DAILY HIGH TEMPERATURE |
|---|---|
| 1. 07 DEC 1939 - 84 °F | 1. 26 DEC 1983 - 14 °F |
| 2. 16 DEC 1924 - 83 °F | 2. 22 DEC 1989 - 15 °F |
| 3. 15 DEC 1908 - 82 °F | 3. 25 DEC 1983 - 15 °F |
| 4. 24 DEC 1955 - 81 °F | 4. 23 DEC 1989 - 17 °F |
| 5. 05 DEC 1933 - 81 °F | 5. 20 DEC 1983 - 18 °F |
| 6. 17 DEC 1924 - 81 °F | 6. 16 DEC 1901 - 18 °F |
| 7. 03 DEC 1982 - 80 °F | 7. 11 DEC 1917 - 19 °F |
| 8. 05 DEC 1956 - 80 °F | 8. 12 DEC 1962 - 20 °F |
| 9. 31 DEC 1951 - 80 °F | 9. 26 DEC 1892 - 20 °F |
| 10. 04 DEC 1933 - 80 °F | 10. 16 DEC 1989 - 23 °F |

NORMAL - 53.3 °F

| TOP 10 HOTTEST DAYS IN DEC<br>BY DAILY AVERAGE TEMPERATURE | TOP 10 COLDEST DAYS IN DEC<br>BY DAILY AVERAGE TEMPERATURE |
|---|---|
| 1. 16 DEC 1924 - 74.5 °F | 1. 26 DEC 1983 - 8.5 °F |
| 2. 03 DEC 1982 - 74.0 °F | 2. 22 DEC 1989 - 9.0 °F |
| 3. 07 DEC 1966 - 73.5 °F | 3. 23 DEC 1989 - 9.5 °F |
| 4. 05 DEC 1998 - 72.0 °F | 4. 25 DEC 1983 - 9.5 °F |
| 5. 30 DEC 1984 - 71.5 °F | 5. 31 DEC 1983 - 13.0 °F |
| 6. 05 DEC 1956 - 71.5 °F | 6. 20 DEC 1983 - 13.0 °F |
| 7. 05 DEC 1933 - 71.5 °F | 7. 16 DEC 1901 - 13.0 °F |
| 8. 12 DEC 1929 - 71.5 °F | 8. 30 DEC 1983 - 15.0 °F |
| 9. 01 DEC 1922 - 71.5 °F | 9. 11 DEC 1917 - 15.0 °F |
| 10. 06 DEC 1998 - 71.0 °F | 10. 12 DEC 1962 - 15.5 °F |

NORMAL - 44.1 °F

| TOP 10 HOTTEST DAYS IN DEC<br>BY DAILY LOW TEMPERATURE | TOP 10 COLDEST DAYS IN DEC<br>BY DAILY LOW TEMPERATURE |
|---|---|
| 1. 03 DEC 1982 - 68 °F | 1. 24 DEC 1963 - -2 °F |
| 2. 07 DEC 1966 - 68 °F | 2. 23 DEC 1989 - 2 °F |
| 3. 14 DEC 1948 - 67 °F | 3. 22 DEC 1989 - 3 °F |
| 4. 16 DEC 1924 - 66 °F | 4. 31 DEC 1983 - 3 °F |
| 5. 05 DEC 1998 - 65 °F | 5. 26 DEC 1983 - 3 °F |
| 6. 11 DEC 1996 - 65 °F | 6. 24 DEC 1983 - 3 °F |
| 7. 30 DEC 1984 - 65 °F | 7. 30 DEC 1983 - 4 °F |
| 8. 06 DEC 1956 - 65 °F | 8. 25 DEC 1983 - 4 °F |
| 9. 15 DEC 1948 - 65 °F | 9. 23 DEC 1963 - 4 °F |
| 10. 28 DEC 1946 - 65 °F | 10. 15 DEC 1958 - 5 °F |

NORMAL - 34.9 °F

| TOP 10 WETTEST DEC<br>BY MONTHLY PRECIPITATION | TOP 10 DRIEST DEC<br>BY MONTHLY PRECIPITATION |
|---|---|
| 1. 1982 - 15.02″ | 1. 1896 - 0.57″ |
| 2. 1892 - 13.35″ | 2. 2005 - 0.72″ |
| 3. 1987 - 12.20″ | 3. 1981 - 0.72″ |
| 4. 1931 - 11.80″ | 4. 2010 - 1.21″ |
| 5. 1944 - 10.89″ | 5. 1935 - 1.29″ |
| 6. 1983 - 10.88″ | 6. 1913 - 1.31″ |
| 7. 1961 - 10.71″ | 7. 1917 - 1.61″ |
| 8. 1933 - 10.40″ | 8. 1962 - 1.71″ |
| 9. 2002 - 9.62″ | 9. 1965 - 1.72″ |
| 10. 1972 - 9.48″ | 10. 1980 - 1.78″ |

NORMAL - 5.44″

TOP 10 WETTEST DAYS IN DEC

| | |
|---|---|
| 1. 25 DEC 1987 - 4.70″ | 6. 12 DEC 1982 - 4.00″ |
| 2. 03 DEC 1993 - 4.38″ | 7. 21 DEC 1926 - 3.70″ |
| 3. 27 DEC 1982 - 4.38″ | 8. 08 DEC 1924 - 3.70″ |
| 4. 03 DEC 1983 - 4.06″ | 9. 27 DEC 1916 - 3.60″ |
| 5. 24 DEC 2009 - 4.00″ | 10. 28 DEC 1982 - 3.39″ |

TOP 10 SNOWIEST DEC
BY MONTHLY SNOWFALL

| | |
|---|---|
| 1. 1963 - 12.2″ | 6. 1909 - 4.1″ |
| 2. 1958 - 10.4″ | 7. 1998 - 3.0″ |
| 3. 1898 - 6.0″ | 8. 1899 - 3.0″ |
| 4. 1932 - 5.6″ | 9. 1895 - 2.7″ |
| 5. 1983 - 4.5″ | 10. 1945 - 2.5″ |

NORMAL - 0.2″

TOP 10 SNOWIEST DAYS IN DEC

| | |
|---|---|
| 1. 22 DEC 1963 - 12.0″ | 6. 18 DEC 1909 - 3.0″ |
| 2. 12 DEC 1958 - 9.0″ | 7. 18 DEC 1945 - 2.5″ |
| 3. 16 DEC 1932 - 4.1″ | 8. 30 DEC 1899 - 2.5″ |
| 4. 04 DEC 1898 - 4.0″ | 9. 30 DEC 1895 - 2.2″ |
| 5. 23 DEC 1998 - 3.0″ | 10. 17 DEC 1983 - 2.0″ |

# MISCELLANEOUS DATA:

THE FOLLOWING DATA WERE TAKEN FROM STORM DATA AND UNUSUAL WEATHER PHENOMENA, AND ARCHIVED PINE BLUFF GRIDER FIELD SURFACE OBSERVATIONS.

HIGHEST WIND GUSTS AND DATES

| | | | | |
|---|---|---|---|---|
| 1. | N | 76 MPH | - 08 | JUN 1961 |
| 2. | NW | 74 MPH | - 09 | JUL 1964 |
| 3. | S | 73 MPH | - 24 | MAY 1970 |
| 4. | NW | 68 MPH | - 11 | MAY 2003 |
| 5. | S | 66 MPH | - 31 | JUL 2008 |
| 6. | NW | 64 MPH | - 21 | MAY 1990 |
| 7. | NE | 63 MPH | - 13 | JUL 1969 |
| | SW | 63 MPH | - 26 | NOV 1965 |
| 8. | SW | 62 MPH | - 06 | AUG 1970 |
| 9. | N | 61 MPH | - 09 | OCT 2009 |
| 10. | N | 60 MPH | - 22 | APR 2008 |
| 11. | S | 59 MPH | - 23 | APR 1985 |
| | W | 59 MPH | - 27 | MAR 1998 |
| | NW | 59 MPH | - 27 | APR 1968 |
| 12. | SE | 58 MPH | - 31 | AUG 1956 |
| 13. | N | 57 MPH | - 06 | AUG 2005 |
| | SE | 57 MPH | - 31 | JAN 1973 |
| 14. | W | 56 MPH | - 29 | JAN 2008 |
| | N | 56 MPH | - 24 | JUL 2000 |
| | W | 56 MPH | - 02 | JUN 1999 |
| 15. | W | 55 MPH | - 24 | JUL 2000 |
| | N | 55 MPH | - 24 | APR 1992 |
| 16. | NE | 54 MPH | - 23 | JUN 2006 |
| 17. | N | 53 MPH | - 23 | JUN 2006 |
| | W | 53 MPH | - 10 | MAY 2006 |
| | SW | 53 MPH | - 30 | MAR 1993 |
| | N | 53 MPH | - 25 | JAN 1987 |
| 18. | E | 52 MPH | - 23 | JUN 2009 |
| | W | 52 MPH | - 17 | MAY 2002 |
| | W | 52 MPH | - 10 | NOV 1998 |
| | SE | 52 MPH | - 27 | MAY 1995 |
| | SW | 52 MPH | - 29 | APR 1989 |
| | SE | 52 MPH | - 19 | JUL 1980 |
| 19. | E | 51 MPH | - 16 | JUN 1987 |

HIGHEST BAROMETRIC PRESSURE READING: 30.95 INCHES - 23 DEC 1989
LOWEST BAROMETRIC PRESSURE READING: 28.99 INCHES - 09 FEB 1960

## PINE BLUFF, ARKANSAS – AVERAGE MONTHLY HIGH TEMPERATURE

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1884 | | | | | | 86.3 | 93.6 | 88.8 | 89.2 | 75.3 | | | |
| 1885 | | | | | 79.4 | 90.1 | 93.7 | 92.7 | | | | | |
| 1886 | | | | | 87.3 | 86.5 | 92.5 | 92.6 | 89.2 | 78.1 | | | |
| 1887 | | | | | | 90.5 | 93.5 | 92.7 | 88.2 | 75.6 | | | |
| 1888 | | | | 79.5 | 83.5 | 89.4 | 94.2 | 91.1 | | | | | |
| 1889 | | | | | 80.4 | 87.0 | 91.5 | 88.6 | 82.7 | 75.2 | 58.7 | | |
| 1890 | | | | | 82.5 | 90.8 | 94.1 | 91.0 | 82.1 | 73.4 | 67.2 | 58.5 | |
| 1891 | 49.4 | 60.1 | 61.8 | 76.8 | 81.4 | 92.1 | 90.2 | 88.8 | 86.0 | 75.7 | 64.5 | 58.5 | 73.8 |
| 1892 | 47.6 | 63.5 | 63.0 | 73.1 | 81.6 | 90.1 | 90.5 | 89.1 | 84.3 | 78.0 | 63.5 | 54.1 | 73.2 |
| 1893 | 55.1 | 59.5 | 64.7 | 78.0 | 82.3 | 88.5 | 94.5 | 92.0 | 86.4 | 77.5 | 63.9 | | |
| 1894 | | | | 82.4 | 83.5 | 91.2 | 92.3 | 90.3 | 85.9 | 79.6 | 67.9 | | |
| 1895 | 52.6 | | 66.3 | 77.5 | 81.7 | 88.9 | 90.5 | 92.9 | 92.0 | 73.6 | 67.1 | 61.7 | |
| 1896 | 52.7 | 60.4 | 65.2 | **83.5** | 89.1 | 92.3 | 98.9 | 97.8 | 88.8 | 75.7 | 67.6 | **64.0** | 78.00 |
| 1897 | 51.8 | 60.1 | 69.8 | 75.5 | 83.9 | 94.4 | 98.5 | 96.3 | 94.0 | 86.4 | 67.2 | 53.3 | 77.60 |
| 1898 | 58.0 | 60.9 | 70.5 | 73.3 | 87.4 | 92.5 | 93.7 | 94.2 | 89.0 | 73.6 | 61.4 | 53.1 | 75.63 |
| 1899 | 54.1 | 47.1 | 66.0 | 72.8 | 84.3 | 91.7 | 92.7 | 97.0 | 89.4 | 80.7 | 69.0 | 52.0 | 74.73 |
| 1900 | 55.9 | 53.7 | 60.7 | 72.1 | 84.8 | 88.5 | 92.9 | 94.4 | 92.4 | 78.9 | 64.7 | 57.8 | 74.73 |
| 1901 | 58.9 | 54.1 | 66.6 | 70.9 | 83.2 | 94.8 | **101.2** | 96.2 | 88.3 | 79.5 | 63.0 | 49.5 | 75.52 |
| 1902 | 50.1 | 44.2 | 66.4 | 74.8 | 87.1 | 93.5 | 93.8 | 96.3 | 83.2 | 77.0 | 67.6 | 50.5 | 73.71 |
| 1903 | 48.2 | 52.5 | 66.8 | 76.4 | 81.2 | 84.2 | 92.9 | 92.5 | 85.0 | 77.6 | 61.0 | 52.0 | 72.53 |
| 1904 | 51.7 | 58.0 | 70.4 | 69.4 | 81.7 | 89.3 | 93.1 | 92.2 | 88.9 | 76.7 | 63.0 | 53.7 | 74.01 |
| 1905 | 44.0 | 42.9 | 71.3 | 73.6 | 82.3 | 89.6 | 88.1 | 91.1 | 87.1 | 73.4 | 65.2 | 48.0 | 71.38 |
| 1906 | 55.5 | 54.5 | 57.7 | 76.8 | 81.8 | 90.6 | 88.5 | 92.1 | 88.4 | 69.0 | 61.7 | 58.6 | 72.93 |
| 1907 | **63.7** | 58.4 | 75.1 | 66.5 | 76.1 | 87.5 | 94.8 | 95.1 | 88.4 | 77.0 | 62.3 | 60.9 | 75.48 |
| 1908 | 54.4 | 57.0 | 72.0 | 77.3 | 82.0 | 89.4 | 93.6 | 92.0 | 88.1 | 76.8 | 72.0 | 62.2 | 76.40 |
| 1909 | 55.8 | 63.0 | 65.9 | 74.3 | 79.2 | 89.8 | 96.3 | 96.6 | 90.1 | 82.0 | **74.3** | 50.5 | 76.48 |
| 1910 | 58.6 | 54.5 | 75.7 | 73.7 | 78.5 | 87.4 | 90.6 | 91.2 | 91.0 | 80.8 | 65.6 | 53.3 | 75.08 |
| 1911 | 60.8 | 62.7 | 70.6 | 71.5 | 85.1 | 94.7 | 89.1 | 88.7 | 91.6 | 75.3 | 60.8 | 53.1 | 75.33 |
| 1912 | 49.1 | 50.2 | 57.1 | 73.6 | 81.3 | **83.3** | 92.7 | 91.3 | 89.2 | 78.7 | 65.2 | 52.9 | 72.05 |
| 1913 | 58.6 | 52.4 | 63.9 | 74.2 | 81.4 | 91.7 | 93.0 | 94.8 | 83.3 | 71.8 | 69.5 | 54.0 | 74.05 |
| 1914 | 60.7 | 51.8 | 62.5 | 73.0 | 82.5 | 95.9 | 95.1 | 88.8 | 86.7 | 75.5 | 65.8 | 44.6 | 73.58 |
| 1915 | 50.2 | 56.6 | 53.6 | 78.0 | 82.2 | 88.6 | 92.4 | 86.4 | 88.5 | 78.9 | 66.9 | 57.4 | 73.31 |
| 1916 | 57.0 | 55.4 | 67.9 | 73.5 | 85.0 | 88.0 | 94.3 | 93.6 | 84.8 | 78.4 | 67.1 | 54.7 | 74.98 |
| 1917 | 56.0 | 59.4 | 65.8 | 73.6 | 77.0 | 88.6 | 92.5 | 89.7 | 85.9 | 73.7 | 65.5 | 45.8 | 72.79 |
| 1918 | 43.2 | 65.0 | **80.9** | 75.4 | **89.8** | 97.2 | 99.3 | 98.1 | 85.3 | 77.5 | 63.1 | 61.4 | 78.02 |
| 1919 | 55.3 | 61.0 | 69.3 | 78.6 | 81.9 | 91.5 | 97.1 | 95.5 | 89.9 | 76.2 | 61.9 | 50.6 | 75.73 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1920 | 48.4 | 55.6 | 64.9 | 73.9 | 83.7 | 87.8 | 92.9 | 89.8 | 88.2 | 79.3 | 60.8 | 54.9 | 73.35 |
| 1921 | 58.4 | 63.4 | 74.1 | 74.9 | 84.3 | 92.9 | 96.1 | 97.5 | 94.7 | 77.5 | 68.8 | 60.7 | **78.61** |
| 1922 | 49.2 | 61.2 | 64.3 | 77.8 | 82.2 | 91.6 | 93.2 | 94.3 | 92.9 | 80.4 | 68.7 | 62.2 | 76.50 |
| 1923 | 63.3 | 54.0 | 66.7 | 76.0 | 81.9 | 89.4 | 91.7 | 94.6 | 85.9 | 75.3 | 65.9 | 63.1 | 75.65 |
| 1924 | 50.5 | 56.9 | 62.1 | 77.5 | 82.3 | 93.5 | 96.7 | 99.5 | 85.5 | 84.1 | 68.6 | 55.8 | 76.08 |
| 1925 | 54.6 | 64.9 | 72.4 | 80.3 | 85.4 | **98.8** | 93.9 | 97.6 | **97.9** | 72.0 | 64.1 | 55.1 | 78.08 |
| 1926 | 53.9 | 63.6 | 62.0 | 74.5 | 85.0 | 92.6 | 95.7 | 95.5 | 92.6 | 80.4 | 61.4 | 56.8 | 76.17 |
| 1927 | 55.9 | 65.4 | 66.7 | 79.5 | 85.3 | 88.7 | 94.8 | 91.2 | 93.3 | **87.5** | 72.1 | 56.7 | 78.09 |
| 1928 | 58.1 | 59.0 | 68.4 | 72.6 | 85.9 | 87.1 | 94.7 | 97.6 | 91.6 | 84.4 | 66.0 | 59.1 | 77.04 |
| 1929 | 55.0 | 50.9 | 72.9 | 78.8 | 82.8 | 93.1 | 98.3 | 94.4 | 87.4 | 77.3 | 58.5 | 59.0 | 75.70 |
| 1930 | 47.3 | 66.5 | 66.4 | 79.9 | 80.1 | 88.8 | 98.5 | 96.2 | 88.7 | 73.2 | 62.7 | 53.4 | 75.14 |
| 1931 | 56.4 | 61.7 | 61.1 | 74.2 | 77.1 | 89.5 | 89.4 | 86.3 | 91.4 | 81.5 | 70.1 | 60.4 | 74.93 |
| 1932 | 59.9 | 66.5 | 62.7 | 78.5 | 80.7 | 88.8 | 92.9 | 97.9 | 88.5 | 78.0 | 62.7 | 51.2 | 75.69 |
| 1933 | 63.4 | 55.9 | 68.7 | 75.0 | 83.5 | 90.9 | 90.1 | 90.4 | 92.3 | 78.8 | 67.2 | 63.2 | 76.62 |
| 1934 | 56.9 | 55.4 | 64.9 | 76.4 | 82.3 | 91.7 | 96.5 | 98.5 | 87.3 | 83.5 | 69.0 | 54.6 | 76.42 |
| 1935 | 57.6 | 59.1 | 73.8 | 71.7 | 78.3 | 85.2 | 93.2 | 95.4 | 87.4 | 79.6 | 62.9 | 49.6 | 74.48 |
| 1936 | 51.7 | 50.1 | 72.3 | 75.6 | 83.1 | 94.3 | 91.2 | 96.5 | 93.2 | 75.9 | 62.9 | 57.5 | 75.36 |
| 1937 | 53.1 | 56.8 | 62.5 | 75.7 | 83.5 | 89.1 | 90.2 | 93.7 | 86.3 | 74.0 | 60.9 | 53.7 | 73.29 |
| 1938 | 55.3 | 62.8 | 74.4 | 74.4 | 80.6 | 85.9 | 93.9 | 95.8 | 90.7 | 85.0 | 67.7 | 57.3 | 76.98 |
| 1939 | 59.0 | 57.6 | 70.6 | 71.7 | 80.7 | 88.4 | 91.8 | 93.2 | 95.4 | 81.3 | 61.9 | 58.9 | 75.88 |
| 1940 | 41.8 | 54.3 | 67.9 | 73.1 | 78.9 | 85.2 | **86.8** | 89.0 | 85.9 | 82.1 | 62.4 | 58.8 | 72.18 |
| 1941 | 56.3 | 53.3 | 60.9 | 75.8 | 82.3 | 87.2 | 90.2 | 92.2 | 89.9 | 81.7 | 64.7 | 56.2 | 74.23 |
| 1942 | 53.2 | 54.7 | 69.7 | 76.8 | 81.8 | 90.6 | 96.7 | 93.0 | 86.6 | 80.2 | 69.2 | 55.4 | 75.66 |
| 1943 | 57.3 | 65.0 | 61.5 | 78.4 | 84.7 | 94.9 | 99.5 | **103.5** | 86.2 | 76.8 | 65.4 | 53.8 | 77.25 |
| 1944 | 54.6 | 60.9 | 66.5 | 74.1 | 83.9 | 93.7 | 98.5 | 94.7 | 89.7 | 82.0 | 65.4 | 49.6 | 76.13 |
| 1945 | 53.9 | 57.0 | 73.1 | 77.5 | 80.5 | 87.6 | 90.9 | 91.7 | 88.0 | 73.7 | 67.1 | 50.6 | 74.30 |
| 1946 | 52.5 | 62.9 | 70.3 | 79.7 | 78.5 | 89.4 | 94.4 | 92.7 | 86.5 | 79.9 | 67.9 | 63.0 | 76.48 |
| 1947 | 54.4 | 52.7 | 58.1 | 75.1 | 80.9 | 89.2 | 93.2 | 99.5 | 92.5 | 83.5 | 59.6 | 56.3 | 74.58 |
| 1948 | 44.0 | 50.3 | 63.6 | 81.7 | 82.6 | 93.6 | 95.0 | 90.8 | 88.6 | 75.9 | 64.2 | 56.6 | 73.91 |
| 1949 | 54.0 | 59.5 | 63.1 | 72.0 | 84.9 | 90.2 | 92.2 | 90.3 | 82.3 | 74.4 | 68.1 | 58.1 | 74.09 |
| 1950 | 60.0 | 59.8 | 62.5 | 71.5 | 82.3 | 88.6 | 90.0 | 87.4 | 79.3 | 79.5 | 61.7 | 50.2 | 72.73 |
| 1951 | 55.6 | 56.1 | 63.8 | 71.6 | 83.6 | 88.0 | 92.1 | 95.3 | 86.0 | 77.1 | 57.9 | 57.5 | 73.72 |
| 1952 | 58.5 | 59.7 | 62.4 | 70.2 | 81.9 | 96.0 | 96.7 | 94.3 | 85.4 | 71.9 | 62.1 | 55.3 | 74.53 |
| 1953 | 58.0 | 58.1 | 69.0 | 70.9 | 82.2 | 96.8 | 91.4 | 93.1 | 91.9 | 80.8 | 65.5 | 52.8 | 75.88 |
| 1954 | 53.6 | 65.5 | 65.2 | 79.0 | 77.0 | 93.9 | 98.5 | 100.1 | 92.4 | 77.4 | 65.0 | 56.1 | 76.98 |
| 1955 | 53.4 | 55.4 | 65.6 | 77.8 | 84.1 | 86.1 | 92.9 | 91.6 | 90.3 | 76.7 | 63.5 | 53.2 | 74.22 |
| 1956 | 50.5 | 58.6 | 64.1 | 72.3 | 84.8 | 88.7 | 94.3 | 95.5 | 87.7 | 79.5 | 63.4 | 62.4 | 75.15 |
| 1957 | 49.5 | 59.7 | 61.0 | 74.8 | 82.6 | 88.7 | 92.2 | 90.2 | 81.6 | 70.5 | 61.6 | 60.1 | 72.71 |
| 1958 | 51.0 | 47.9 | 55.1 | 71.6 | 81.7 | 88.3 | 91.1 | 90.2 | 84.5 | 73.4 | 67.1 | 49.7 | 70.97 |
| 1959 | 51.5 | 55.0 | 65.0 | 73.1 | 85.2 | 87.4 | 91.6 | 92.8 | 86.2 | 75.1 | 60.0 | 57.0 | 73.33 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1960 | 49.5 | 49.3 | **51.5** | 77.1 | 81.9 | 89.6 | 93.4 | 93.9 | 88.0 | 76.8 | 65.9 | 50.2 | 72.26 |
| 1961 | 50.3 | 58.5 | 67.4 | 73.1 | 80.2 | 87.1 | 91.7 | 88.4 | 85.5 | 77.5 | 60.8 | 52.1 | 72.72 |
| 1962 | 49.1 | 62.2 | 60.1 | 72.5 | 89.0 | 88.4 | 94.4 | 94.3 | 83.9 | 77.7 | 61.6 | 53.4 | 73.88 |
| 1963 | 47.6 | 53.5 | 72.3 | 76.2 | 84.1 | 91.6 | 90.5 | 92.0 | 84.7 | 86.8 | 66.0 | 44.4 | 74.14 |
| 1964 | 54.8 | 53.1 | 66.6 | 76.5 | 84.9 | 92.1 | 95.2 | 91.5 | 85.7 | 73.9 | 67.8 | 55.1 | 74.77 |
| 1965 | 55.9 | 55.5 | 55.2 | 80.7 | 84.7 | 89.1 | 94.2 | 92.2 | 85.0 | 75.5 | 68.0 | 59.0 | 74.58 |
| 1966 | 44.6 | 52.2 | 68.0 | 73.4 | 81.0 | 90.8 | 95.7 | 86.3 | 82.1 | 71.8 | 66.0 | 52.6 | 72.04 |
| 1967 | 53.7 | 52.9 | 71.3 | 78.0 | 80.1 | 88.3 | 87.4 | 86.5 | 79.7 | 75.5 | 62.4 | 54.3 | 72.51 |
| 1968 | 47.2 | 49.2 | 62.7 | 73.9 | 79.7 | 89.4 | 90.2 | 90.5 | 81.9 | 74.5 | 60.9 | 51.5 | 70.97 |
| 1969 | 52.3 | 52.8 | 56.6 | 74.4 | 83.2 | 89.1 | 95.4 | 89.8 | 82.9 | 74.1 | 62.4 | 51.3 | 72.03 |
| 1970 | 47.5 | 54.6 | 58.0 | 76.3 | 83.6 | 89.4 | 90.4 | 90.9 | 89.1 | 73.1 | 61.4 | 57.9 | 72.68 |
| 1971 | 52.9 | 55.8 | 61.2 | 74.7 | 79.3 | 93.1 | 90.9 | 88.0 | 86.9 | 81.8 | 62.5 | 59.3 | 73.87 |
| 1972 | 53.5 | 58.6 | 66.1 | 76.4 | 83.6 | 91.0 | 91.1 | 92.4 | 87.1 | 74.2 | **54.9** | 50.1 | 73.25 |
| 1973 | 49.0 | 52.7 | 68.5 | 69.9 | 80.5 | 90.0 | 91.9 | 90.7 | 84.3 | 78.5 | 66.8 | 53.5 | 73.03 |
| 1974 | 51.5 | 58.7 | 74.8 | 77.5 | 85.2 | 86.1 | 94.0 | 90.3 | **78.4** | 78.2 | 64.5 | 57.4 | 74.72 |
| 1975 | 58.7 | 60.3 | 63.0 | 75.0 | 84.0 | 89.4 | 93.1 | 91.3 | 83.0 | 79.4 | 66.8 | 57.3 | 75.11 |
| 1976 | 56.0 | **69.6** | 69.3 | 77.0 | **75.8** | 85.1 | 91.5 | 91.2 | 83.6 | 70.5 | 56.8 | 54.8 | 73.43 |
| 1977 | 40.2 | 59.1 | 69.5 | 77.6 | 86.5 | 92.4 | 93.8 | 92.4 | 88.8 | 76.6 | 63.5 | 53.5 | 74.49 |
| 1978 | 41.4 | **42.7** | 61.3 | 78.9 | 81.6 | 90.0 | 97.2 | 93.6 | 86.1 | 77.2 | 67.5 | 56.3 | 72.82 |
| 1979 | **38.7** | 46.8 | 65.3 | 73.7 | 79.0 | 86.5 | 90.6 | 88.8 | 82.5 | 78.4 | 62.6 | 56.0 | **70.74** |
| 1980 | 50.4 | 50.9 | 59.6 | 73.3 | 80.2 | 91.0 | 99.9 | 98.3 | 89.7 | 74.8 | 61.9 | 54.0 | 73.67 |
| 1981 | 51.5 | 56.5 | 64.1 | 80.4 | 78.8 | 89.5 | 92.5 | 89.4 | 83.9 | 72.2 | 66.7 | 53.5 | 73.25 |
| 1982 | 49.1 | 50.1 | 67.2 | 69.8 | 83.5 | 86.4 | 92.5 | 90.5 | 84.6 | 75.7 | 63.8 | 57.5 | 72.56 |
| 1983 | 46.7 | 54.6 | 63.0 | **65.9** | 78.6 | 86.7 | 93.5 | 96.6 | 88.0 | 76.2 | 64.6 | **40.8** | 71.27 |
| 1984 | 45.9 | 60.8 | 62.2 | 72.2 | 81.3 | 90.3 | 91.3 | 88.7 | 83.6 | 75.2 | 63.0 | 62.6 | 73.09 |
| 1985 | 44.9 | 48.7 | 68.4 | 77.2 | 83.0 | 90.4 | 92.0 | 92.1 | 86.2 | 77.0 | 66.9 | 51.6 | 73.20 |
| 1986 | 56.7 | 60.9 | 69.5 | 76.5 | 83.5 | 89.7 | 96.2 | 89.6 | 87.4 | 72.7 | 58.0 | 49.9 | 74.22 |
| 1987 | 50.1 | 55.8 | 66.5 | 78.3 | 87.1 | 89.7 | 91.8 | 94.7 | 86.5 | 74.4 | 63.5 | 55.0 | 74.45 |
| 1988 | 44.8 | 56.4 | 65.4 | 76.1 | 84.1 | 92.0 | 91.0 | 93.0 | 86.0 | 71.4 | 65.4 | 56.4 | 73.50 |
| 1989 | 57.3 | 47.6 | 63.9 | 75.0 | 80.4 | 85.4 | 88.4 | 91.0 | 80.6 | 76.0 | 66.7 | 46.6 | 71.58 |
| 1990 | 58.4 | 62.2 | 64.3 | 73.1 | 78.1 | 92.1 | 92.2 | 92.9 | 88.5 | 74.2 | 69.3 | 56.0 | 75.11 |
| 1991 | 47.6 | 59.8 | 67.8 | 75.0 | 83.0 | 90.2 | 93.0 | 90.2 | 85.4 | 77.2 | 59.3 | 55.3 | 73.65 |
| 1992 | 52.7 | 61.6 | 65.8 | 74.5 | 80.6 | 86.7 | 91.1 | **86.2** | 83.4 | 77.8 | 59.9 | 52.8 | 72.76 |
| 1993 | 49.3 | 54.2 | 62.1 | 69.0 | 79.9 | 89.1 | 97.0 | 93.0 | 85.3 | 71.9 | 59.2 | 55.8 | 72.15 |
| 1994 | 47.8 | 57.0 | 66.2 | 78.5 | 79.7 | 91.7 | 89.8 | 89.2 | 84.6 | 73.7 | 65.9 | 54.0 | 73.18 |
| 1995 | 52.5 | 57.6 | 65.5 | 74.5 | 81.2 | 88.5 | 93.1 | 96.4 | 84.2 | 78.7 | 63.0 | 51.5 | 73.89 |
| 1996 | 51.5 | 58.0 | 60.0 | 72.9 | 85.1 | 89.0 | 90.1 | 89.2 | 83.2 | 74.7 | 58.1 | 56.0 | 72.32 |
| 1997 | 50.4 | 56.2 | 69.0 | 69.2 | 79.4 | 86.4 | 94.0 | 89.4 | 87.6 | 74.9 | 58.0 | 51.2 | 72.14 |
| 1998 | 54.4 | 57.6 | 62.1 | 73.6 | 86.8 | 93.0 | 96.1 | 93.1 | 90.1 | 77.5 | 65.0 | 53.7 | 75.25 |
| 1999 | 55.9 | 63.1 | 60.5 | 76.8 | 82.7 | 88.6 | 93.3 | 94.6 | 86.9 | 77.1 | 69.5 | 56.7 | 75.48 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000 | 53.0 | 62.2 | 67.3 | 72.2 | 82.8 | 87.8 | 93.4 | 99.1 | 86.5 | 79.2 | 57.5 | 41.2 | 73.52 |
| 2001 | 47.9 | 56.5 | 58.8 | 77.5 | 82.8 | 88.0 | 92.7 | 89.8 | 84.1 | 74.4 | 69.0 | 57.4 | 73.24 |
| 2002 | 57.4 | 54.8 | 61.5 | 76.5 | 79.4 | 88.4 | 91.8 | 90.4 | 87.4 | 70.5 | 60.3 | 53.6 | 72.67 |
| 2003 | 48.7 | 49.1 | 63.3 | 75.5 | 81.6 | 84.1 | 90.8 | 92.6 | 83.4 | 77.8 | 67.0 | 55.2 | 72.43 |
| 2004 | 52.8 | 51.0 | 68.6 | 73.2 | 81.6 | 85.1 | 88.7 | 87.4 | 87.6 | 78.0 | 63.7 | 55.1 | 72.73 |
| 2005 | 54.2 | 57.7 | 63.8 | 73.8 | 81.7 | 89.7 | 90.5 | 94.1 | 89.9 | 76.3 | 67.2 | 54.9 | 74.48 |
| 2006 | 61.5 | 52.4 | 66.0 | 79.5 | 82.1 | 89.4 | 93.1 | 94.5 | 84.2 | 74.7 | 65.2 | 57.2 | 74.98 |
| 2007 | 50.2 | 54.1 | 73.5 | 70.7 | 83.5 | 89.9 | 88.1 | 97.5 | 85.7 | 75.4 | 64.1 | 57.1 | 74.15 |
| 2008 | 47.1 | 58.2 | 65.2 | 72.1 | 81.7 | 89.8 | 94.8 | 88.2 | 82.4 | 73.9 | 61.3 | 54.9 | 72.47 |
| 2009 | 52.0 | 60.2 | 65.3 | 72.7 | 78.4 | 90.9 | 88.1 | 88.1 | 82.5 | **68.4** | 66.3 | 48.5 | 71.78 |
| 2010 | 47.2 | 47.0 | 64.3 | 77.8 | 85.5 | 94.5 | 93.5 | 95.9 | 91.4 | 80.6 | 66.2 | 52.2 | 74.68 |
| 2011 | 49.2 | 58.3 | 65.1 | 78.7 | 81.4 | 95.4 | 96.7 | 95.6 | 84.9 | 77.3 | 65.1 | 54.6 | 75.19 |
| 2012 | 58.2 | 58.7 | 75.6 | 76.3 | 86.1 | 90.9 | | | | | | | |
| 2013 | | | | | | | | | | | | | |
| 2014 | | | | | | | | | | | | | |
| 2015 | | | | | | | | | | | | | |
| 2016 | | | | | | | | | | | | | |
| 2017 | | | | | | | | | | | | | |
| 2018 | | | | | | | | | | | | | |
| 2019 | | | | | | | | | | | | | |
| 2020 | | | | | | | | | | | | | |
| 2021 | | | | | | | | | | | | | |
| 2022 | | | | | | | | | | | | | |
| 2023 | | | | | | | | | | | | | |
| 2024 | | | | | | | | | | | | | |
| 2025 | | | | | | | | | | | | | |
| 2026 | | | | | | | | | | | | | |
| 2027 | | | | | | | | | | | | | |
| 2028 | | | | | | | | | | | | | |
| 2029 | | | | | | | | | | | | | |
| 2030 | | | | | | | | | | | | | |
| 2031 | | | | | | | | | | | | | |
| 2032 | | | | | | | | | | | | | |
| 2033 | | | | | | | | | | | | | |
| 2034 | | | | | | | | | | | | | |
| 2035 | | | | | | | | | | | | | |
| 2036 | | | | | | | | | | | | | |
| 2037 | | | | | | | | | | | | | |
| 2038 | | | | | | | | | | | | | |
| 2039 | | | | | | | | | | | | | |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

## PINE BLUFF, ARKANSAS - AVERAGE MONTHLY TEMPERATURE

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1884 | | | | | | 80.3 | 83.5 | **76.4** | 78.3 | 70.3 | | | |
| 1885 | | | | | **64.2** | 78.6 | 82.9 | 81.7 | | | | | |
| 1886 | | | | | 74.9 | 78.7 | 81.8 | 82.0 | 76.9 | 65.0 | | | |
| 1887 | | | | | | 79.3 | 82.4 | 81.4 | 76.7 | 62.6 | | | |
| 1888 | | | | 67.9 | 71.4 | 78.9 | 83.5 | 81.1 | | | | | |
| 1889 | | | | | 70.2 | 76.6 | 82.1 | 78.6 | 72.8 | 62.5 | 49.6 | | |
| 1890 | | | | | 71.8 | 80.8 | 83.3 | 80.3 | 74.1 | 63.1 | 56.2 | 47.9 | |
| 1891 | 42.2 | 49.4 | 48.8 | 63.4 | 69.7 | 81.2 | 79.2 | 78.8 | 74.2 | 61.5 | 52.2 | 46.6 | 62.3 |
| 1892 | 37.3 | 53.3 | 50.5 | 63.2 | 71.2 | 79.7 | 81.5 | 80.3 | 72.6 | 66.5 | 53.4 | 44.1 | 62.8 |
| 1893 | 42.5 | 47.0 | 51.4 | 66.4 | 71.6 | 78.4 | 83.9 | 80.6 | 75.4 | 63.4 | 52.6 | | |
| 1894 | | | | 71.6 | 72.4 | 78.3 | 80.2 | 79.5 | 75.7 | 65.0 | 52.9 | | |
| 1895 | 42.9 | | 54.7 | 65.1 | 70.4 | 78.3 | 80.5 | 82.1 | 80.2 | 58.6 | 53.9 | 49.0 | |
| 1896 | 43.0 | 48.5 | 53.6 | **75.7** | **78.1** | 79.3 | 85.6 | 84.5 | 75.7 | 63.1 | 56.8 | 49.7 | 66.1 |
| 1897 | 41.8 | 49.8 | 60.8 | 65.2 | 70.6 | 81.7 | 84.9 | 82.5 | 78.3 | 69.0 | 54.2 | 43.3 | 65.2 |
| 1898 | 48.9 | 48.9 | 59.4 | 61.0 | 75.4 | 81.8 | 82.7 | 82.7 | 77.8 | 62.3 | 49.7 | 41.9 | 64.4 |
| 1899 | 43.2 | 37.0 | 54.1 | 61.7 | 74.7 | 79.7 | 81.1 | 84.0 | 73.7 | 66.5 | 55.7 | 42.4 | 62.8 |
| 1900 | 46.1 | 42.5 | 51.5 | 61.1 | 71.0 | 78.6 | 81.8 | 82.3 | 80.3 | 67.1 | 53.5 | 46.3 | 63.5 |
| 1901 | 48.0 | 43.8 | 54.6 | 58.8 | 69.8 | 81.0 | 85.8 | 82.6 | 73.4 | 63.4 | 49.5 | 38.8 | 62.5 |
| 1902 | 38.4 | 35.5 | 53.7 | 62.3 | 75.3 | 79.9 | 81.5 | 83.1 | 70.1 | 62.7 | 57.6 | 41.2 | 61.8 |
| 1903 | 37.9 | 41.7 | 56.7 | 63.3 | 70.4 | **72.0** | 80.5 | 80.4 | 71.2 | 64.7 | 47.6 | 39.3 | 60.5 |
| 1904 | 39.8 | 46.4 | 57.2 | 57.9 | 68.6 | 78.0 | 80.1 | 79.7 | 76.5 | 62.7 | 49.7 | 42.8 | 61.6 |
| 1905 | 34.8 | **33.7** | 58.5 | 63.2 | 72.8 | 79.5 | 78.4 | 80.5 | 75.4 | 62.0 | 53.6 | 38.8 | 60.9 |
| 1906 | 44.4 | 42.1 | 47.6 | 64.2 | 70.3 | 78.7 | **78.2** | 80.4 | 78.0 | 58.0 | 50.6 | 48.4 | 61.7 |
| 1907 | 52.5 | 46.2 | **63.6** | 56.0 | 65.2 | 76.4 | 82.8 | 83.2 | 74.7 | 62.6 | 49.1 | 48.9 | 63.4 |
| 1908 | 42.8 | 45.1 | 60.3 | 66.2 | 71.0 | 78.3 | 81.3 | 80.8 | 75.5 | 60.0 | 56.3 | 49.0 | 63.9 |
| 1909 | 45.6 | 48.6 | 53.4 | 61.2 | 67.3 | 78.2 | 83.7 | 84.1 | 75.4 | 66.0 | **60.9** | 39.1 | 63.6 |
| 1910 | 46.5 | 42.2 | 60.9 | 61.0 | 67.8 | 76.0 | 80.3 | 80.7 | 78.3 | 69.0 | 53.8 | 43.8 | 63.4 |
| 1911 | 51.6 | 53.5 | 58.9 | 61.9 | 72.1 | 82.0 | 79.3 | 79.8 | 80.7 | 65.0 | 48.6 | 45.1 | 64.9 |
| 1912 | 38.6 | 40.3 | 47.7 | 63.1 | 70.9 | 73.7 | 82.1 | 79.9 | 76.0 | 64.5 | 50.3 | 41.4 | 60.7 |
| 1913 | 46.1 | 42.2 | 50.9 | 61.7 | 69.8 | 78.4 | 82.4 | 81.8 | 72.8 | 61.2 | 57.9 | 45.3 | 62.5 |
| 1914 | 48.5 | 40.5 | 50.7 | 61.9 | 70.9 | 83.4 | 83.6 | 79.5 | 75.7 | 64.1 | 52.2 | 38.0 | 62.4 |
| 1915 | 39.9 | 46.1 | 43.6 | 65.5 | 70.1 | 78.2 | 80.8 | 77.0 | 76.9 | 65.0 | 54.6 | 46.1 | 62.0 |
| 1916 | 46.8 | 44.1 | 54.6 | 61.9 | 73.5 | 77.7 | 83.4 | 82.4 | 73.5 | 62.9 | 52.4 | 43.1 | 63.0 |
| 1917 | 45.2 | 45.9 | 53.8 | 61.6 | 65.5 | 77.4 | 81.5 | 78.7 | 73.5 | 57.7 | 50.8 | 36.1 | 60.6 |
| 1918 | 31.3 | 49.0 | 62.8 | 62.1 | 75.8 | 83.3 | 83.2 | 84.7 | 70.3 | 66.7 | 51.7 | 50.1 | 64.3 |
| 1919 | 43.8 | 49.1 | 55.9 | 64.2 | 69.1 | 79.6 | 83.7 | 83.3 | 76.4 | 67.5 | 51.2 | 40.2 | 63.7 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1920 | 39.7 | 46.1 | 53.4 | 62.4 | 73.6 | 76.9 | 82.0 | 79.1 | 77.7 | 67.4 | 49.1 | 46.6 | 62.8 |
| 1921 | 48.8 | 52.3 | 63.2 | 63.3 | 72.4 | 81.5 | 84.2 | 85.3 | 82.8 | 63.7 | 57.3 | 49.8 | **67.1** |
| 1922 | 41.3 | 51.5 | 54.1 | 66.6 | 72.0 | 82.2 | 81.8 | 81.5 | 78.1 | 64.5 | 55.3 | 51.3 | 65.0 |
| 1923 | 51.5 | 44.2 | 54.1 | 63.3 | 70.8 | 78.8 | 80.8 | 82.5 | 75.0 | 62.6 | 52.9 | 53.2 | 64.1 |
| 1924 | 39.4 | 45.5 | 51.0 | 64.0 | 69.1 | 82.1 | 83.2 | 85.7 | 73.2 | 68.5 | 55.8 | 45.2 | 63.6 |
| 1925 | 43.6 | 52.9 | 58.3 | 68.8 | 71.6 | **85.3** | 83.3 | 83.7 | **84.9** | 62.6 | 52.9 | 43.5 | 66.0 |
| 1926 | 43.9 | 52.1 | 51.1 | 61.3 | 72.2 | 80.0 | 82.8 | 84.1 | 80.7 | 69.3 | 50.4 | 46.8 | 64.6 |
| 1927 | 46.1 | 55.3 | 56.0 | 69.0 | 74.4 | 78.5 | 82.9 | 80.4 | 80.0 | 71.1 | 60.5 | 45.1 | 66.6 |
| 1928 | 46.0 | 48.1 | 56.3 | 60.7 | 73.0 | 77.7 | 83.6 | 85.7 | 76.3 | 70.6 | 54.3 | 46.9 | 64.9 |
| 1929 | 43.5 | 40.4 | 60.4 | 67.8 | 71.5 | 80.2 | 85.2 | 82.1 | 76.2 | 65.6 | 49.0 | 48.3 | 64.2 |
| 1930 | 38.0 | 55.4 | 54.6 | 67.4 | 71.0 | 77.3 | 86.3 | 83.9 | 77.9 | 62.6 | 52.9 | 42.9 | 64.2 |
| 1931 | 45.3 | 51.2 | 50.1 | 62.2 | 67.2 | 79.0 | 80.8 | 77.5 | 80.2 | 69.4 | 60.2 | 51.9 | 64.6 |
| 1932 | 49.5 | 54.3 | 52.0 | 67.0 | 70.8 | 79.8 | 83.5 | 85.0 | 76.8 | 64.3 | 50.0 | 42.3 | 64.6 |
| 1933 | **52.7** | 45.8 | 56.9 | 64.2 | 74.1 | 79.1 | 81.6 | 80.9 | 81.4 | 66.0 | 56.2 | 53.0 | 66.0 |
| 1934 | 47.4 | 44.8 | 52.6 | 65.6 | 71.9 | 81.5 | 85.5 | 87.0 | 75.6 | 70.6 | 57.5 | 44.9 | 65.4 |
| 1935 | 47.1 | 48.5 | 62.7 | 62.4 | 69.2 | 76.5 | 83.4 | 84.1 | 75.4 | 67.7 | 53.4 | 40.7 | 64.3 |
| 1936 | 41.2 | 40.2 | 59.9 | 62.9 | 72.5 | 82.2 | 82.2 | 85.1 | 82.1 | 64.1 | 51.7 | 47.8 | 64.3 |
| 1937 | 45.4 | 47.1 | 51.5 | 64.3 | 73.0 | 80.1 | 81.5 | 83.6 | 75.2 | 63.3 | 51.3 | 45.6 | 63.5 |
| 1938 | 45.5 | 53.2 | 63.3 | 64.3 | 71.5 | 77.0 | 83.6 | 84.7 | 78.3 | 69.6 | 54.5 | 46.9 | 66.0 |
| 1939 | 48.4 | 47.3 | 58.5 | 61.2 | 70.9 | 79.7 | 82.5 | 82.6 | 82.4 | 68.2 | 51.6 | 49.0 | 65.2 |
| 1940 | 32.1 | 45.2 | 55.7 | 62.5 | 68.5 | 76.5 | 79.2 | 79.8 | 73.8 | 67.9 | 52.2 | 49.3 | 61.9 |
| 1941 | 46.4 | 43.6 | 50.5 | 65.6 | 72.7 | 77.8 | 81.3 | 82.5 | 78.8 | **71.5** | 52.4 | 47.4 | 64.2 |
| 1942 | 41.3 | 44.2 | 57.3 | 65.7 | 71.0 | 80.4 | 84.6 | 82.4 | 74.9 | 66.8 | 58.0 | 46.5 | 64.4 |
| 1943 | 45.3 | 52.3 | 50.5 | 66.4 | 74.6 | 84.1 | **86.7** | **89.0** | 75.0 | 64.5 | 52.2 | 44.5 | 65.4 |
| 1944 | 45.6 | 52.0 | 54.7 | 63.5 | 73.5 | 82.7 | 85.1 | 83.8 | 78.1 | 67.3 | 56.0 | 40.8 | 65.3 |
| 1945 | 44.0 | 48.0 | 61.7 | 66.2 | 69.5 | 78.3 | 81.1 | 81.7 | 77.7 | 63.3 | 57.0 | 41.5 | 64.2 |
| 1946 | 44.0 | 50.8 | 60.1 | 68.0 | 69.3 | 79.0 | 83.8 | 81.8 | 75.3 | 66.4 | 57.3 | 52.3 | 65.7 |
| 1947 | 46.6 | 41.0 | 47.7 | 64.7 | 70.4 | 79.3 | 81.1 | 86.9 | 78.6 | 70.8 | 50.2 | 44.6 | 63.5 |
| 1948 | 34.5 | 42.3 | 53.2 | 69.2 | 71.7 | 81.6 | 83.7 | 80.4 | 75.8 | 60.9 | 52.9 | 46.9 | 62.8 |
| 1949 | 46.0 | 49.3 | 52.7 | 61.9 | 73.4 | 79.6 | 82.2 | 79.2 | 70.4 | 64.9 | 54.2 | 47.0 | 63.4 |
| 1950 | 51.4 | 49.5 | 51.4 | 60.5 | 72.1 | 77.9 | 79.4 | 77.1 | 71.2 | 66.9 | 49.2 | 39.6 | 62.2 |
| 1951 | 44.5 | 46.4 | 53.6 | 60.1 | 70.6 | 78.0 | 82.1 | 82.9 | 73.9 | 63.6 | 46.7 | 47.3 | 62.5 |
| 1952 | 49.5 | 50.2 | 51.4 | 59.4 | 70.3 | 83.4 | 83.6 | 82.1 | 72.2 | **55.1** | 50.3 | 45.1 | 62.7 |
| 1953 | 47.5 | 47.1 | 58.2 | 59.4 | 72.1 | 84.4 | 81.0 | 80.3 | 74.9 | 65.1 | 51.0 | 42.1 | 63.6 |
| 1954 | 43.4 | 52.2 | 53.3 | 67.3 | 66.5 | 81.2 | 85.5 | 86.0 | 77.3 | 65.0 | 51.6 | 44.4 | 64.5 |
| 1955 | 43.5 | 45.6 | 54.8 | 66.6 | 73.0 | 74.5 | 82.5 | 80.4 | 76.6 | 62.7 | 51.1 | 43.6 | 62.9 |
| 1956 | 40.9 | 49.3 | 52.7 | 60.7 | 74.2 | 77.5 | 82.1 | 82.2 | 72.6 | 65.6 | 50.8 | 50.8 | 63.3 |
| 1957 | 41.2 | 51.6 | 51.4 | 64.0 | 72.5 | 79.0 | 81.0 | 79.5 | 71.7 | 60.1 | 52.4 | 49.7 | 62.8 |
| 1958 | 40.9 | 39.3 | 47.3 | 61.5 | 71.4 | 77.7 | 81.5 | 79.9 | 74.5 | 61.9 | 54.0 | 39.5 | 60.8 |
| 1959 | 40.8 | 45.8 | 52.3 | 61.5 | 74.6 | 76.8 | 79.9 | 81.1 | 74.9 | 63.5 | 47.3 | 46.6 | 62.1 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1960 | 41.5 | 40.7 | **42.3** | 64.9 | 69.8 | 78.7 | 82.2 | 82.4 | 76.4 | 65.5 | 53.0 | 40.3 | 61.5 |
| 1961 | 39.3 | 49.1 | 57.4 | 61.0 | 69.2 | 76.3 | 80.3 | 78.1 | 74.1 | 63.5 | 51.2 | 43.8 | 61.9 |
| 1962 | 38.6 | 51.4 | 50.2 | 61.1 | 76.6 | 78.2 | 83.4 | 82.4 | 74.1 | 67.4 | 52.0 | 43.6 | 63.3 |
| 1963 | 36.7 | 41.4 | 59.5 | 66.2 | 73.4 | 80.8 | 80.9 | 81.2 | 74.4 | 70.6 | 54.6 | 35.2 | 62.9 |
| 1964 | 43.1 | 43.2 | 54.3 | 66.5 | 73.9 | 80.8 | 83.6 | 81.1 | 74.7 | 60.9 | 55.8 | 45.7 | 63.6 |
| 1965 | 45.5 | 44.9 | 46.3 | 68.7 | 74.7 | 78.8 | 83.3 | 80.9 | 75.3 | 63.0 | 58.5 | 48.7 | 64.1 |
| 1966 | 37.1 | 44.2 | 55.4 | 63.3 | 70.2 | 78.6 | 84.8 | 77.6 | 72.2 | 60.2 | 55.9 | 44.6 | 62.0 |
| 1967 | 44.3 | 43.0 | 59.8 | 68.1 | 69.6 | 79.2 | 78.3 | 76.6 | 70.5 | 63.2 | 51.0 | 45.6 | 62.4 |
| 1968 | 40.2 | 39.5 | 52.5 | 64.0 | 70.1 | 79.6 | 80.5 | 80.9 | 70.7 | 62.8 | 51.8 | 42.7 | 61.3 |
| 1969 | 43.5 | 44.6 | 47.2 | 63.9 | 72.2 | 78.6 | 84.4 | 79.2 | 73.0 | 63.5 | 51.3 | 42.5 | 62.0 |
| 1970 | 37.9 | 44.5 | 49.7 | 66.0 | 72.6 | 78.7 | 79.8 | 81.3 | 78.3 | 62.4 | 50.6 | 48.0 | 62.5 |
| 1971 | 43.1 | 45.4 | 49.9 | 61.8 | 68.3 | 81.5 | 81.0 | 78.8 | 76.7 | 69.6 | 52.0 | 51.0 | 63.3 |
| 1972 | 44.5 | 46.8 | 55.1 | 64.9 | 72.1 | 79.6 | 80.2 | 81.4 | 77.3 | 63.7 | 47.7 | 42.3 | 63.0 |
| 1973 | 41.6 | 43.7 | 59.2 | 60.9 | 69.7 | 79.5 | 82.3 | 79.9 | 75.8 | 67.7 | 57.5 | 44.0 | 63.5 |
| 1974 | 44.8 | 47.8 | 63.2 | 65.4 | 74.7 | 75.7 | 82.9 | 79.7 | **69.5** | 64.9 | 54.3 | 46.7 | 64.1 |
| 1975 | 48.4 | 48.8 | 52.6 | 63.4 | 73.9 | 78.9 | 82.2 | 81.2 | 71.7 | 66.4 | 54.9 | 46.2 | 64.1 |
| 1976 | 44.5 | **57.4** | 59.4 | 65.2 | 65.0 | 74.9 | 80.3 | 78.1 | 71.9 | 57.1 | **45.0** | 41.9 | 61.7 |
| 1977 | 30.3 | 46.2 | 56.4 | 64.9 | 74.8 | 80.8 | 83.1 | 81.6 | 77.8 | 62.8 | 53.0 | 42.4 | 62.8 |
| 1978 | 32.7 | 33.8 | 49.7 | 66.4 | 71.0 | 79.0 | 85.0 | 81.6 | 76.0 | 62.4 | 56.1 | 44.1 | 61.5 |
| 1979 | **29.7** | 37.7 | 53.9 | 62.6 | 68.6 | 76.6 | 80.9 | 78.8 | 71.2 | 64.1 | 49.6 | 44.1 | **59.8** |
| 1980 | 41.3 | 39.5 | 47.8 | 60.5 | 69.7 | 79.6 | 86.4 | 85.3 | 77.9 | 62.0 | 51.2 | 43.7 | 62.1 |
| 1981 | 40.1 | 45.5 | 52.7 | 68.7 | 67.4 | 79.9 | 82.3 | 79.0 | 71.4 | 61.8 | 54.2 | 42.4 | 62.1 |
| 1982 | 37.3 | 41.2 | 56.9 | 58.8 | 72.5 | 75.7 | 81.5 | 80.3 | 72.0 | 62.2 | 52.5 | 48.0 | 61.6 |
| 1983 | 38.4 | 45.0 | 52.1 | **55.6** | 68.0 | 76.0 | 82.3 | 83.7 | 73.6 | 62.4 | 51.1 | **30.8** | 59.9 |
| 1984 | 33.9 | 46.0 | 50.1 | 58.7 | 68.3 | 80.0 | 80.9 | 78.9 | 72.0 | 66.1 | 51.2 | **53.4** | 61.6 |
| 1985 | 35.0 | 39.9 | 57.6 | 65.8 | 72.6 | 80.1 | 81.3 | 81.9 | 74.1 | 67.3 | 57.4 | 41.5 | 62.9 |
| 1986 | 45.4 | 52.0 | 56.2 | 64.7 | 72.4 | 79.7 | 85.9 | 79.7 | 78.3 | 64.0 | 52.2 | 44.1 | 64.6 |
| 1987 | 40.8 | 47.5 | 55.9 | 64.7 | 76.4 | 80.2 | 82.2 | 84.7 | 75.6 | 61.7 | 54.7 | 47.6 | 64.3 |
| 1988 | 36.1 | 46.1 | 55.2 | 64.9 | 72.0 | 79.9 | 81.8 | 83.0 | 76.3 | 61.0 | 54.9 | 46.6 | 63.2 |
| 1989 | 48.1 | 40.4 | 54.2 | 63.9 | 71.4 | 77.2 | 80.0 | 81.0 | 72.0 | 64.3 | 56.2 | 36.8 | 62.1 |
| 1990 | 49.5 | 52.7 | 56.3 | 63.1 | 69.7 | 82.0 | 82.3 | 82.3 | 78.0 | 62.3 | 58.0 | 45.8 | 65.2 |
| 1991 | 41.0 | 49.4 | 57.3 | 66.5 | 75.0 | 81.0 | 83.0 | 80.2 | 74.7 | 65.3 | 50.0 | 48.1 | 64.3 |
| 1992 | 43.9 | 51.6 | 56.1 | 63.6 | 70.4 | 77.5 | 81.9 | 76.6 | 73.1 | 65.0 | 50.7 | 45.5 | 63.0 |
| 1993 | 41.6 | 44.3 | 52.6 | 59.4 | 70.3 | 80.0 | 86.1 | 83.4 | 73.5 | 61.3 | 49.2 | 45.8 | 62.3 |
| 1994 | 40.0 | 46.9 | 54.6 | 66.6 | 70.1 | 81.9 | 80.6 | 78.7 | 73.4 | 64.4 | 56.9 | 46.7 | 63.4 |
| 1995 | 44.3 | 47.2 | 56.3 | 63.7 | 72.1 | 78.3 | 83.4 | 85.9 | 73.3 | 65.2 | 51.4 | 44.1 | 63.8 |
| 1996 | 41.1 | 47.7 | 49.9 | 61.5 | 76.0 | 79.5 | 81.6 | 79.9 | 73.1 | 64.2 | 50.4 | 47.7 | 62.7 |
| 1997 | 42.3 | 48.4 | 58.3 | 59.4 | 69.4 | 77.6 | 84.3 | 79.9 | 76.4 | 63.9 | 50.0 | 43.6 | 62.8 |
| 1998 | 47.2 | 49.5 | 53.2 | 62.8 | 76.7 | 83.2 | 86.4 | 83.1 | 79.9 | 66.6 | 56.1 | 46.3 | 65.9 |
| 1999 | 46.3 | 52.5 | 51.9 | 67.1 | 72.1 | 79.5 | 84.0 | 86.5 | 75.2 | 64.4 | 56.9 | 47.0 | 65.3 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000 | 44.1 | 51.4 | 57.6 | 62.1 | 73.6 | 78.7 | 83.0 | 84.7 | 74.2 | 65.6 | 49.4 | 33.7 | 63.2 |
| 2001 | 39.5 | 47.6 | 50.0 | 67.6 | 72.4 | 77.9 | 83.0 | 80.4 | 72.5 | 60.9 | 56.5 | 48.0 | 63.0 |
| 2002 | 46.6 | 44.3 | 51.1 | 66.1 | 69.5 | 78.7 | 82.4 | 80.7 | 76.8 | 62.9 | 49.7 | 45.0 | 62.8 |
| 2003 | 39.2 | 41.5 | 52.8 | 63.8 | 72.3 | 75.7 | 81.2 | 82.2 | 72.2 | 64.9 | 56.6 | 44.4 | 62.2 |
| 2004 | 43.9 | 42.9 | 58.8 | 62.7 | 72.6 | 77.6 | 79.7 | 76.6 | 75.0 | 69.0 | 55.9 | 44.6 | 63.3 |
| 2005 | 46.7 | 49.3 | 53.4 | 63.0 | 70.3 | 79.6 | 81.3 | 83.1 | 77.8 | 63.6 | 55.7 | 44.3 | 64.0 |
| 2006 | 50.2 | 42.9 | 55.6 | 68.4 | 72.0 | 78.3 | 82.2 | 83.5 | 71.9 | 62.8 | 53.2 | 47.5 | 64.0 |
| 2007 | 42.5 | 43.9 | 61.8 | 59.7 | 72.9 | 79.7 | 79.4 | 85.0 | 75.8 | 65.1 | 54.1 | 47.2 | 63.9 |
| 2008 | 38.6 | 47.4 | 54.3 | 61.5 | 71.3 | 79.8 | 82.8 | 79.0 | 72.9 | 61.7 | 50.5 | 44.8 | 62.1 |
| 2009 | 41.8 | 49.6 | 55.5 | 62.4 | 70.2 | 80.9 | 78.7 | 78.4 | 74.2 | 59.9 | 55.2 | 41.0 | 62.3 |
| 2010 | 38.9 | 39.1 | 53.2 | 66.2 | 74.5 | 84.2 | 83.9 | 85.1 | 77.7 | 64.8 | 54.3 | 42.2 | 63.7 |
| 2011 | 40.6 | 47.7 | 54.9 | 66.5 | 70.6 | 84.0 | 85.6 | 83.7 | 71.8 | 62.2 | 55.7 | 45.5 | 64.1 |
| 2012 | 47.5 | 49.3 | 64.6 | 65.4 | 74.9 | 78.8 | | | | | | | |
| 2013 | | | | | | | | | | | | | |
| 2014 | | | | | | | | | | | | | |
| 2015 | | | | | | | | | | | | | |
| 2016 | | | | | | | | | | | | | |
| 2017 | | | | | | | | | | | | | |
| 2018 | | | | | | | | | | | | | |
| 2019 | | | | | | | | | | | | | |
| 2020 | | | | | | | | | | | | | |
| 2021 | | | | | | | | | | | | | |
| 2022 | | | | | | | | | | | | | |
| 2023 | | | | | | | | | | | | | |
| 2024 | | | | | | | | | | | | | |
| 2025 | | | | | | | | | | | | | |
| 2026 | | | | | | | | | | | | | |
| 2027 | | | | | | | | | | | | | |
| 2028 | | | | | | | | | | | | | |
| 2029 | | | | | | | | | | | | | |
| 2030 | | | | | | | | | | | | | |
| 2031 | | | | | | | | | | | | | |
| 2032 | | | | | | | | | | | | | |
| 2033 | | | | | | | | | | | | | |
| 2034 | | | | | | | | | | | | | |
| 2035 | | | | | | | | | | | | | |
| 2036 | | | | | | | | | | | | | |
| 2037 | | | | | | | | | | | | | |
| 2038 | | | | | | | | | | | | | |
| 2039 | | | | | | | | | | | | | |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

## PINE BLUFF, ARKANSAS – AVERAGE MONTHLY LOW TEMPERATURE

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1884 | | | | | | **75.3** | 74.0 | 67.3 | 67.3 | 59.9 | | | |
| 1885 | | | | | **53.9** | 68.3 | 72.1 | 70.5 | | | | | |
| 1886 | | | | | 62.5 | 68.3 | 71.1 | 71.2 | 64.5 | 51.9 | | | |
| 1887 | | | | | | 66.9 | 71.4 | 70.0 | 65.3 | 49.6 | | | |
| 1888 | | | | 56.2 | 59.4 | 68.3 | 72.8 | 70.8 | | | | | |
| 1889 | | | | | 60.0 | 66.3 | 72.8 | 68.6 | 62.9 | 49.9 | 40.6 | | |
| 1890 | | | | | 61.2 | 70.9 | 72.6 | 69.6 | 66.0 | 52.7 | 45.3 | 37.2 | |
| 1891 | 35.0 | 38.6 | 35.7 | 50.0 | 58.0 | 70.2 | 68.3 | 68.8 | 62.3 | 47.2 | 39.8 | 34.8 | 50.73 |
| 1892 | 27.0 | 43.0 | 38.1 | 53.4 | 60.9 | 69.2 | 72.5 | 71.6 | 61.0 | 55.0 | 43.2 | 34.2 | 52.43 |
| 1893 | 29.8 | 34.6 | 38.2 | 54.9 | 61.0 | 68.3 | 73.2 | 69.1 | 64.4 | 49.3 | 41.2 | | |
| 1894 | | | | 60.7 | 61.3 | 65.3 | 68.1 | 68.7 | 65.4 | 50.3 | 38.0 | | |
| 1895 | 33.2 | | 43.0 | 52.7 | 59.0 | 67.7 | 70.6 | 71.4 | 68.3 | 43.6 | 40.6 | 36.4 | |
| 1896 | 33.3 | 36.7 | 42.0 | **64.7** | **67.1** | 66.4 | 72.2 | 71.2 | 62.6 | 50.5 | 46.0 | 36.2 | 54.08 |
| 1897 | 31.8 | 39.5 | 51.7 | 54.8 | 57.4 | 69.0 | 71.4 | 68.6 | 63.1 | 51.7 | 41.1 | 33.3 | 52.78 |
| 1898 | 39.7 | 36.9 | 48.4 | 48.8 | 63.4 | 71.2 | 71.6 | 71.2 | 66.6 | 51.1 | 38.0 | 30.7 | 53.13 |
| 1899 | 32.3 | 26.9 | 42.2 | 50.5 | 65.1 | 67.7 | 69.5 | 71.1 | 58.1 | 52.2 | 42.4 | 32.7 | 50.89 |
| 1900 | 36.4 | 31.3 | 42.4 | 50.1 | 57.1 | 68.7 | 70.7 | 70.2 | 68.2 | 55.4 | 42.4 | 34.7 | 52.30 |
| 1901 | 37.2 | 33.6 | 42.5 | 46.6 | 56.4 | 67.2 | 70.4 | 69.0 | 58.6 | 47.2 | 36.0 | 28.0 | 49.39 |
| 1902 | 26.6 | 26.8 | 40.9 | 49.7 | 63.5 | 66.3 | 69.5 | 70.0 | 57.2 | 48.4 | 47.5 | 32.0 | 49.87 |
| 1903 | 30.4 | 30.9 | 46.5 | 50.3 | 59.6 | **59.8** | 68.1 | 68.3 | 57.4 | 51.8 | 34.3 | 26.5 | 48.66 |
| 1904 | 28.0 | 34.8 | 44.1 | 46.3 | 55.6 | 66.7 | **67.1** | 67.2 | 64.0 | 48.6 | 36.3 | 32.1 | 49.23 |
| 1905 | 25.1 | **24.4** | 45.8 | 52.8 | 63.3 | 69.4 | 68.7 | 69.9 | 63.7 | 50.5 | 42.1 | 29.6 | 50.44 |
| 1906 | 33.2 | 29.8 | 37.4 | 51.5 | 58.8 | 66.8 | 67.8 | 68.6 | 67.5 | 47.1 | 39.6 | 38.1 | 50.52 |
| 1907 | 41.4 | 34.0 | 52.0 | 45.5 | 54.3 | 65.4 | 70.8 | 71.3 | 61.0 | 48.2 | 35.9 | 36.9 | 51.39 |
| 1908 | 31.1 | 33.2 | 48.5 | 55.1 | 60.1 | 67.2 | 69.0 | 69.5 | 62.9 | 43.3 | 40.5 | 35.7 | 51.34 |
| 1909 | 35.4 | 34.1 | 40.9 | 48.2 | 55.5 | 66.6 | 71.1 | 71.5 | 60.7 | 50.1 | 47.5 | 27.7 | 50.78 |
| 1910 | 34.5 | 30.4 | 46.0 | 48.2 | 57.1 | 64.6 | 70.0 | 70.2 | 65.6 | 57.2 | 42.0 | 34.7 | 51.71 |
| 1911 | 42.4 | 44.3 | 47.2 | 52.2 | 59.2 | 69.3 | 69.6 | 70.8 | 69.9 | 54.8 | 36.6 | 37.0 | 54.44 |
| 1912 | 28.1 | 30.5 | 38.8 | 52.5 | 60.6 | 64.1 | 71.5 | 68.5 | 62.7 | 50.4 | 35.4 | 30.0 | 49.43 |
| 1913 | 33.6 | 32.0 | 37.9 | 49.2 | 58.3 | 65.2 | 71.9 | 68.9 | 62.3 | 50.6 | 46.3 | 36.5 | 51.06 |
| 1914 | 36.2 | 29.2 | 38.8 | 50.8 | 59.2 | 71.0 | 72.2 | 70.2 | 64.8 | 52.7 | 38.6 | 31.4 | 51.26 |
| 1915 | 29.7 | 35.7 | 33.7 | 53.0 | 58.0 | 67.7 | 69.3 | 67.7 | 65.2 | 51.1 | 42.3 | 34.8 | 50.68 |
| 1916 | 37.7 | 32.8 | 41.4 | 50.3 | 62.0 | 67.3 | 72.6 | 71.1 | 62.2 | 47.4 | 37.7 | 31.5 | 51.17 |
| 1917 | 34.5 | 32.3 | 41.9 | 49.5 | **53.9** | 66.2 | 70.5 | 67.8 | 61.0 | 41.7 | 36.6 | 26.8 | 48.56 |
| 1918 | **19.5** | 34.4 | 44.7 | 49.3 | 61.8 | 69.4 | **67.1** | 71.3 | **55.3** | 55.9 | 40.1 | 38.8 | 50.80 |
| 1919 | 32.3 | 37.1 | 42.5 | 49.7 | 56.3 | 67.6 | 70.3 | 71.2 | 62.8 | 58.9 | 40.4 | 29.7 | 51.57 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1920 | 31.0 | 37.0 | 41.9 | 50.8 | 63.4 | 66.0 | 71.1 | 68.3 | 67.1 | 55.4 | 37.3 | 38.2 | 52.29 |
| 1921 | 39.3 | 41.1 | **52.4** | 51.7 | 60.5 | 70.1 | 72.3 | 73.0 | 70.8 | 49.9 | 45.7 | 38.8 | 55.47 |
| 1922 | 33.5 | 41.8 | 43.9 | 55.3 | 61.7 | 72.7 | 70.4 | 68.7 | 63.3 | 48.5 | 41.9 | 40.5 | 53.52 |
| 1923 | 39.6 | 34.3 | 41.4 | 50.6 | 59.7 | 68.2 | 70.0 | 70.3 | 64.0 | 49.9 | 39.9 | 43.4 | 52.61 |
| 1924 | 28.2 | 34.0 | 39.8 | 50.6 | 55.8 | 70.6 | 69.7 | 71.9 | 60.9 | 52.9 | 43.0 | 34.5 | 50.99 |
| 1925 | 32.7 | 40.9 | 44.2 | 57.2 | 57.8 | 71.7 | 72.7 | 69.8 | **71.8** | 53.3 | 41.6 | 31.9 | 53.80 |
| 1926 | 33.8 | 40.6 | 40.3 | 48.2 | 59.4 | 67.4 | 69.9 | 72.7 | 68.9 | 58.2 | 39.4 | 36.7 | 52.96 |
| 1927 | 36.2 | **45.2** | 45.4 | 58.4 | 63.5 | 68.3 | 70.9 | 69.7 | 66.7 | 54.8 | 48.8 | 33.6 | 55.13 |
| 1928 | 33.8 | 37.3 | 44.1 | 48.8 | 60.1 | 68.2 | 72.5 | 73.9 | 61.0 | 56.8 | 42.6 | 34.7 | 52.82 |
| 1929 | 32.1 | 30.0 | 47.8 | 56.7 | 60.3 | 67.2 | 72.2 | 69.9 | 65.0 | 54.0 | 39.6 | 37.6 | 52.70 |
| 1930 | 28.8 | 44.2 | 42.7 | 54.9 | 61.9 | 65.9 | 74.1 | 71.6 | 67.1 | 52.1 | 43.1 | 32.4 | 53.23 |
| 1931 | 34.1 | 40.6 | 39.0 | 50.1 | 57.3 | 68.5 | 72.2 | 68.8 | 69.0 | 57.3 | **50.3** | 43.5 | 54.23 |
| 1932 | 39.1 | 43.4 | 41.0 | 55.6 | 61.0 | 70.8 | 74.0 | 72.1 | 65.0 | 50.7 | 37.3 | 33.4 | 53.62 |
| 1933 | 42.0 | 35.6 | 45.1 | 53.3 | 64.7 | 67.3 | 73.2 | 71.5 | 70.4 | 53.2 | 45.1 | 42.8 | 55.35 |
| 1934 | 37.9 | 34.3 | 40.3 | 54.8 | 61.5 | 71.3 | 74.6 | **75.5** | 63.9 | 57.6 | 46.0 | 35.1 | 54.40 |
| 1935 | 36.6 | 38.0 | 51.5 | 53.0 | 60.1 | 67.9 | 73.6 | 72.8 | 63.4 | 55.8 | 43.9 | 31.8 | 54.03 |
| 1936 | 30.6 | 30.3 | 47.5 | 50.2 | 61.9 | 70.0 | 73.2 | 73.7 | 70.9 | 52.3 | 40.6 | 38.2 | 53.28 |
| 1937 | 37.7 | 37.3 | 40.4 | 52.9 | 62.5 | 71.2 | 72.7 | 73.6 | 64.2 | 52.6 | 41.6 | 37.5 | 53.68 |
| 1938 | 35.6 | 43.6 | 52.3 | 54.2 | 62.4 | 68.0 | 73.2 | 73.6 | 65.9 | 54.1 | 41.2 | 36.5 | 55.05 |
| 1939 | 37.9 | 37.0 | 46.3 | 50.7 | 61.2 | 70.9 | 73.3 | 71.9 | 69.4 | 55.1 | 41.2 | 39.0 | 54.49 |
| 1940 | 22.5 | 36.1 | 43.5 | 52.0 | 58.2 | 67.8 | 71.6 | 70.5 | 61.6 | 53.7 | 41.9 | 39.8 | 51.60 |
| 1941 | 36.5 | 34.0 | 40.1 | 55.3 | 63.1 | 68.4 | 72.5 | 72.8 | 67.7 | **61.4** | 40.1 | 38.6 | 54.21 |
| 1942 | 29.5 | 33.8 | 44.8 | 54.6 | 60.2 | 70.2 | 72.5 | 71.9 | 63.2 | 53.5 | 46.8 | 37.6 | 53.22 |
| 1943 | 33.3 | 39.5 | 39.4 | 54.4 | 64.4 | 73.3 | 73.9 | 74.6 | 63.8 | 52.2 | 38.9 | 35.2 | 53.58 |
| 1944 | 36.6 | 43.0 | 42.9 | 52.9 | 63.1 | 71.7 | 71.7 | 72.8 | 66.4 | 52.6 | 46.7 | 32.0 | 54.37 |
| 1945 | 34.0 | 39.0 | 50.4 | 54.8 | 58.5 | 69.0 | 71.2 | 71.6 | 67.4 | 52.8 | 46.9 | 32.4 | 54.00 |
| 1946 | 35.6 | 38.8 | 49.9 | 56.2 | 60.1 | 68.6 | 73.3 | 70.8 | 64.2 | 52.9 | 46.6 | 41.6 | 54.88 |
| 1947 | 38.8 | 29.4 | 37.3 | 54.2 | 59.8 | 69.3 | 69.1 | 74.2 | 64.6 | 58.1 | 40.7 | 32.9 | 52.37 |
| 1948 | 25.1 | 34.2 | 42.9 | 56.6 | 60.7 | 69.6 | 72.5 | 70.2 | 63.0 | 45.8 | 41.6 | 37.2 | 51.62 |
| 1949 | 38.0 | 39.0 | 42.4 | 51.8 | 61.9 | 68.9 | 72.3 | 68.2 | 58.5 | 55.4 | 40.4 | 36.0 | 52.73 |
| 1950 | **42.9** | 39.1 | 40.4 | 49.5 | 61.9 | 67.1 | 68.9 | 66.9 | 63.2 | 54.3 | 36.7 | 29.1 | 51.67 |
| 1951 | 33.4 | 36.7 | 43.4 | 48.5 | 57.6 | 67.9 | 72.1 | 70.4 | 61.9 | 50.1 | 35.5 | 37.1 | 51.22 |
| 1952 | 40.5 | 40.7 | 40.4 | 48.6 | 58.6 | 70.7 | 70.5 | 69.9 | 59.0 | **38.4** | 38.5 | 34.9 | 50.89 |
| 1953 | 37.1 | 36.2 | 47.4 | 47.9 | 62.1 | 72.0 | 70.6 | 67.5 | 57.9 | 49.5 | 36.4 | 31.4 | 51.33 |
| 1954 | 33.3 | 38.9 | 41.5 | 55.7 | 56.0 | 68.4 | 72.6 | 71.8 | 62.2 | 52.5 | 38.1 | 32.6 | 51.97 |
| 1955 | 33.5 | 35.8 | 44.0 | 55.4 | 61.9 | 62.9 | 72.1 | 69.2 | 62.9 | 48.7 | 38.7 | 34.0 | 51.59 |
| 1956 | 31.4 | 40.1 | 41.2 | 49.0 | 63.6 | 66.3 | 69.8 | 68.9 | 57.4 | 51.7 | 38.1 | 39.2 | 51.39 |
| 1957 | 32.8 | 43.4 | 41.9 | 53.1 | 62.3 | 69.3 | 69.9 | 68.9 | 61.8 | 49.6 | 43.2 | 39.2 | 52.95 |
| 1958 | 30.8 | 30.7 | 39.5 | 51.3 | 61.0 | 67.1 | 71.9 | 69.6 | 64.4 | 50.5 | 41.0 | 29.2 | 50.58 |
| 1959 | 30.2 | 36.5 | 39.6 | 49.9 | 64.1 | 66.3 | 68.2 | 69.4 | 63.5 | 51.9 | 34.5 | 36.2 | 50.86 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1960 | 33.6 | 32.0 | **33.2** | 52.7 | 57.6 | 67.8 | 70.9 | 70.8 | 64.7 | 54.2 | 40.0 | 30.3 | 50.65 |
| 1961 | 28.3 | 39.8 | 47.4 | 48.9 | 58.3 | 65.5 | 68.8 | 67.9 | 62.7 | 49.5 | 41.6 | 35.6 | 51.19 |
| 1962 | 28.1 | 40.7 | 40.3 | 49.7 | 64.2 | 67.9 | 72.5 | 70.5 | 64.2 | 57.0 | 42.4 | 33.7 | 52.60 |
| 1963 | 25.9 | 29.3 | 46.8 | 56.2 | 62.7 | 69.9 | 71.3 | 70.4 | 64.1 | 54.3 | 43.1 | 26.0 | 51.67 |
| 1964 | 31.4 | 33.2 | 42.0 | 56.5 | 62.8 | 69.5 | 72.0 | 70.6 | 63.6 | 47.8 | 43.8 | 36.3 | 52.46 |
| 1965 | 35.1 | 34.3 | 37.4 | 56.6 | 64.6 | 68.4 | 72.4 | 69.6 | 65.7 | 50.5 | 49.1 | 38.5 | 53.52 |
| 1966 | 29.5 | 36.1 | 42.8 | 53.2 | 59.4 | 66.4 | 73.9 | 68.9 | 62.2 | 48.6 | 45.8 | 36.7 | 51.96 |
| 1967 | 34.9 | 33.0 | 48.4 | 58.3 | 59.1 | 70.1 | 69.2 | 66.6 | 61.3 | 50.8 | 39.5 | 36.9 | 52.34 |
| 1968 | 33.3 | 29.8 | 42.4 | 54.1 | 60.5 | 69.8 | 70.9 | 71.3 | 59.5 | 51.1 | 42.7 | 33.9 | 51.61 |
| 1969 | 34.8 | 36.4 | 37.8 | 53.4 | 61.1 | 68.0 | 73.4 | 68.5 | 63.0 | 52.8 | 40.2 | 33.7 | 51.93 |
| 1970 | 28.4 | 34.3 | 41.5 | 55.7 | 61.6 | 68.0 | 69.2 | 71.8 | 67.5 | 51.7 | 39.8 | 38.2 | 52.31 |
| 1971 | 33.3 | 35.0 | 38.6 | 48.9 | 57.2 | 69.9 | 71.1 | 69.6 | 66.6 | 57.3 | 41.4 | 42.7 | 52.63 |
| 1972 | 35.6 | 35.1 | 44.0 | 53.3 | 60.5 | 68.3 | 69.2 | 70.4 | 67.5 | 53.3 | 40.5 | 34.5 | 52.68 |
| 1973 | 34.3 | 34.7 | 49.9 | 51.8 | 58.9 | 69.0 | 72.7 | 69.0 | 67.4 | 56.9 | 48.2 | 34.5 | 53.94 |
| 1974 | 38.1 | 37.0 | 51.5 | 53.3 | 64.2 | 65.3 | 71.7 | 69.2 | 60.5 | 51.5 | 44.2 | 37.0 | 53.63 |
| 1975 | 38.0 | 37.3 | 42.2 | 51.8 | 63.7 | 68.4 | 71.3 | 71.2 | 60.5 | 53.4 | 42.9 | 35.0 | 52.98 |
| 1976 | 33.0 | **45.2** | 49.5 | 53.3 | 54.3 | 64.7 | 69.1 | **65.0** | 60.2 | 43.6 | **33.1** | 28.9 | 49.99 |
| 1977 | 20.4 | 33.3 | 43.4 | 52.2 | 63.1 | 69.1 | 72.4 | 70.7 | 66.8 | 48.9 | 42.5 | 31.4 | 51.18 |
| 1978 | 24.0 | 25.0 | 38.1 | 54.0 | 60.3 | 68.0 | 72.7 | 69.6 | 65.8 | 47.6 | 44.8 | 32.0 | 50.16 |
| 1979 | 20.8 | 28.6 | 42.6 | 51.5 | 58.3 | 66.7 | 71.2 | 68.7 | 59.9 | 49.9 | 36.6 | 32.2 | 48.92 |
| 1980 | 32.2 | 28.2 | 36.0 | 47.6 | 59.2 | 68.1 | 72.9 | 72.3 | 66.1 | 49.2 | 40.4 | 33.5 | 50.48 |
| 1981 | 28.6 | 34.5 | 41.3 | 56.9 | 55.9 | 70.2 | 72.2 | 68.6 | 58.9 | 51.3 | 41.7 | 31.3 | 50.95 |
| 1982 | 26.0 | 32.4 | 46.6 | 47.7 | 61.5 | 65.0 | 70.5 | 70.1 | 59.4 | 48.6 | 41.3 | 38.5 | 50.63 |
| 1983 | 30.1 | 35.4 | 41.1 | 45.3 | 57.4 | 65.2 | 71.0 | 70.7 | 59.2 | 48.5 | 37.7 | **20.9** | **48.54** |
| 1984 | 22.0 | 31.3 | 38.0 | **45.2** | 55.3 | 69.2 | 70.5 | 69.0 | 60.5 | 57.0 | 39.5 | **44.1** | 50.13 |
| 1985 | 25.2 | 31.1 | 46.9 | 54.4 | 62.2 | 69.9 | 70.6 | 71.8 | 61.9 | 57.6 | 47.8 | 31.3 | 52.56 |
| 1986 | 34.1 | 42.8 | 42.9 | 52.8 | 61.3 | 69.8 | 75.6 | 69.7 | 69.2 | 55.2 | 46.3 | 38.3 | 54.83 |
| 1987 | 31.6 | 39.3 | 45.4 | 51.2 | 65.7 | 70.8 | 72.7 | 74.7 | 64.6 | 49.1 | 45.9 | 40.1 | 54.26 |
| 1988 | 27.5 | 35.8 | 45.1 | 53.6 | 59.9 | 67.9 | 72.6 | 72.9 | 66.5 | 50.6 | 44.3 | 36.8 | 52.79 |
| 1989 | 38.9 | 33.3 | 44.5 | 52.7 | 62.5 | 69.0 | 71.7 | 71.0 | 63.4 | 52.6 | 45.6 | 27.0 | 52.68 |
| 1990 | 40.6 | 43.2 | 48.2 | 53.0 | 61.3 | 71.9 | 72.4 | 71.6 | 67.4 | 50.3 | 46.6 | 35.6 | 55.18 |
| 1991 | 34.5 | 39.1 | 46.8 | 58.0 | **67.1** | 71.7 | 73.0 | 70.2 | 63.9 | 53.5 | 40.7 | 40.8 | 54.94 |
| 1992 | 35.2 | 41.7 | 46.4 | 52.7 | 60.3 | 68.3 | 72.7 | 67.0 | 62.8 | 52.1 | 41.5 | 38.2 | 53.24 |
| 1993 | 33.9 | 34.5 | 43.2 | 49.8 | 60.7 | 70.8 | 75.1 | 73.8 | 61.7 | 50.7 | 39.2 | 35.8 | 52.43 |
| 1994 | 32.1 | 36.9 | 43.0 | 54.7 | 60.5 | 72.2 | 71.4 | 68.3 | 62.1 | 55.2 | 47.8 | 39.4 | 53.63 |
| 1995 | 36.0 | 36.8 | 47.1 | 53.0 | 63.0 | 68.1 | 73.7 | 75.4 | 62.4 | 51.8 | 39.7 | 36.7 | 53.64 |
| 1996 | 30.7 | 37.5 | 39.8 | 50.1 | 66.8 | 70.0 | 73.1 | 70.7 | 63.1 | 53.7 | 42.7 | 39.3 | 53.13 |
| 1997 | 34.2 | 40.7 | 47.7 | 49.6 | 59.5 | 68.7 | 74.6 | 70.3 | 65.1 | 53.0 | 42.0 | 36.0 | 53.45 |
| 1998 | 40.0 | 41.4 | 44.4 | 52.1 | 66.6 | 73.4 | **76.6** | 73.2 | 69.6 | 55.7 | 47.1 | 38.8 | **56.58** |
| 1999 | 36.7 | 41.9 | 43.2 | 57.3 | 61.5 | 70.5 | 74.8 | 71.5 | 61.9 | 51.6 | 44.2 | 37.3 | 54.37 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000 | 35.2 | 40.6 | 47.9 | 52.1 | 64.5 | 69.6 | 72.6 | 73.8 | 63.9 | 52.1 | 41.3 | 26.2 | 53.32 |
| 2001 | 31.0 | 38.8 | 41.2 | 57.6 | 61.9 | 67.8 | 73.3 | 71.1 | 60.9 | 47.4 | 44.1 | 38.5 | 52.80 |
| 2002 | 35.9 | 33.9 | 40.6 | 55.7 | 59.7 | 69.0 | 72.9 | 70.9 | 66.1 | 55.3 | 39.1 | 36.5 | 52.97 |
| 2003 | 29.6 | 33.9 | 42.2 | 52.0 | 62.9 | 67.4 | 71.6 | 71.8 | 61.0 | 51.9 | 46.2 | 33.6 | 52.01 |
| 2004 | 35.1 | 34.8 | 49.1 | 52.3 | 63.6 | 70.1 | 70.8 | 65.8 | 62.4 | 60.0 | 48.1 | 34.1 | 53.85 |
| 2005 | 39.2 | 40.8 | 42.9 | 52.2 | 58.9 | 69.4 | 72.1 | 72.2 | 65.8 | 51.0 | 44.1 | 33.8 | 53.53 |
| 2006 | 38.9 | 33.5 | 45.2 | 57.3 | 61.9 | 67.3 | 71.3 | 72.6 | 59.6 | 50.9 | 41.1 | 37.8 | 53.12 |
| 2007 | 34.7 | 33.7 | 50.0 | 48.6 | 62.4 | 69.4 | 70.6 | 72.6 | 65.9 | 54.9 | 44.1 | 37.4 | 53.69 |
| 2008 | 29.9 | 36.6 | 43.5 | 50.8 | 60.9 | 69.7 | 70.7 | 69.9 | 63.3 | 49.5 | 39.7 | 34.7 | 51.60 |
| 2009 | 31.5 | 39.1 | 45.7 | 52.2 | 62.0 | 70.9 | 69.3 | 68.7 | 65.8 | 51.5 | 44.1 | 33.4 | 52.85 |
| 2010 | 30.5 | 31.3 | 42.0 | 54.6 | 63.6 | 73.8 | 74.3 | 74.3 | 63.9 | 49.0 | 42.3 | 32.2 | 52.65 |
| 2011 | 31.9 | 37.1 | 44.6 | 54.4 | 59.9 | 72.6 | 74.5 | 72.7 | 58.6 | 47.2 | 46.2 | 36.4 | 53.01 |
| 2012 | 36.8 | 39.8 | 53.5 | 54.5 | 63.6 | 66.6 | | | | | | | |
| 2013 | | | | | | | | | | | | | |
| 2014 | | | | | | | | | | | | | |
| 2015 | | | | | | | | | | | | | |
| 2016 | | | | | | | | | | | | | |
| 2017 | | | | | | | | | | | | | |
| 2018 | | | | | | | | | | | | | |
| 2019 | | | | | | | | | | | | | |
| 2020 | | | | | | | | | | | | | |
| 2021 | | | | | | | | | | | | | |
| 2022 | | | | | | | | | | | | | |
| 2023 | | | | | | | | | | | | | |
| 2024 | | | | | | | | | | | | | |
| 2025 | | | | | | | | | | | | | |
| 2026 | | | | | | | | | | | | | |
| 2027 | | | | | | | | | | | | | |
| 2028 | | | | | | | | | | | | | |
| 2029 | | | | | | | | | | | | | |
| 2030 | | | | | | | | | | | | | |
| 2031 | | | | | | | | | | | | | |
| 2032 | | | | | | | | | | | | | |
| 2033 | | | | | | | | | | | | | |
| 2034 | | | | | | | | | | | | | |
| 2035 | | | | | | | | | | | | | |
| 2036 | | | | | | | | | | | | | |
| 2037 | | | | | | | | | | | | | |
| 2038 | | | | | | | | | | | | | |
| 2039 | | | | | | | | | | | | | |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

# PINE BLUFF, ARKANSAS – MONTHLY RAINFALL

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1884 | 2.03 | 8.45 | 4.54 | 9.99 | 10.48 | 3.91 | 2.04 | 0.78 | 2.87 | 1.14 | | | |
| 1885 | | | | | 3.15 | 2.45 | 2.46 | 0.41 | | | | | |
| 1886 | | | | | **0.33** | 3.70 | | **0.00** | 9.66 | 0.53 | | | |
| 1887 | | | | | | 0.55 | 5.85 | 3.71 | 1.06 | 2.30 | | | |
| 1888 | | | | 4.64 | 5.10 | 5.75 | 5.31 | 5.62 | | | | | |
| 1889 | | | | | | 4.99 | 6.27 | 2.06 | 0.21 | 0.55 | 6.95 | | |
| 1890 | | | | | 5.73 | 5.55 | 0.66 | 0.78 | 4.38 | 1.48 | 4.51 | 3.88 | |
| 1891 | 1.88 | 1.94 | 6.87 | 1.67 | 3.88 | 2.09 | 9.92 | 0.25 | 0.28 | 2.54 | 5.12 | 4.86 | 41.30 |
| 1892 | 2.98 | 5.32 | 3.56 | 6.45 | 12.14 | 4.57 | 3.63 | 4.23 | 3.67 | 2.88 | 9.83 | 13.35 | 72.61 |
| 1893 | 1.10 | 4.15 | 2.67 | 7.59 | 6.19 | 6.60 | 0.03 | 3.26 | 2.36 | 0.20 | 5.19 | 2.79 | 42.13 |
| 1894 | | | **18.20** | 2.33 | 0.74 | 1.10 | 4.35 | 5.15 | 5.20 | 2.05 | 0.84 | | |
| 1895 | 5.66 | | 7.10 | 1.26 | 5.57 | 9.91 | 4.23 | 1.13 | 2.07 | 1.18 | 4.11 | 3.07 | |
| 1896 | 5.66 | 3.24 | 4.61 | 5.39 | 1.37 | 1.79 | 0.48 | 3.12 | 4.94 | 4.09 | 3.64 | **0.57** | 38.90 |
| 1897 | 13.83 | 2.90 | 11.33 | 4.16 | 1.56 | 1.42 | 3.35 | 3.10 | 0.22 | 2.45 | 2.96 | 6.93 | 54.21 |
| 1898 | 14.50 | 2.37 | 2.82 | 1.60 | 3.12 | 2.57 | 1.76 | 3.41 | 9.01 | 4.97 | 3.96 | 2.24 | 52.33 |
| 1899 | 7.38 | 2.36 | 3.08 | 2.87 | 8.10 | 2.59 | 4.12 | 1.35 | 2.33 | 2.04 | 2.82 | 5.41 | 44.45 |
| 1900 | 2.20 | 5.66 | 4.20 | 6.93 | 2.22 | 5.81 | 5.72 | 2.07 | 4.08 | 2.25 | 4.06 | 4.50 | 49.70 |
| 1901 | 3.59 | 2.28 | 5.50 | 3.99 | 3.20 | 0.99 | 0.46 | 2.82 | 4.19 | 2.56 | 3.29 | 4.34 | 37.21 |
| 1902 | 8.51 | 2.93 | 9.27 | 3.31 | 2.70 | 5.72 | 5.60 | 1.20 | 9.31 | 2.99 | 4.98 | 7.02 | 63.54 |
| 1903 | 2.94 | 9.44 | 4.98 | 1.59 | 4.76 | 5.50 | 6.44 | 5.41 | 2.26 | 1.07 | 0.51 | 4.28 | 49.18 |
| 1904 | 4.28 | 2.85 | 7.30 | 4.96 | 2.15 | 9.34 | 2.36 | 2.32 | 2.84 | 0.40 | 2.69 | 8.38 | 49.87 |
| 1905 | 7.17 | 4.20 | 6.22 | 12.53 | **15.71** | 4.04 | 7.84 | 6.03 | 4.22 | 3.59 | 4.47 | 6.87 | **82.89** |
| 1906 | 8.02 | 1.73 | 6.04 | 4.58 | 4.46 | 2.34 | 7.00 | 1.06 | 4.84 | 2.86 | 10.96 | 9.11 | 63.00 |
| 1907 | 6.44 | 3.11 | 4.51 | 5.82 | 10.25 | 3.99 | 1.84 | 3.02 | 2.63 | 2.57 | 7.50 | 3.79 | 55.47 |
| 1908 | 3.54 | 6.38 | 5.73 | 3.60 | 7.73 | 1.70 | 5.21 | 5.29 | 3.52 | 0.44 | 6.73 | 2.72 | 52.59 |
| 1909 | 1.67 | 8.15 | 3.90 | 6.61 | 7.40 | 2.73 | 1.69 | 2.94 | 3.50 | 0.90 | 3.88 | 7.00 | 50.37 |
| 1910 | 2.48 | 5.72 | 0.74 | 7.94 | 8.32 | 4.59 | 7.30 | 7.04 | 0.92 | 4.67 | **0.02** | 4.72 | 54.46 |
| 1911 | 0.56 | 5.30 | 2.59 | 14.32 | 0.65 | 2.04 | 3.55 | **8.31** | 1.49 | 2.64 | 3.71 | 9.38 | 54.54 |
| 1912 | 3.97 | 2.94 | 10.61 | 8.95 | 1.89 | 4.68 | 2.73 | 3.28 | 0.92 | 2.47 | 1.56 | 3.95 | 47.95 |
| 1913 | 5.22 | 5.57 | 2.89 | 6.86 | 2.64 | 1.07 | 5.13 | 0.43 | **15.44** | 6.92 | 1.55 | 1.31 | 55.03 |
| 1914 | 1.20 | 4.72 | 5.70 | 3.94 | 3.25 | 2.98 | 2.55 | 5.70 | 2.40 | 0.96 | 4.14 | 8.77 | 46.31 |
| 1915 | 4.88 | 2.89 | 4.23 | 0.67 | 1.19 | 4.63 | 1.95 | 6.77 | 0.92 | 2.44 | 6.90 | 5.23 | 42.70 |
| 1916 | 12.10 | 3.70 | 1.82 | 2.61 | 2.17 | 3.27 | 4.37 | 3.88 | 3.70 | 3.85 | 2.10 | 5.46 | 49.03 |
| 1917 | 4.59 | 1.40 | 8.12 | 4.12 | 1.74 | 5.30 | 2.34 | 4.17 | 0.87 | 2.97 | 1.46 | 1.61 | 38.69 |
| 1918 | 4.48 | 1.83 | 0.49 | 12.15 | 1.15 | 2.25 | 0.49 | 4.39 | 5.62 | 4.88 | 5.89 | 4.60 | 48.22 |
| 1919 | 3.11 | 5.01 | 10.40 | 1.50 | 5.69 | 9.25 | 0.29 | 4.58 | 3.98 | 11.74 | 5.51 | 2.44 | 63.50 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1920 | 5.82 | 1.76 | 3.57 | 6.83 | 4.89 | 1.97 | 3.78 | 3.46 | 3.47 | 2.99 | 2.06 | 6.32 | 46.92 |
| 1921 | 2.37 | 4.43 | 6.69 | 11.33 | 1.46 | 4.35 | 1.68 | 1.61 | 3.91 | 0.88 | 4.66 | 3.27 | 46.64 |
| 1922 | 2.22 | 2.51 | 13.53 | 4.86 | 6.79 | 3.01 | 1.13 | 2.98 | 0.38 | 0.43 | 3.70 | 3.00 | 44.54 |
| 1923 | 8.04 | 5.30 | 4.20 | 9.13 | 6.26 | 4.24 | 3.41 | 2.04 | 5.22 | 2.47 | 3.60 | 9.11 | 63.02 |
| 1924 | 4.60 | 2.59 | 3.27 | 4.19 | 5.72 | 2.47 | 1.44 | 2.84 | 5.52 | **0.00** | 3.60 | 5.85 | 42.09 |
| 1925 | 3.00 | 3.49 | 0.91 | 0.62 | 3.26 | 0.71 | 6.64 | 0.65 | 2.68 | 6.99 | 7.93 | 2.09 | 38.97 |
| 1926 | 3.89 | 0.96 | 7.55 | 3.55 | 1.10 | 1.89 | 2.39 | 4.05 | 3.03 | 6.81 | 2.43 | 9.03 | 46.68 |
| 1927 | 5.44 | 1.73 | 8.04 | 10.42 | 5.70 | **10.18** | 3.36 | 3.46 | 3.02 | 1.21 | 3.85 | 5.29 | 61.70 |
| 1928 | 0.55 | 1.95 | 4.39 | 10.78 | 2.03 | 9.33 | 5.29 | 2.76 | 0.14 | 8.12 | 3.07 | 4.06 | 52.47 |
| 1929 | 4.95 | 3.77 | 3.18 | 4.96 | 2.50 | 4.32 | 1.88 | 0.99 | 0.31 | 2.67 | 2.54 | 5.00 | 37.07 |
| 1930 | 12.09 | 4.94 | 2.48 | **0.54** | 14.28 | **0.05** | **0.01** | 0.60 | 6.76 | 5.94 | 3.83 | 3.42 | 54.94 |
| 1931 | 1.64 | 3.10 | 4.33 | 0.74 | 3.47 | 3.00 | 8.87 | 3.19 | 0.26 | 3.18 | 7.57 | 11.80 | 51.15 |
| 1932 | 11.64 | 6.29 | 5.38 | 2.30 | 2.66 | 4.42 | 3.86 | 2.72 | 2.75 | 2.80 | 2.32 | 9.26 | 56.40 |
| 1933 | 2.79 | 6.15 | 5.77 | 4.95 | 3.55 | 0.97 | 6.31 | 2.19 | 4.11 | 1.71 | 2.57 | 10.40 | 51.47 |
| 1934 | 3.30 | 2.97 | 10.29 | 3.72 | 3.54 | 2.76 | 0.46 | 0.95 | 3.49 | 1.89 | 6.63 | 4.99 | 44.99 |
| 1935 | 10.04 | 3.22 | 4.28 | 4.85 | 6.29 | 4.01 | 1.87 | 0.82 | 1.87 | 3.59 | 5.01 | 1.29 | 47.14 |
| 1936 | 1.28 | 1.60 | 3.37 | 2.52 | 1.70 | 0.22 | **14.16** | 0.33 | 0.91 | 3.54 | 4.55 | 6.00 | 40.18 |
| 1937 | **15.50** | 2.26 | 2.17 | 2.03 | 2.14 | 5.13 | 1.25 | 2.66 | 4.84 | 5.92 | 5.91 | 4.47 | 54.28 |
| 1938 | 8.69 | 6.47 | 6.45 | 6.09 | 5.84 | 2.12 | 2.31 | 2.73 | 1.93 | 0.35 | 3.96 | 4.62 | 51.56 |
| 1939 | 8.90 | **16.69** | 3.76 | 9.25 | 5.37 | 8.00 | 1.98 | 0.53 | 2.85 | 1.03 | 4.58 | 3.74 | 66.68 |
| 1940 | 1.78 | 3.92 | 3.12 | 6.28 | 4.15 | 3.57 | 4.57 | 2.53 | 3.18 | 2.92 | 6.48 | 4.18 | 46.68 |
| 1941 | 3.13 | 3.10 | 3.30 | 8.03 | 1.60 | 2.22 | 9.23 | 3.89 | 1.83 | 3.74 | 2.13 | 2.46 | 44.66 |
| 1942 | 2.87 | 3.42 | 4.82 | 12.75 | 3.47 | 3.82 | 0.15 | 2.83 | 5.66 | 2.74 | 2.60 | 5.29 | 50.42 |
| 1943 | 1.90 | 1.13 | 10.11 | 2.81 | 6.23 | 1.43 | 0.32 | 0.16 | 3.58 | 2.80 | 1.75 | 2.52 | 34.74 |
| 1944 | 2.64 | 6.83 | 7.33 | 6.28 | 8.68 | 1.39 | 2.43 | 2.28 | 1.32 | 0.13 | 4.65 | 10.89 | 54.85 |
| 1945 | 3.61 | 5.28 | 7.78 | 8.04 | 4.45 | 7.97 | 2.79 | 5.09 | 5.77 | 10.35 | 8.48 | 4.74 | 74.35 |
| 1946 | 10.15 | 6.01 | 7.85 | 4.04 | 8.07 | 0.57 | 1.52 | 2.19 | 1.01 | 2.47 | 7.98 | 2.64 | 54.50 |
| 1947 | 3.56 | 1.24 | 4.84 | 6.99 | 8.75 | 5.40 | 0.33 | 0.57 | 2.36 | 2.51 | 7.47 | 1.85 | 45.87 |
| 1948 | 4.56 | 7.36 | 7.70 | 2.61 | 4.50 | 1.11 | 9.09 | 3.24 | 1.22 | 2.02 | 8.57 | 3.10 | 55.08 |
| 1949 | 8.47 | 2.79 | 4.89 | 3.88 | 4.65 | 3.25 | 4.37 | 4.25 | 3.08 | 13.82 | 0.44 | 4.70 | 58.59 |
| 1950 | 9.95 | 6.11 | 7.75 | 3.52 | 5.54 | 1.21 | 2.54 | 8.09 | 6.52 | 1.25 | 2.04 | 3.45 | 57.97 |
| 1951 | 10.47 | 2.93 | 3.32 | 2.73 | 2.46 | 5.33 | 7.27 | 0.42 | 3.92 | 3.05 | 3.22 | 5.22 | 50.34 |
| 1952 | 6.85 | 3.27 | 5.49 | 3.78 | 3.74 | 0.22 | 1.22 | 2.06 | 3.46 | 0.32 | 5.96 | 3.98 | 40.35 |
| 1953 | 4.23 | 4.26 | 9.34 | 6.96 | 12.49 | 0.40 | 2.83 | 0.52 | 0.55 | 0.68 | 2.64 | 3.80 | 48.70 |
| 1954 | 6.89 | 1.80 | 1.44 | 5.03 | 3.34 | 0.79 | 3.68 | 0.50 | 2.50 | 2.34 | 1.53 | 5.06 | 34.90 |
| 1955 | 2.39 | 6.34 | 6.24 | 6.35 | 6.64 | 2.93 | 3.13 | 2.25 | 3.04 | 2.10 | 2.39 | 2.70 | 46.50 |
| 1956 | 2.68 | 10.13 | 3.54 | 4.49 | 1.80 | 1.96 | 2.05 | 1.96 | 0.94 | 4.89 | 4.86 | 4.18 | 43.48 |
| 1957 | 11.59 | 7.47 | 4.35 | 11.56 | 5.11 | 3.97 | 4.53 | 2.44 | 5.34 | 4.57 | 10.16 | 4.22 | 75.31 |
| 1958 | 4.18 | 2.10 | 4.53 | 8.41 | 10.27 | 4.92 | 5.35 | 4.91 | 8.67 | 0.33 | 4.86 | 2.15 | 60.68 |
| 1959 | 3.87 | 4.55 | 3.44 | 4.07 | 4.86 | 3.79 | 2.27 | 4.73 | 3.76 | 3.23 | 2.73 | 6.16 | 47.46 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1960 | 4.59 | 3.77 | 4.67 | 0.92 | 4.82 | 5.61 | 0.68 | 1.39 | 5.49 | 2.92 | 2.16 | 6.91 | 43.93 |
| 1961 | 1.34 | 5.96 | 10.69 | 2.72 | 6.96 | 2.09 | 3.72 | 3.98 | 2.46 | 1.56 | 7.42 | 10.71 | 59.61 |
| 1962 | 4.34 | 5.25 | 3.83 | 3.10 | 1.44 | 4.34 | 0.96 | 0.69 | 4.57 | 4.21 | 1.46 | 1.71 | 35.90 |
| 1963 | 1.09 | 3.34 | 4.12 | 6.80 | 3.51 | 3.01 | 6.72 | 3.70 | 1.56 | T | 4.01 | 3.75 | 41.61 |
| 1964 | 1.45 | 2.82 | 4.84 | 10.39 | 1.30 | 0.75 | 2.80 | 4.48 | 4.11 | 0.83 | 2.12 | 5.40 | 41.29 |
| 1965 | 5.40 | 6.86 | 7.76 | 1.48 | 5.62 | 3.18 | 3.57 | 2.15 | 9.03 | 0.22 | 1.95 | 1.72 | 48.94 |
| 1966 | 3.28 | 7.10 | **0.39** | **14.69** | 3.18 | 0.14 | 2.65 | 6.17 | 3.54 | 4.98 | 3.60 | 3.96 | 53.68 |
| 1967 | 1.24 | 2.14 | 2.00 | 4.76 | 10.65 | 2.56 | 6.10 | 0.58 | 3.03 | 2.48 | 1.45 | 8.14 | 45.13 |
| 1968 | 5.46 | 1.74 | 6.35 | 5.81 | 10.55 | 3.55 | 1.28 | 4.98 | 3.98 | 4.55 | 3.38 | 4.27 | 55.90 |
| 1969 | 6.01 | 4.83 | 3.50 | 2.10 | 3.05 | 2.08 | 2.67 | 6.75 | 1.14 | 3.00 | 5.40 | 6.60 | 47.13 |
| 1970 | 0.75 | 4.55 | 5.35 | 7.55 | 2.36 | 1.27 | 1.54 | 4.56 | 1.53 | 3.53 | 2.67 | 3.60 | 39.26 |
| 1971 | 2.60 | 3.02 | 4.43 | 1.52 | 3.65 | 1.64 | 7.52 | 5.39 | 0.56 | 1.66 | 2.41 | 4.73 | 39.13 |
| 1972 | 4.19 | 0.74 | 3.04 | 2.38 | 2.16 | 3.35 | 2.87 | 2.57 | 1.89 | 7.35 | 8.46 | 9.48 | 48.48 |
| 1973 | 6.06 | 3.29 | 8.37 | 10.15 | 5.56 | 1.38 | 5.37 | 0.59 | 4.34 | 5.53 | 6.78 | 4.75 | 62.17 |
| 1974 | 7.17 | 2.61 | 2.59 | 5.26 | 9.77 | 8.42 | 4.91 | 6.30 | 5.85 | 3.24 | 6.19 | 3.36 | 65.67 |
| 1975 | 4.68 | 4.10 | 10.23 | 3.82 | 4.62 | 3.34 | 2.95 | 4.24 | 1.58 | 1.92 | 2.95 | 2.15 | 46.58 |
| 1976 | 3.62 | 3.84 | 6.96 | 2.37 | 3.94 | 3.57 | 3.11 | 0.66 | 1.99 | 7.05 | 1.54 | 2.63 | 41.28 |
| 1977 | 3.29 | 2.28 | 5.69 | 4.20 | 1.23 | 3.95 | 4.72 | 0.46 | 3.54 | 1.40 | 5.85 | 1.94 | 38.55 |
| 1978 | 8.30 | 1.88 | 2.49 | 2.78 | 8.36 | 2.98 | 0.22 | 6.84 | 3.16 | 2.53 | 5.97 | 9.41 | 54.92 |
| 1979 | 6.05 | 6.86 | 3.15 | 12.02 | 13.01 | 4.47 | 3.71 | 4.90 | 4.77 | 4.40 | 4.08 | 5.11 | 72.53 |
| 1980 | 4.45 | 1.94 | 10.30 | 3.97 | 6.99 | 0.10 | 0.89 | 0.75 | 8.02 | 3.40 | 5.14 | 1.78 | 47.73 |
| 1981 | 0.96 | 3.17 | 3.44 | 2.13 | 6.77 | 5.79 | 4.40 | 6.10 | 2.61 | 4.82 | 1.63 | 0.72 | 42.54 |
| 1982 | 5.75 | 4.08 | 1.82 | 9.20 | 4.63 | 5.58 | 3.25 | 5.81 | 1.99 | 4.38 | 4.66 | **15.02** | 66.17 |
| 1983 | 1.13 | 4.68 | 3.77 | 7.10 | 9.69 | 4.52 | 5.04 | 0.20 | 3.86 | 2.27 | 6.39 | 10.88 | 59.53 |
| 1984 | 2.41 | 4.29 | 5.12 | 4.00 | 10.52 | 1.72 | 4.94 | 5.79 | 6.62 | 14.05 | 5.58 | 4.98 | 70.02 |
| 1985 | 3.80 | 6.41 | 5.70 | 6.41 | 2.09 | 2.18 | 6.53 | 5.03 | 2.09 | 7.36 | 2.48 | 3.78 | 53.86 |
| 1986 | 0.30 | 5.00 | 2.70 | 5.34 | 3.10 | 5.58 | 0.50 | 3.40 | 1.20 | 6.40 | 8.76 | | |
| 1987 | 2.33 | 8.09 | 2.90 | 0.60 | 3.63 | 3.10 | 1.70 | 2.06 | | 1.55 | 11.30 | 12.20 | |
| 1988 | 3.91 | 2.40 | 3.50 | 3.30 | 1.39 | 0.53 | 4.68 | 0.65 | 3.41 | 3.63 | 9.22 | 4.49 | 41.11 |
| 1989 | 6.50 | 9.11 | 7.67 | 4.11 | 3.59 | 8.27 | 10.03 | 2.03 | 2.93 | 0.36 | 3.67 | 2.32 | 60.59 |
| 1990 | 5.62 | 8.81 | 9.70 | 7.67 | 7.01 | 2.64 | 2.17 | 1.64 | 3.36 | 9.20 | 3.79 | 7.51 | 69.12 |
| 1991 | 4.07 | 5.02 | 3.76 | 13.24 | 4.13 | 2.67 | 4.01 | 3.53 | 2.09 | 10.34 | 4.33 | 6.06 | 63.25 |
| 1992 | 2.02 | 2.95 | 7.84 | 1.74 | 1.97 | 6.53 | 8.10 | 3.26 | 2.11 | 2.24 | 2.69 | 4.08 | 45.53 |
| 1993 | 4.17 | 2.67 | 3.32 | 6.44 | 4.21 | 1.47 | 0.90 | 4.84 | 2.31 | 5.58 | 6.16 | 7.68 | 49.75 |
| 1994 | 7.73 | 4.51 | 5.03 | 1.55 | 3.78 | 6.59 | 5.70 | 3.25 | 4.67 | 3.21 | 2.79 | 3.46 | 52.27 |
| 1995 | 5.83 | 2.19 | 5.53 | 5.37 | 4.17 | 2.75 | 3.30 | 0.84 | 0.54 | 0.99 | 2.28 | 7.02 | 40.81 |
| 1996 | 1.99 | 2.78 | 4.20 | 3.73 | 2.63 | 3.66 | 6.09 | 0.96 | 6.55 | 6.56 | 6.29 | 4.07 | 49.51 |
| 1997 | 3.84 | 5.93 | 6.51 | 13.20 | 2.16 | 5.87 | 1.38 | 3.35 | 2.80 | 4.56 | 3.82 | 3.77 | 57.19 |
| 1998 | 6.40 | 3.22 | 5.50 | 2.96 | 1.14 | 2.59 | 1.63 | 3.14 | 3.24 | 4.88 | 2.94 | 6.45 | 44.09 |
| 1999 | 7.87 | **0.64** | 7.98 | 4.61 | 2.93 | 3.21 | 4.09 | T | 1.17 | 1.96 | 1.63 | 4.55 | 40.64 |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000 | 1.01 | 2.35 | 4.82 | 3.08 | 9.44 | 4.51 | 0.82 | 0.13 | 2.16 | 0.98 | 8.87 | 2.24 | 40.16 |
| 2001 | 4.00 | 6.92 | 4.48 | 5.38 | 5.20 | 1.92 | 2.13 | 2.85 | **0.11** | 9.41 | 5.86 | 7.75 | 56.01 |
| 2002 | 2.22 | 1.82 | 12.08 | 0.70 | 8.26 | 1.13 | 2.64 | 4.24 | 2.46 | 3.98 | 2.76 | 9.62 | 51.91 |
| 2003 | **0.19** | 7.56 | 1.76 | 2.05 | 7.79 | 4.43 | 1.11 | 0.78 | 2.42 | 1.63 | 3.60 | 2.05 | 35.37 |
| 2004 | 4.85 | 6.32 | 4.30 | 4.09 | 5.92 | 4.93 | 3.39 | 0.94 | 0.17 | 5.76 | **12.18** | 2.52 | 55.37 |
| 2005 | 3.28 | 3.54 | 4.43 | 4.70 | 3.02 | 3.07 | 5.81 | 3.13 | 4.02 | 0.34 | 2.56 | 0.72 | 38.62 |
| 2006 | 5.37 | 2.99 | 3.23 | 2.59 | 5.06 | 3.78 | 1.63 | 2.18 | 4.88 | 3.37 | 2.79 | 5.18 | 43.05 |
| 2007 | 6.38 | 2.42 | 2.58 | 2.01 | 4.15 | 1.77 | 1.88 | 0.13 | 7.16 | 7.78 | 2.04 | 7.21 | 45.51 |
| 2008 | 2.66 | 3.45 | 4.07 | 6.92 | 2.80 | 1.05 | 1.27 | 4.67 | 6.20 | 6.56 | 1.77 | 5.09 | 46.50 |
| 2009 | 3.24 | 3.69 | 5.34 | 4.55 | 11.71 | 3.12 | 9.02 | 4.81 | 7.51 | **14.34** | 2.12 | 8.57 | 78.02 |
| 2010 | 3.46 | 3.05 | 3.20 | 3.39 | 1.96 | 2.21 | 4.11 | 0.95 | 1.05 | 1.70 | 5.68 | 1.21 | **31.97** |
| 2011 | 1.02 | 3.51 | 1.94 | 13.26 | 4.04 | 0.93 | 1.39 | 3.61 | 0.84 | 3.25 | 5.92 | 8.99 | 48.70 |
| 2012 | 2.66 | 2.56 | 4.46 | 2.62 | 2.21 | 1.33 | | | | | | | |
| 2013 | | | | | | | | | | | | | |
| 2014 | | | | | | | | | | | | | |
| 2015 | | | | | | | | | | | | | |
| 2016 | | | | | | | | | | | | | |
| 2017 | | | | | | | | | | | | | |
| 2018 | | | | | | | | | | | | | |
| 2019 | | | | | | | | | | | | | |
| 2020 | | | | | | | | | | | | | |
| 2021 | | | | | | | | | | | | | |
| 2022 | | | | | | | | | | | | | |
| 2023 | | | | | | | | | | | | | |
| 2024 | | | | | | | | | | | | | |
| 2025 | | | | | | | | | | | | | |
| 2026 | | | | | | | | | | | | | |
| 2027 | | | | | | | | | | | | | |
| 2028 | | | | | | | | | | | | | |
| 2029 | | | | | | | | | | | | | |
| 2030 | | | | | | | | | | | | | |
| 2031 | | | | | | | | | | | | | |
| 2032 | | | | | | | | | | | | | |
| 2033 | | | | | | | | | | | | | |
| 2034 | | | | | | | | | | | | | |
| 2035 | | | | | | | | | | | | | |
| 2036 | | | | | | | | | | | | | |
| 2037 | | | | | | | | | | | | | |
| 2038 | | | | | | | | | | | | | |
| 2039 | | | | | | | | | | | | | |
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |

# PINE BLUFF, ARKANSAS - SNOWFALL

| YEAR | OCT | NOV | DEC | YEAR | JAN | FEB | MAR | APR | SEASON | TOTAL | ANNUAL | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1883 | | | | 1884 | 5.0 | | | | 1883-1884 | | 1883 | |
| 1884 | | | | 1885 | | | | | 1884-1885 | | 1884 | |
| 1885 | | | | 1886 | | | | **2.5** | 1885-1886 | | 1885 | |
| 1886 | | | | 1887 | | | | | 1886-1887 | | 1886 | |
| 1887 | | | | 1888 | | | | | 1887-1888 | | 1887 | |
| 1888 | | | | 1889 | | | | | 1888-1889 | | 1888 | |
| 1889 | | | | 1890 | | | | | 1889-1890 | | 1889 | |
| 1890 | 0.0 | 0.0 | 0.0 | 1891 | 0.0 | 1.0 | 1.2 | 0.0 | 1890-1891 | 2.2 | 1890 | |
| 1891 | 0.0 | T | 0.0 | 1892 | 3.0 | 0.0 | **14.0** | 0.0 | 1891-1892 | 17.0 | 1891 | 2.2 |
| 1892 | 0.0 | 0.0 | 0.0 | 1893 | 11.0 | 0.0 | 0.0 | 0.0 | 1892-1893 | 11.0 | 1892 | 17.0 |
| 1893 | 0.0 | 0.0 | 0.0 | 1894 | | | 2.0 | 0.0 | 1893-1894 | | 1893 | 11.0 |
| 1894 | 0.0 | 0.0 | | 1895 | 0.0 | | 0.0 | 0.0 | 1894-1895 | | 1894 | |
| 1895 | 0.0 | 0.0 | 2.7 | 1896 | 0.0 | 0.0 | 2.5 | 0.0 | 1895-1896 | 5.2 | 1895 | |
| 1896 | 0.0 | 0.0 | 0.0 | 1897 | 0.7 | 0.5 | 0.0 | 0.0 | 1896-1897 | 1.2 | 1896 | 2.5 |
| 1897 | 0.0 | 0.0 | T | 1898 | 0.0 | 0.0 | 0.0 | 0.0 | 1897-1898 | T | 1897 | 1.2 |
| 1898 | 0.0 | 0.0 | 6.0 | 1899 | 1.0 | 2.0 | 0.0 | 0.0 | 1898-1899 | 9.0 | 1898 | 6.0 |
| 1899 | 0.0 | 0.0 | 3.0 | 1900 | 0.0 | 0.0 | 0.0 | 0.0 | 1899-1900 | 3.0 | 1899 | 6.0 |
| 1900 | 0.0 | 0.0 | 0.0 | 1901 | 0.0 | 1.6 | 0.0 | 0.0 | 1900-1901 | 1.6 | 1900 | 0.0 |
| 1901 | 0.0 | 0.0 | 2.0 | 1902 | 2.0 | 0.0 | 0.0 | 0.0 | 1901-1902 | 4.0 | 1901 | 3.6 |
| 1902 | 0.0 | 0.0 | 0.0 | 1903 | 0.0 | 3.0 | 0.0 | 0.0 | 1902-1903 | 3.0 | 1902 | 2.0 |
| 1903 | 0.0 | 0.0 | 0.0 | 1904 | T | T | 0.0 | 0.0 | 1903-1904 | T | 1903 | 3.0 |
| 1904 | 0.0 | 0.0 | 2.0 | 1905 | 0.0 | 5.0 | 0.0 | 0.0 | 1904-1905 | 7.0 | 1904 | 2.0 |
| 1905 | 0.0 | 0.0 | 2.5 | 1906 | 1.5 | 1.0 | 0.0 | 0.0 | 1905-1906 | 5.0 | 1905 | 7.5 |
| 1906 | 0.0 | 0.0 | 1.0 | 1907 | T | T | 0.0 | 0.0 | 1906-1907 | 1.0 | 1906 | 3.5 |
| 1907 | 0.0 | 0.0 | 0.0 | 1908 | 0.0 | 0.0 | 0.0 | 0.0 | 1907-1908 | 0.0 | 1907 | T |
| 1908 | 0.0 | 0.0 | 1.0 | 1909 | 1.0 | 0.0 | 0.0 | 0.0 | 1908-1909 | 2.0 | 1908 | 1.0 |
| 1909 | 0.0 | 0.0 | 4.1 | 1910 | 6.0 | 6.3 | 0.0 | 0.0 | 1909-1910 | 16.4 | 1909 | 5.1 |
| 1910 | 0.0 | 0.0 | 0.0 | 1911 | T | 0.0 | 0.0 | 0.0 | 1910-1911 | T | 1910 | 12.3 |
| 1911 | 0.0 | 0.0 | 0.0 | 1912 | 0.0 | 0.2 | 0.0 | 0.0 | 1911-1912 | 0.2 | 1911 | T |
| 1912 | 0.0 | 0.0 | 1.0 | 1913 | 0.0 | 0.5 | 0.0 | 0.0 | 1912-1913 | 1.5 | 1912 | 1.2 |
| 1913 | 0.0 | 0.0 | 0.0 | 1914 | T | 0.0 | 0.0 | 0.0 | 1913-1914 | T | 1913 | 0.5 |
| 1914 | 0.0 | 0.0 | 2.0 | 1915 | 5.0 | 0.0 | 1.0 | 0.0 | 1914-1915 | 8.0 | 1914 | 2.0 |
| 1915 | 0.0 | 0.0 | 0.0 | 1916 | 0.5 | 3.0 | 0.0 | 0.0 | 1915-1916 | 3.5 | 1915 | 6.0 |
| 1916 | 0.0 | 0.0 | 0.5 | 1917 | 3.0 | 0.0 | 2.0 | 0.0 | 1916-1917 | 5.5 | 1916 | 4.0 |
| 1917 | 0.0 | T | 1.0 | 1918 | 7.0 | 0.0 | 0.0 | 0.0 | 1917-1918 | 8.0 | 1917 | 6.0 |
| 1918 | 0.0 | 0.0 | 0.0 | 1919 | 0.0 | 0.5 | T | 0.0 | 1918-1919 | 0.5 | 1918 | 7.0 |
| 1919 | 0.0 | 0.0 | 0.0 | 1920 | 0.2 | 0.0 | 0.0 | 0.0 | 1919-1920 | 0.2 | 1919 | 0.5 |
| 1920 | 0.0 | 0.0 | 0.0 | 1921 | 0.0 | 3.0 | 0.0 | 0.0 | 1920-1921 | 3.0 | 1920 | 0.2 |
| 1921 | 0.0 | 0.0 | 0.0 | 1922 | T | T | 0.0 | 0.0 | 1921-1922 | T | 1921 | 3.0 |
| 1922 | 0.0 | 0.0 | 0.0 | 1923 | 0.0 | 3.0 | 0.0 | 0.0 | 1922-1923 | 3.0 | 1922 | T |
| 1923 | 0.0 | 0.0 | 0.0 | 1924 | T | T | 8.0 | 0.0 | 1923-1924 | 8.0 | 1923 | 3.0 |
| 1924 | 0.0 | 0.0 | 0.0 | 1925 | T | 1.5 | 0.0 | 0.0 | 1924-1925 | 1.5 | 1924 | 8.0 |
| 1925 | 0.0 | 0.0 | 0.1 | 1926 | 0.0 | 0.0 | 0.0 | 0.0 | 1925-1926 | 0.1 | 1925 | 1.6 |
| 1926 | 0.0 | 0.0 | 0.8 | 1927 | 0.0 | 0.0 | 0.0 | 0.0 | 1926-1927 | 0.8 | 1926 | 0.8 |
| 1927 | 0.0 | 0.0 | 0.0 | 1928 | 0.0 | 0.0 | 0.0 | T | 1927-1928 | T | 1927 | 0.0 |
| 1928 | 0.0 | 0.0 | 0.0 | 1929 | 0.0 | 2.0 | 0.0 | 0.0 | 1928-1929 | 2.0 | 1928 | T |
| 1929 | 0.0 | **5.0** | 2.0 | 1930 | 3.5 | T | T | 0.0 | 1929-1930 | 10.5 | 1929 | 9.0 |
| YEAR | OCT | NOV | DEC | YEAR | JAN | FEB | MAR | APR | SEASON | TOTAL | ANNUAL | TOTAL |

| YEAR | OCT | NOV | DEC | YEAR | JAN | FEB | MAR | APR | SEASON | TOTAL | ANNUAL | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1930 | 0.0 | 0.0 | 0.0 | 1931 | T | 0.0 | T | 0.0 | 1930-1931 | T | 1930 | 3.5 |
| 1931 | 0.0 | 0.0 | 0.0 | 1932 | 0.0 | 0.0 | 1.8 | 0.0 | 1931-1932 | 1.8 | 1931 | T |
| 1932 | 0.0 | 0.0 | 5.6 | 1933 | 0.0 | 2.3 | 0.0 | 0.0 | 1932-1933 | 7.9 | 1932 | 7.4 |
| 1933 | 0.0 | 0.0 | 0.0 | 1934 | T | 0.2 | T | 0.0 | 1933-1934 | 0.2 | 1933 | 2.3 |
| 1934 | 0.0 | 0.0 | 0.0 | 1935 | 3.0 | T | 0.0 | 0.0 | 1934-1935 | 3.0 | 1934 | 0.2 |
| 1935 | 0.0 | 0.0 | 0.5 | 1936 | 5.0 | 2.5 | T | 0.0 | 1935-1936 | 8.0 | 1935 | 3.5 |
| 1936 | 0.0 | T | 0.0 | 1937 | T | T | T | 0.0 | 1936-1937 | T | 1936 | 7.5 |
| 1937 | 0.0 | T | T | 1938 | 0.0 | 0.0 | 0.0 | 0.0 | 1937-1938 | T | 1937 | T |
| 1938 | 0.0 | T | 0.0 | 1939 | T | T | 0.0 | 0.0 | 1938-1939 | T | 1938 | T |
| 1939 | 0.0 | 0.0 | T | 1940 | 3.7 | 2.0 | T | 0.0 | 1939-1940 | 5.7 | 1939 | T |
| 1940 | 0.0 | 0.0 | 0.0 | 1941 | T | T | 0.0 | 0.0 | 1940-1941 | T | 1940 | 5.7 |
| 1941 | 0.0 | T | T | 1942 | 1.0 | 3.0 | T | 0.0 | 1941-1942 | 4.0 | 1941 | T |
| 1942 | 0.0 | 0.0 | T | 1943 | 1.0 | T | T | 0.0 | 1942-1943 | 1.0 | 1942 | 4.0 |
| 1943 | 0.0 | 0.0 | T | 1944 | 3.0 | T | 0.0 | 0.0 | 1943-1944 | 3.0 | 1943 | 1.0 |
| 1944 | 0.0 | 0.0 | 0.0 | 1945 | 0.0 | T | 0.0 | 0.0 | 1944-1945 | T | 1944 | 3.0 |
| 1945 | 0.0 | 0.0 | 2.5 | 1946 | 5.0 | 3.0 | 0.0 | 0.0 | 1945-1946 | 10.5 | 1945 | 2.5 |
| 1946 | 0.0 | 0.0 | T | 1947 | 0.0 | 0.0 | 0.0 | 0.0 | 1946-1947 | T | 1946 | 8.0 |
| 1947 | 0.0 | 0.0 | 0.0 | 1948 | 10.9 | 0.8 | T | 0.0 | 1947-1948 | 11.7 | 1947 | 0.0 |
| 1948 | 0.0 | 0.0 | 0.0 | 1949 | 4.0 | 0.0 | 0.0 | 0.0 | 1948-1949 | 4.0 | 1948 | 11.7 |
| 1949 | 0.0 | 0.0 | T | 1950 | 0.0 | T | 0.0 | 0.0 | 1949-1950 | T | 1949 | 4.0 |
| 1950 | 0.0 | T | 1.0 | 1951 | 3.0 | T | T | 0.0 | 1950-1951 | 4.0 | 1950 | 1.0 |
| 1951 | 0.0 | T | 0.0 | 1952 | 0.0 | T | T | 0.0 | 1951-1952 | T | 1951 | 3.0 |
| 1952 | 0.0 | T | T | 1953 | 0.0 | 0.0 | T | 0.0 | 1952-1953 | T | 1952 | T |
| 1953 | 0.0 | T | T | 1954 | 4.0 | 0.0 | 0.0 | 0.0 | 1953-1954 | 4.0 | 1953 | T |
| 1954 | 0.0 | 0.0 | T | 1955 | T | T | 0.0 | 0.0 | 1954-1955 | T | 1954 | 4.0 |
| 1955 | 0.0 | 0.0 | 0.0 | 1956 | T | T | 0.0 | 0.0 | 1955-1956 | T | 1955 | T |
| 1956 | 0.0 | 0.0 | 0.0 | 1957 | T | 0.0 | 0.0 | 0.0 | 1956-1957 | T | 1956 | T |
| 1957 | 0.0 | 0.0 | 0.0 | 1958 | T | 1.0 | 0.0 | 0.0 | 1957-1958 | 1.0 | 1957 | T |
| 1958 | 0.0 | T | 10.4 | 1959 | T | T | 0.0 | 0.0 | 1958-1959 | 10.4 | 1958 | 11.4 |
| 1959 | 0.0 | 0.0 | 0.0 | 1960 | 5.0 | 9.2 | 4.0 | 0.0 | 1959-1960 | 18.2 | 1959 | T |
| 1960 | 0.0 | 0.0 | T | 1961 | T | 0.0 | 0.0 | 0.0 | 1960-1961 | T | 1960 | 18.2 |
| 1961 | 0.0 | 0.0 | 0.0 | 1962 | 8.0 | T | T | 0.0 | 1961-1962 | 8.0 | 1961 | T |
| 1962 | 0.0 | 0.0 | T | 1963 | T | T | 0.0 | 0.0 | 1962-1963 | T | 1962 | 8.0 |
| 1963 | 0.0 | 0.0 | **12.2** | 1964 | T | T | 0.0 | 0.0 | 1963-1964 | 12.2 | 1963 | 12.2 |
| 1964 | 0.0 | 0.0 | T | 1965 | T | 3.0 | 7.3 | 0.0 | 1964-1965 | 10.3 | 1964 | T |
| 1965 | 0.0 | 0.0 | 0.0 | 1966 | **20.5** | 4.6 | 0.0 | 0.0 | 1965-1966 | **25.1** | 1965 | 10.3 |
| 1966 | 0.0 | T | T | 1967 | 1.0 | T | T | 0.0 | 1966-1967 | 1.0 | 1966 | **25.1** |
| 1967 | 0.0 | T | T | 1968 | T | 1.0 | T | 0.0 | 1967-1968 | 1.0 | 1967 | 1.0 |
| 1968 | 0.0 | 0.0 | 0.0 | 1969 | T | T | T | 0.0 | 1968-1969 | T | 1968 | 1.0 |
| 1969 | 0.0 | 0.0 | T | 1970 | 1.4 | 0.2 | T | 0.0 | 1969-1970 | 1.6 | 1969 | T |
| YEAR | OCT | NOV | DEC | YEAR | JAN | FEB | MAR | APR | SEASON | TOTAL | ANNUAL | TOTAL |

| YEAR | OCT | NOV | DEC | YEAR | JAN | FEB | MAR | APR | SEASON | TOTAL | ANNUAL | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1970 | 0.0 | 0.0 | 0.0 | 1971 | T | 2.0 | 1.0 | T | 1970-1971 | 3.0 | 1970 | 1.6 |
| 1971 | 0.0 | T | T | 1972 | T | T | 0.0 | 0.0 | 1971-1972 | T | 1971 | 3.0 |
| 1972 | 0.0 | 0.0 | T | 1973 | T | 0.0 | 0.0 | 0.0 | 1972-1973 | T | 1972 | T |
| 1973 | 0.0 | 0.0 | T | 1974 | T | T | 0.0 | 0.0 | 1973-1974 | T | 1973 | T |
| 1974 | 0.0 | T | 0.0 | 1975 | 3.0 | 1.5 | T | 0.0 | 1974-1975 | 4.5 | 1974 | T |
| 1975 | 0.0 | 0.0 | T | 1976 | 0.0 | 0.0 | 0.0 | 0.0 | 1975-1976 | T | 1975 | 4.5 |
| 1976 | 0.0 | 0.5 | 0.0 | 1977 | 2.0 | 0.0 | 0.0 | 0.0 | 1976-1977 | 2.5 | 1976 | 0.5 |
| 1977 | 0.0 | 0.0 | T | 1978 | 6.1 | 4.0 | 0.0 | 0.0 | 1977-1978 | 10.1 | 1977 | 2.0 |
| 1978 | 0.0 | 0.0 | 0.0 | 1979 | T | 8.3 | 0.0 | 0.0 | 1978-1979 | 8.3 | 1978 | 10.1 |
| 1979 | 0.0 | 0.0 | 0.0 | 1980 | T | 4.5 | 0.2 | 0.0 | 1979-1980 | 4.7 | 1979 | 8.3 |
| 1980 | 0.0 | 1.0 | T | 1981 | 0.0 | 0.0 | 0.0 | 0.0 | 1980-1981 | 1.0 | 1980 | 5.7 |
| 1981 | 0.0 | 0.0 | 0.0 | 1982 | 8.2 | 7.6 | 1.5 | 0.0 | 1981-1982 | 17.3 | 1981 | 0.0 |
| 1982 | 0.0 | 0.0 | 0.5 | 1983 | 0.8 | 3.7 | 0.0 | T | 1982-1983 | 5.0 | 1982 | 17.8 |
| 1983 | 0.0 | 0.0 | 4.5 | 1984 | 2.5 | 0.4 | T | 0.0 | 1983-1984 | 7.4 | 1983 | 9.0 |
| 1984 | 0.0 | 0.0 | T | 1985 | 5.0 | **12.5** | 0.0 | 0.0 | 1984-1985 | 17.5 | 1984 | 2.9 |
| 1985 | 0.0 | 0.0 | 0.0 | 1986 | | | 0.0 | 0.0 | 1985-1986 | | 1985 | |
| 1986 | | | | 1987 | 0.0 | 0.0 | | | 1986-1987 | | 1986 | |
| 1987 | | | | 1988 | 12.0 | | | | 1987-1988 | | 1987 | |
| 1988 | 0.0 | 0.0 | 0.0 | 1989 | T | T | T | 0.0 | 1988-1989 | T | 1988 | |
| 1989 | 0.0 | 0.0 | T | 1990 | 0.0 | 0.0 | 0.0 | 0.0 | 1989-1990 | 0.0 | 1989 | T |
| 1990 | 0.0 | 0.0 | T | 1991 | T | T | T | 0.0 | 1990-1991 | T | 1990 | T |
| 1991 | 0.0 | T | 0.0 | 1992 | 2.0 | 0.0 | T | 0.0 | 1991-1992 | 2.0 | 1991 | T |
| 1992 | 0.0 | T | T | 1993 | T | T | T | 0.0 | 1992-1993 | T | 1992 | 2.0 |
| 1993 | **T** | 0.0 | 0.0 | 1994 | T | 5.0 | T | 0.0 | 1993-1994 | 5.0 | 1993 | T |
| 1994 | 0.0 | 0.0 | 0.0 | 1995 | 4.0 | T | T | 0.0 | 1994-1995 | 4.0 | 1994 | 5.0 |
| 1995 | 0.0 | 0.0 | T | 1996 | T | 3.0 | 0.0 | 0.0 | 1995-1996 | 3.0 | 1995 | 4.0 |
| 1996 | 0.0 | 0.0 | T | 1997 | T | 1.0 | 0.0 | 0.0 | 1996-1997 | 1.0 | 1996 | 3.0 |
| 1997 | 0.0 | T | 0.0 | 1998 | T | 0.0 | 0.0 | 0.0 | 1997-1998 | T | 1997 | 1.0 |
| 1998 | 0.0 | 0.0 | 3.0 | 1999 | 0.0 | 0.0 | T | 0.0 | 1998-1999 | 3.0 | 1998 | 3.0 |
| 1999 | 0.0 | 0.0 | 0.0 | 2000 | 11.0 | 0.0 | 0.0 | 0.0 | 1999-2000 | 11.0 | 1999 | T |
| 2000 | 0.0 | 0.0 | 0.1 | 2001 | 1.3 | 0.0 | 0.0 | 0.0 | 2000-2001 | 1.4 | 2000 | 11.1 |
| 2001 | 0.0 | 0.0 | 0.0 | 2002 | T | 2.1 | 0.0 | 0.0 | 2001-2002 | 2.1 | 2001 | 1.3 |
| 2002 | 0.0 | 0.0 | 0.0 | 2003 | 1.3 | 4.1 | 0.0 | 0.0 | 2002-2003 | 5.4 | 2002 | 2.1 |
| 2003 | 0.0 | 0.0 | T | 2004 | 0.0 | 1.0 | 0.0 | 0.0 | 2003-2004 | 1.0 | 2003 | 5.4 |
| 2004 | 0.0 | 0.0 | 1.6 | 2005 | T | 0.0 | 0.0 | 0.0 | 2004-2005 | 1.6 | 2004 | 2.6 |
| 2005 | 0.0 | 0.0 | 1.0 | 2006 | T | T | 0.0 | 0.0 | 2005-2006 | 1.0 | 2005 | 1.0 |
| 2006 | 0.0 | 0.0 | 0.0 | 2007 | 0.0 | 0.2 | 0.0 | 0.0 | 2006-2007 | 0.2 | 2006 | T |
| 2007 | 0.0 | 0.0 | T | 2008 | T | T | 6.0 | 0.0 | 2007-2008 | 6.0 | 2007 | 0.2 |
| 2008 | 0.0 | 0.0 | T | 2009 | T | T | T | 0.0 | 2008-2009 | T | 2008 | 6.0 |
| 2009 | 0.0 | 0.0 | T | 2010 | 0.3 | 0.6 | T | 0.0 | 2009-2010 | 0.9 | 2009 | T |
| YEAR | OCT | NOV | DEC | YEAR | JAN | FEB | MAR | APR | SEASON | TOTAL | ANNUAL | TOTAL |

| YEAR | OCT | NOV | DEC | YEAR | JAN | FEB | MAR | APR | SEASON | TOTAL | ANNUAL | TOTAL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2010 | 0.0 | 0.0 | 0.0 | 2011 | 4.1 | 3.6 | 0.0 | 0.0 | 2010-2011 | 7.7 | 2010 | 0.9 |
| 2011 | 0.0 | 0.0 | 0.5 | 2012 | 0.0 | T | 0.0 | 0.0 | 2011-2012 | 0.5 | 2011 | 8.2 |
| 2012 | | | | 2013 | | | | | 2012-2013 | | 2012 | |
| 2013 | | | | 2014 | | | | | 2013-2014 | | 2013 | |
| 2014 | | | | 2015 | | | | | 2014-2015 | | 2014 | |
| 2015 | | | | 2016 | | | | | 2015-2016 | | 2015 | |
| 2016 | | | | 2017 | | | | | 2016-2017 | | 2016 | |
| 2017 | | | | 2018 | | | | | 2017-2018 | | 2017 | |
| 2018 | | | | 2019 | | | | | 2018-2019 | | 2018 | |
| 2019 | | | | 2020 | | | | | 2019-2020 | | 2019 | |
| 2020 | | | | 2021 | | | | | 2020-2021 | | 2020 | |
| 2021 | | | | 2022 | | | | | 2021-2022 | | 2021 | |
| 2022 | | | | 2023 | | | | | 2022-2023 | | 2022 | |
| 2023 | | | | 2024 | | | | | 2023-2024 | | 2023 | |
| 2024 | | | | 2025 | | | | | 2024-2025 | | 2024 | |
| 2025 | | | | 2026 | | | | | 2025-2026 | | 2025 | |
| 2026 | | | | 2027 | | | | | 2026-2027 | | 2026 | |
| 2027 | | | | 2028 | | | | | 2027-2028 | | 2027 | |
| 2028 | | | | 2029 | | | | | 2028-2029 | | 2028 | |
| 2029 | | | | 2030 | | | | | 2029-2030 | | 2029 | |
| 2030 | | | | 2031 | | | | | 2030-2031 | | 2030 | |
| 2031 | | | | 2032 | | | | | 2031-2032 | | 2031 | |
| 2032 | | | | 2033 | | | | | 2032-2033 | | 2032 | |
| 2033 | | | | 2034 | | | | | 2033-2034 | | 2033 | |
| 2034 | | | | 2035 | | | | | 2034-2035 | | 2034 | |
| 2035 | | | | 2036 | | | | | 2035-2036 | | 2035 | |
| 2036 | | | | 2037 | | | | | 2036-2037 | | 2036 | |
| 2037 | | | | 2038 | | | | | 2037-2038 | | 2037 | |
| 2038 | | | | 2039 | | | | | 2038-2039 | | 2038 | |
| 2039 | | | | 2040 | | | | | 2039-2040 | | 2039 | |
| 2040 | | | | 2041 | | | | | 2040-2041 | | 2040 | |
| 2041 | | | | 2042 | | | | | 2041-2042 | | 2041 | |
| 2042 | | | | 2043 | | | | | 2042-2043 | | 2042 | |
| 2043 | | | | 2044 | | | | | 2043-2044 | | 2043 | |
| 2044 | | | | 2045 | | | | | 2044-2045 | | 2044 | |
| 2045 | | | | 2046 | | | | | 2045-2046 | | 2045 | |
| 2046 | | | | 2047 | | | | | 2046-2047 | | 2046 | |
| 2047 | | | | 2048 | | | | | 2047-2048 | | 2047 | |
| 2048 | | | | 2049 | | | | | 2048-2049 | | 2048 | |
| 2049 | | | | 2050 | | | | | 2049-2050 | | 2049 | |
| YEAR | OCT | NOV | DEC | YEAR | JAN | FEB | MAR | APR | SEASON | TOTAL | ANNUAL | TOTAL |

# PINE BLUFF, ARKANSAS – SEASONAL TEMPERATURE DATA

| | HIGH | | | | | AVERAGE | | | | | LOW | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL |
| 1884 | | | 89.57 | | 1884 | | | 80.1 | | 1884 | | | 72.20 | |
| 1885 | | | 92.17 | | 1885 | | | 81.1 | | 1885 | | | 70.30 | |
| 1886 | | | 90.53 | | 1886 | | | 80.8 | | 1886 | | | 70.20 | |
| 1887 | | | 92.23 | | 1887 | | | 81.0 | | 1887 | | | 69.43 | |
| 1888 | | | 91.57 | | 1888 | | | 81.2 | | 1888 | | | 70.63 | |
| 1889 | | | 89.03 | 72.20 | 1889 | | | 79.1 | 61.6 | 1889 | | | 69.23 | 51.13 |
| 1890 | | | 91.97 | 74.23 | 1890 | | | 81.5 | 64.5 | 1890 | | | 71.03 | 54.67 |
| 1891 | 56.00 | 73.33 | 90.37 | 75.40 | 1891 | 46.5 | 60.6 | 79.7 | 62.6 | 1891 | 36.93 | 47.90 | 69.10 | 49.77 |
| 1892 | 56.53 | 72.57 | 89.90 | 75.27 | 1892 | 45.7 | 61.6 | 80.5 | 64.2 | 1892 | 34.93 | 50.80 | 71.10 | 53.07 |
| 1893 | 56.23 | 75.00 | 91.67 | 75.93 | 1893 | 44.5 | 63.1 | 81.0 | 63.8 | 1893 | 32.87 | 51.37 | 70.20 | 51.63 |
| 1894 | | 55.30 | 91.27 | 77.80 | 1894 | | | 79.3 | 64.5 | 1894 | | 40.67 | 67.37 | 51.23 |
| 1895 | | 75.17 | 90.77 | 77.57 | 1895 | | 63.4 | 80.3 | 64.2 | 1895 | | 51.57 | 69.90 | 50.83 |
| 1896 | 58.27 | 79.27 | 96.33 | 77.37 | 1896 | 46.8 | **69.1** | 83.1 | 65.2 | 1896 | 35.47 | **57.93** | 69.93 | 53.03 |
| 1897 | 58.63 | 76.40 | 96.40 | 82.53 | 1897 | 47.1 | 65.5 | 83.0 | 67.2 | 1897 | 35.83 | 54.63 | 69.67 | 51.97 |
| 1898 | 57.40 | 77.07 | 93.47 | 74.67 | 1898 | 47.0 | 65.3 | 82.4 | 63.3 | 1898 | 36.63 | 53.53 | 71.33 | 51.90 |
| 1899 | 51.43 | 74.37 | 93.80 | 79.70 | 1899 | 40.7 | 63.5 | 81.6 | 65.3 | 1899 | 29.97 | 52.60 | 69.43 | 50.90 |
| 1900 | 53.87 | 72.53 | 91.93 | 78.67 | 1900 | 43.7 | 61.2 | 80.9 | 67.0 | 1900 | 33.47 | 49.87 | 69.87 | 55.33 |
| 1901 | 56.93 | 73.57 | 97.40 | 76.93 | 1901 | 46.0 | 61.1 | 83.1 | 62.1 | 1901 | 35.17 | 48.50 | 68.87 | 47.27 |
| 1902 | 47.93 | 76.10 | 94.53 | 75.93 | 1902 | 37.6 | 63.8 | 81.5 | 63.5 | 1902 | 27.13 | 51.37 | 68.60 | 51.03 |
| 1903 | 50.40 | 74.80 | 89.87 | 74.53 | 1903 | 40.3 | 63.5 | **77.6** | 61.2 | 1903 | 31.10 | 52.13 | **65.40** | 47.83 |
| 1904 | 53.90 | 73.83 | 91.53 | 76.20 | 1904 | 41.8 | 61.2 | 79.3 | 63.0 | 1904 | 29.77 | 48.67 | 67.00 | 49.63 |
| 1905 | 46.87 | 75.73 | 89.60 | 75.23 | 1905 | 37.1 | 64.8 | 79.5 | 63.7 | 1905 | 27.20 | 53.97 | 69.33 | 52.10 |
| 1906 | 52.67 | 72.10 | 90.40 | 73.03 | 1906 | 41.8 | 60.7 | 79.1 | 62.2 | 1906 | 30.87 | 49.23 | 67.73 | 51.40 |
| 1907 | 60.23 | 72.57 | 92.47 | 75.90 | 1907 | 49.0 | 61.6 | 80.8 | 62.1 | 1907 | 37.83 | 50.60 | 69.17 | 48.37 |
| 1908 | 57.43 | 77.10 | 91.67 | 78.97 | 1908 | 45.6 | 65.8 | 80.1 | 63.9 | 1908 | 33.73 | 54.57 | 68.57 | 48.90 |
| 1909 | 60.33 | 73.13 | 94.23 | 82.13 | 1909 | 47.7 | 60.6 | 82.0 | 67.4 | 1909 | 35.07 | 48.20 | 69.73 | 52.77 |
| 1910 | 54.53 | 75.97 | 89.73 | 79.13 | 1910 | 42.6 | 63.2 | 79.0 | 67.0 | 1910 | 30.87 | 50.43 | 68.27 | 54.93 |
| 1911 | 58.93 | 75.73 | 90.83 | 75.90 | 1911 | 49.6 | 64.3 | 80.4 | 64.8 | 1911 | 40.47 | 52.87 | 69.90 | 53.77 |
| 1912 | 50.80 | 70.67 | 89.10 | 77.70 | 1912 | 41.3 | 60.6 | 78.6 | 63.6 | 1912 | 31.87 | 50.63 | 68.03 | 49.50 |
| 1913 | 54.63 | 73.17 | 93.17 | 74.87 | 1913 | 43.2 | 60.8 | 80.9 | 64.0 | 1913 | 31.87 | 48.47 | 68.67 | 53.07 |
| 1914 | 55.50 | 72.67 | 93.27 | 76.00 | 1914 | 44.8 | 61.2 | 82.2 | 64.0 | 1914 | 33.97 | 49.60 | 71.13 | 52.03 |
| 1915 | 50.47 | 71.27 | 89.13 | 78.10 | 1915 | 41.3 | 59.7 | 78.7 | 65.5 | 1915 | 32.27 | 48.23 | 68.23 | 52.87 |
| 1916 | 56.60 | 75.47 | 91.97 | 76.77 | 1916 | 45.7 | 63.3 | 81.2 | 62.9 | 1916 | 35.10 | 51.23 | 70.33 | 49.10 |
| 1917 | 56.70 | 72.13 | 90.27 | 75.03 | 1917 | 44.7 | 60.3 | 79.2 | 60.7 | 1917 | 32.77 | 48.43 | 68.17 | 46.43 |
| 1918 | 51.33 | **82.03** | 98.20 | 75.30 | 1918 | 38.8 | 66.9 | 83.7 | 62.9 | 1918 | 26.63 | 51.93 | 69.27 | 50.43 |
| 1919 | 59.23 | 76.60 | 94.70 | 76.00 | 1919 | 47.7 | 63.1 | 82.2 | 65.0 | 1919 | 36.07 | 49.50 | 69.70 | 54.03 |
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL |

| | HIGH | | | | | AVERAGE | | | | | LOW | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL |
| 1920 | 51.53 | 74.17 | 90.17 | 76.10 | 1920 | 42.0 | 63.1 | 79.3 | 64.7 | 1920 | 32.57 | 52.03 | 68.47 | 53.27 |
| 1921 | 58.90 | 77.77 | 95.50 | 80.33 | 1921 | 49.2 | 66.3 | 83.7 | 67.9 | 1921 | 39.53 | 54.87 | 71.80 | 55.47 |
| 1922 | 57.03 | 74.77 | 93.03 | 80.67 | 1922 | 47.5 | 64.2 | 81.8 | 66.0 | 1922 | 38.03 | 53.63 | 70.60 | 51.23 |
| 1923 | 59.83 | 74.87 | 91.90 | 75.70 | 1923 | 49.0 | 62.7 | 80.7 | 63.5 | 1923 | 38.13 | 50.57 | 69.50 | 51.27 |
| 1924 | 56.83 | 73.97 | 96.57 | 79.40 | 1924 | 46.0 | 61.4 | 83.7 | 65.8 | 1924 | 35.20 | 48.73 | 70.73 | 52.27 |
| 1925 | 58.43 | 79.37 | 96.77 | 78.00 | 1925 | 47.2 | 66.2 | 84.1 | 66.8 | 1925 | 36.03 | 53.07 | 71.40 | 55.57 |
| 1926 | 57.53 | 73.83 | 94.60 | 78.13 | 1926 | 46.5 | 61.5 | 82.3 | 66.8 | 1926 | 35.43 | 49.30 | 70.00 | 55.50 |
| 1927 | 59.37 | 77.17 | 91.57 | **84.30** | 1927 | 49.4 | 66.5 | 80.6 | **70.5** | 1927 | 39.37 | 55.77 | 69.63 | 56.77 |
| 1928 | 57.93 | 75.63 | 93.13 | 80.67 | 1928 | 46.4 | 63.3 | 82.3 | 67.1 | 1928 | 34.90 | 51.00 | 71.53 | 53.47 |
| 1929 | 55.00 | 78.17 | 95.27 | 74.40 | 1929 | 43.6 | 66.6 | 82.5 | 63.6 | 1929 | 32.27 | 54.93 | 69.77 | 52.87 |
| 1930 | 57.60 | 75.47 | 94.50 | 74.87 | 1930 | 47.2 | 64.3 | 82.5 | 64.5 | 1930 | 36.87 | 53.17 | 70.53 | 54.10 |
| 1931 | 57.17 | 70.80 | 88.40 | 81.00 | 1931 | 46.5 | 59.8 | 79.1 | 69.9 | 1931 | 35.70 | 48.80 | 69.83 | **58.87** |
| 1932 | **62.27** | 73.97 | 93.20 | 76.40 | 1932 | **51.9** | 63.3 | 82.8 | 63.7 | 1932 | **42.00** | 52.53 | 72.30 | 51.00 |
| 1933 | 56.83 | 75.73 | 90.47 | 79.43 | 1933 | 46.9 | 65.1 | 80.5 | 67.9 | 1933 | 37.00 | 54.37 | 70.67 | 56.23 |
| 1934 | 58.50 | 74.53 | 95.57 | 79.93 | 1934 | 48.4 | 63.4 | 84.7 | 67.9 | 1934 | 38.33 | 52.20 | 73.80 | 55.83 |
| 1935 | 57.10 | 74.60 | 91.27 | 76.63 | 1935 | 46.8 | 64.8 | 81.3 | 65.5 | 1935 | 36.57 | 54.87 | 71.43 | 54.37 |
| 1936 | 50.47 | 77.00 | 94.00 | 77.33 | 1936 | 40.7 | 65.1 | 83.2 | 66.0 | 1936 | 30.90 | 53.20 | 72.30 | 54.60 |
| 1937 | 55.80 | 73.90 | 91.00 | 73.73 | 1937 | 46.8 | 62.9 | 81.7 | 63.3 | 1937 | 37.73 | 51.93 | 72.50 | 52.80 |
| 1938 | 57.27 | 76.47 | 91.87 | 81.13 | 1938 | 48.1 | 66.4 | 81.8 | 67.5 | 1938 | 38.90 | 56.30 | 71.60 | 53.73 |
| 1939 | 57.97 | 74.33 | 91.13 | 79.53 | 1939 | 47.5 | 63.5 | 81.6 | 67.4 | 1939 | 37.13 | 52.73 | 72.03 | 55.23 |
| 1940 | 51.67 | 73.30 | **87.00** | 76.80 | 1940 | 42.1 | 62.2 | 78.5 | 64.6 | 1940 | 32.53 | 51.23 | 69.97 | 52.40 |
| 1941 | 56.13 | 73.00 | 89.87 | 78.77 | 1941 | 46.4 | 62.9 | 80.5 | 67.6 | 1941 | 36.77 | 52.83 | 71.23 | 56.40 |
| 1942 | 54.70 | 76.10 | 93.43 | 78.67 | 1942 | 44.3 | 64.7 | 82.5 | 66.6 | 1942 | 33.97 | 53.20 | 71.53 | 54.50 |
| 1943 | 59.23 | 74.87 | **99.30** | 76.13 | 1943 | 48.0 | 63.8 | **86.6** | 63.9 | 1943 | 36.80 | 52.73 | 73.93 | 51.63 |
| 1944 | 56.43 | 74.83 | 95.63 | 79.03 | 1944 | 47.4 | 63.9 | 83.9 | 67.1 | 1944 | 38.27 | 52.97 | 72.07 | 55.23 |
| 1945 | 53.50 | 77.03 | 90.07 | 76.27 | 1945 | 44.3 | 65.8 | 80.4 | 66.0 | 1945 | 35.00 | 54.57 | 70.60 | 55.70 |
| 1946 | 55.33 | 76.17 | 92.17 | 78.10 | 1946 | 45.4 | 65.8 | 81.5 | 66.3 | 1946 | 35.60 | 55.40 | 70.90 | 54.57 |
| 1947 | 56.70 | 71.37 | 93.97 | 78.53 | 1947 | 46.6 | 60.9 | 82.4 | 66.5 | 1947 | 36.60 | 50.43 | 70.87 | 54.47 |
| 1948 | 50.20 | 75.97 | 93.13 | 76.23 | 1948 | 40.5 | 64.7 | 81.9 | 63.2 | 1948 | 30.73 | 53.40 | 70.77 | 50.13 |
| 1949 | 56.70 | 73.33 | 90.90 | 74.93 | 1949 | 47.4 | 62.7 | 80.3 | 63.2 | 1949 | 38.07 | 52.03 | 69.80 | 51.43 |
| 1950 | 59.30 | 72.10 | 88.67 | 73.50 | 1950 | 49.3 | 61.3 | 78.1 | 62.4 | 1950 | 39.33 | 50.60 | 67.63 | 51.40 |
| 1951 | 53.97 | 73.00 | 91.80 | 73.67 | 1951 | 43.5 | 61.4 | 81.0 | 61.4 | 1951 | 33.07 | 49.83 | 70.13 | 49.17 |
| 1952 | 58.57 | 71.50 | 95.67 | 73.13 | 1952 | 49.0 | 60.4 | 83.0 | 59.2 | 1952 | 39.43 | 49.20 | 70.37 | **45.30** |
| 1953 | 57.13 | 74.03 | 93.77 | 79.40 | 1953 | 46.6 | 63.2 | 81.9 | 63.7 | 1953 | 36.07 | 52.47 | 70.03 | 47.93 |
| 1954 | 57.30 | 73.73 | 97.50 | 78.27 | 1954 | 45.9 | 62.4 | 84.2 | 64.6 | 1954 | 34.53 | 51.07 | 70.93 | 50.93 |
| 1955 | 54.97 | 75.83 | 90.20 | 76.83 | 1955 | 44.5 | 64.8 | 79.1 | 63.5 | 1955 | 33.97 | 53.77 | 68.07 | 50.10 |
| 1956 | 54.10 | 73.73 | 92.83 | 76.87 | 1956 | 44.6 | 62.5 | 80.6 | 63.0 | 1956 | 35.17 | 51.27 | 68.33 | 49.07 |
| 1957 | 57.20 | 72.80 | 90.37 | 71.23 | 1957 | 47.9 | 62.6 | 79.8 | 61.4 | 1957 | 38.47 | 52.43 | 69.37 | 51.53 |
| 1958 | 53.00 | 69.47 | 89.87 | 75.00 | 1958 | 43.3 | 60.1 | 79.7 | 63.5 | 1958 | 33.57 | 50.60 | 69.53 | 51.97 |
| 1959 | 52.07 | 74.43 | 90.60 | 73.77 | 1959 | 42.0 | 62.8 | 79.3 | 61.9 | 1959 | 31.97 | 51.20 | 67.97 | 49.97 |
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL |

| | HIGH | | | | | AVERAGE | | | | | LOW | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL |
| 1960 | 51.93 | 70.17 | 92.30 | 76.90 | 1960 | 42.9 | 59.0 | 81.1 | 65.0 | 1960 | 33.93 | 47.83 | 69.83 | 52.97 |
| 1961 | 53.00 | 73.57 | 89.07 | 74.60 | 1961 | 42.9 | 62.5 | 78.2 | 62.9 | 1961 | 32.80 | 51.53 | 67.40 | 51.27 |
| 1962 | 54.47 | 73.87 | 92.37 | 74.40 | 1962 | 44.6 | 62.6 | 81.3 | 64.5 | 1962 | 34.80 | 51.40 | 70.30 | 54.53 |
| 1963 | 51.50 | 77.53 | 91.37 | 79.17 | 1963 | 40.6 | 66.4 | 81.0 | 66.5 | 1963 | 29.63 | 55.23 | 70.53 | 53.83 |
| 1964 | 50.77 | 76.00 | 92.93 | 75.80 | 1964 | 40.5 | 64.9 | 81.8 | 63.8 | 1964 | 30.20 | 53.77 | 70.70 | 51.73 |
| 1965 | 55.50 | 73.53 | 91.83 | 76.17 | 1965 | 45.4 | 63.2 | 81.0 | 65.6 | 1965 | 35.23 | 52.87 | 70.13 | 55.10 |
| 1966 | 51.93 | 74.13 | 90.93 | 73.30 | 1966 | 43.3 | 63.0 | 80.3 | 62.8 | 1966 | 34.70 | 51.80 | 69.73 | 52.20 |
| 1967 | 53.07 | 76.47 | 87.40 | 72.53 | 1967 | 44.0 | 65.8 | 78.0 | 61.6 | 1967 | 34.87 | 55.27 | 68.63 | 50.53 |
| 1968 | 50.23 | 72.10 | 90.03 | 72.43 | 1968 | 41.8 | 62.2 | 80.3 | 61.8 | 1968 | 33.33 | 52.33 | 70.67 | 51.10 |
| 1969 | 52.20 | 71.40 | 91.43 | 73.13 | 1969 | 43.6 | 61.1 | 80.7 | 62.6 | 1969 | 35.03 | 50.77 | 69.97 | 52.00 |
| 1970 | 51.13 | 72.63 | 90.23 | 74.53 | 1970 | 41.6 | 62.8 | 79.9 | 63.8 | 1970 | 32.13 | 52.93 | 69.67 | 53.00 |
| 1971 | 55.53 | 71.73 | 90.67 | 77.07 | 1971 | 45.5 | 60.0 | 80.4 | 66.1 | 1971 | 35.50 | 48.23 | 70.20 | 55.10 |
| 1972 | 57.13 | 75.37 | 91.50 | 72.07 | 1972 | 47.4 | 64.0 | 80.4 | 62.9 | 1972 | 37.80 | 52.60 | 69.30 | 53.77 |
| 1973 | 50.60 | 72.97 | 90.87 | 76.53 | 1973 | 42.5 | 63.3 | 80.6 | 67.0 | 1973 | 34.50 | 53.53 | 70.23 | 57.50 |
| 1974 | 54.57 | 79.17 | 90.13 | 73.70 | 1974 | 45.5 | 67.8 | 79.4 | 62.9 | 1974 | 36.53 | 56.33 | 68.73 | 52.07 |
| 1975 | 58.80 | 74.00 | 91.27 | 76.40 | 1975 | 48.0 | 63.3 | 80.8 | 64.3 | 1975 | 37.43 | 52.57 | 70.30 | 52.27 |
| 1976 | 60.97 | 74.03 | 89.27 | **70.30** | 1976 | 49.4 | 63.2 | 77.8 | **58.0** | 1976 | 37.73 | 52.37 | 66.27 | 45.63 |
| 1977 | 51.37 | 77.87 | 92.87 | 76.30 | 1977 | 39.5 | 65.4 | 81.8 | 64.5 | 1977 | 27.53 | 52.90 | 70.73 | 52.73 |
| 1978 | **45.87** | 73.93 | 93.60 | 76.93 | 1978 | **36.3** | 62.4 | 81.9 | 64.8 | 1978 | 26.80 | 50.80 | 70.10 | 52.73 |
| 1979 | 47.27 | 72.67 | 88.63 | 74.50 | 1979 | 37.2 | 61.7 | 78.8 | 61.6 | 1979 | 27.13 | 50.80 | 68.87 | 48.80 |
| 1980 | 52.43 | 71.03 | 96.40 | 75.47 | 1980 | 41.6 | 59.3 | 83.8 | 63.7 | 1980 | 30.87 | 47.60 | 71.10 | 51.90 |
| 1981 | 54.00 | 74.43 | 90.47 | 74.27 | 1981 | 43.1 | 62.9 | 80.4 | 62.5 | 1981 | FALSE | 51.37 | 70.33 | 50.63 |
| 1982 | 50.90 | 73.50 | 89.80 | 74.70 | 1982 | 40.3 | 62.7 | 79.2 | 62.2 | 1982 | 29.90 | 51.93 | 68.53 | 49.77 |
| 1983 | 52.93 | **69.17** | 92.27 | 76.27 | 1983 | 43.8 | **58.6** | 80.7 | 62.4 | 1983 | 34.67 | 47.93 | 68.97 | 48.47 |
| 1984 | 49.17 | 71.90 | 90.10 | 73.93 | 1984 | 36.9 | 59.0 | 79.9 | 63.1 | 1984 | **24.73** | **46.17** | 69.57 | 52.33 |
| 1985 | 52.07 | 76.20 | 91.50 | 76.70 | 1985 | 42.8 | 65.3 | 81.1 | 66.3 | 1985 | 33.47 | 54.50 | 70.77 | 55.77 |
| 1986 | 56.40 | 76.50 | 91.83 | 72.70 | 1986 | 46.3 | 64.4 | 81.8 | 64.8 | 1986 | 36.07 | 52.33 | 71.70 | 56.90 |
| 1987 | 51.93 | 77.30 | 92.07 | 74.80 | 1987 | 44.1 | 65.6 | 82.4 | 64.0 | 1987 | 36.40 | 54.10 | 72.73 | 53.20 |
| 1988 | 52.07 | 75.20 | 92.00 | 74.27 | 1988 | 43.3 | 64.0 | 81.6 | 64.1 | 1988 | 34.47 | 52.87 | 71.13 | 53.80 |
| 1989 | 53.77 | 73.10 | 88.27 | 74.43 | 1989 | 45.0 | 63.2 | 79.4 | 64.2 | 1989 | 36.33 | 53.23 | 70.57 | 53.87 |
| 1990 | 55.73 | 71.83 | 92.40 | 77.33 | 1990 | 46.3 | 63.0 | 82.2 | 66.1 | 1990 | 36.93 | 54.17 | 71.97 | 54.77 |
| 1991 | 54.47 | 75.27 | 91.13 | 73.97 | 1991 | 45.4 | 66.3 | 81.4 | 63.3 | 1991 | 36.40 | 57.30 | 71.63 | 52.70 |
| 1992 | 56.53 | 73.63 | 88.00 | 73.70 | 1992 | 47.9 | 63.4 | 78.7 | 62.9 | 1992 | 39.23 | 53.13 | 69.33 | 52.13 |
| 1993 | 52.10 | 70.33 | 93.03 | 72.13 | 1993 | 43.8 | 60.8 | 83.2 | 61.3 | 1993 | 35.53 | 51.23 | 73.23 | 50.53 |
| 1994 | 53.53 | 74.80 | 90.23 | 74.73 | 1994 | 44.2 | 63.8 | 80.4 | 64.9 | 1994 | 34.93 | 52.73 | 70.63 | 55.03 |
| 1995 | 54.70 | 73.73 | 92.67 | 75.30 | 1995 | 46.1 | 64.0 | 82.5 | 63.3 | 1995 | 37.40 | 54.37 | 72.40 | 51.30 |
| 1996 | 53.67 | 72.67 | 89.43 | 72.00 | 1996 | 44.3 | 62.5 | 80.3 | 62.6 | 1996 | 34.97 | 52.23 | 71.27 | 53.17 |
| 1997 | 54.20 | 72.53 | 89.93 | 73.50 | 1997 | 46.1 | 62.4 | 80.6 | 63.4 | 1997 | 38.07 | 52.27 | 71.20 | 53.37 |
| 1998 | 54.40 | 74.17 | 94.07 | 77.53 | 1998 | 46.8 | 64.2 | 84.2 | 67.5 | 1998 | 39.13 | 54.37 | **74.40** | 57.47 |
| 1999 | 57.57 | 73.33 | 92.17 | 77.83 | 1999 | 48.4 | 63.7 | 83.3 | 65.5 | 1999 | 39.13 | 54.00 | 72.27 | 52.57 |
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL |

| | HIGH | | | | | AVERAGE | | | | | LOW | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL |
| 2000 | 57.30 | 74.10 | 93.43 | 74.40 | 2000 | 47.5 | 64.4 | 82.1 | 63.1 | 2000 | 37.70 | 54.83 | 72.00 | 52.43 |
| 2001 | 48.53 | 73.03 | 90.17 | 75.83 | 2001 | 40.3 | 63.3 | 80.4 | 63.3 | 2001 | 32.00 | 53.57 | 70.73 | 50.80 |
| 2002 | 56.53 | 72.47 | 90.20 | 72.73 | 2002 | 46.3 | 62.2 | 80.6 | 63.1 | 2002 | 36.10 | 52.00 | 70.93 | 53.50 |
| 2003 | 50.47 | 73.47 | 89.17 | 76.07 | 2003 | 41.9 | 63.0 | 79.7 | 64.6 | 2003 | 33.33 | 52.37 | 70.27 | 53.03 |
| 2004 | 53.00 | 74.47 | 87.07 | 76.43 | 2004 | 43.7 | 64.7 | 77.8 | 66.6 | 2004 | 34.50 | 55.00 | 68.90 | 56.83 |
| 2005 | 55.67 | 73.10 | 91.43 | 77.80 | 2005 | 46.9 | 62.2 | 81.3 | 65.7 | 2005 | 38.03 | 51.33 | 71.23 | 53.63 |
| 2006 | 56.27 | 75.87 | 92.33 | 74.70 | 2006 | 45.8 | 65.3 | 81.3 | 62.6 | 2006 | 35.40 | 54.80 | 70.40 | 50.53 |
| 2007 | 53.83 | 75.90 | 91.83 | 75.07 | 2007 | 44.6 | 64.8 | 81.4 | 65.0 | 2007 | 35.40 | 53.67 | 70.87 | 54.97 |
| 2008 | 54.13 | 73.00 | 90.93 | 72.53 | 2008 | 44.4 | 62.4 | 80.5 | 61.7 | 2008 | 34.63 | 51.73 | 70.10 | 50.83 |
| 2009 | 55.70 | 72.13 | 89.03 | 72.40 | 2009 | 45.4 | 62.7 | 79.3 | 63.1 | 2009 | 35.10 | 53.30 | 69.63 | 53.80 |
| 2010 | 47.67 | 75.87 | 94.63 | 79.37 | 2010 | 39.6 | 64.6 | 84.4 | 65.6 | 2010 | 31.73 | 53.40 | 74.13 | 51.73 |
| 2011 | 53.23 | 75.07 | 95.57 | 75.77 | 2011 | 43.5 | 64.0 | 84.4 | 63.2 | 2011 | 33.73 | 52.97 | 73.27 | 50.67 |
| 2012 | 57.13 | 79.33 | | | 2012 | 47.4 | 68.3 | | | 2012 | 37.67 | 57.20 | | |
| 2013 | | | | | 2013 | | | | | 2013 | | | | |
| 2014 | | | | | 2014 | | | | | 2014 | | | | |
| 2015 | | | | | 2015 | | | | | 2015 | | | | |
| 2016 | | | | | 2016 | | | | | 2016 | | | | |
| 2017 | | | | | 2017 | | | | | 2017 | | | | |
| 2018 | | | | | 2018 | | | | | 2018 | | | | |
| 2019 | | | | | 2019 | | | | | 2019 | | | | |
| 2020 | | | | | 2020 | | | | | 2020 | | | | |
| 2021 | | | | | 2021 | | | | | 2021 | | | | |
| 2022 | | | | | 2022 | | | | | 2022 | | | | |
| 2023 | | | | | 2023 | | | | | 2023 | | | | |
| 2024 | | | | | 2024 | | | | | 2024 | | | | |
| 2025 | | | | | 2025 | | | | | 2025 | | | | |
| 2026 | | | | | 2026 | | | | | 2026 | | | | |
| 2027 | | | | | 2027 | | | | | 2027 | | | | |
| 2028 | | | | | 2028 | | | | | 2028 | | | | |
| 2029 | | | | | 2029 | | | | | 2029 | | | | |
| 2030 | | | | | 2030 | | | | | 2030 | | | | |
| 2031 | | | | | 2031 | | | | | 2031 | | | | |
| 2032 | | | | | 2032 | | | | | 2032 | | | | |
| 2033 | | | | | 2033 | | | | | 2033 | | | | |
| 2034 | | | | | 2034 | | | | | 2034 | | | | |
| 2035 | | | | | 2035 | | | | | 2035 | | | | |
| 2036 | | | | | 2036 | | | | | 2036 | | | | |
| 2037 | | | | | 2037 | | | | | 2037 | | | | |
| 2038 | | | | | 2038 | | | | | 2038 | | | | |
| 2039 | | | | | 2039 | | | | | 2039 | | | | |
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | SUMMER | FALL |

## PINE BLUFF, ARKANSAS – SEASONAL PRECIPITATION DATA

| | RAINFALL | | | | | SNOWFALL | | |
|---|---|---|---|---|---|---|---|---|
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | FALL |
| 1884 | 14.09 | 25.01 | 6.73 | | 1884 | | 2.5 | |
| 1885 | | | 5.32 | | 1885 | | | |
| 1886 | | | | | 1886 | | | |
| 1887 | | | 10.11 | | 1887 | | | |
| 1888 | | | 16.68 | | 1888 | | | |
| 1889 | | | 13.32 | 7.71 | 1889 | | | |
| 1890 | | | 6.99 | 10.37 | 1890 | | | 0.0 |
| 1891 | 7.70 | 12.42 | 12.26 | 7.94 | 1891 | 0.0 | 1.2 | T |
| 1892 | 8.68 | 22.15 | 12.43 | 16.38 | 1892 | 3.0 | **14.0** | 0.0 |
| 1893 | 18.60 | 16.45 | 9.89 | 7.75 | 1893 | 11.0 | 0.0 | 0.0 |
| 1894 | | 21.29 | 10.60 | 8.09 | 1894 | | 2.0 | 0.0 |
| 1895 | 5.81 | 13.93 | 15.27 | 7.36 | 1895 | | 0.0 | 0.0 |
| 1896 | 11.97 | 11.37 | 5.39 | 12.67 | 1896 | 2.7 | 2.5 | 0.0 |
| 1897 | 17.30 | 17.05 | 7.87 | 5.63 | 1897 | 1.2 | 0.0 | 0.0 |
| 1898 | 23.80 | 7.54 | 7.74 | 17.94 | 1898 | T | 0.0 | 0.0 |
| 1899 | 11.98 | 14.05 | 8.06 | 7.19 | 1899 | 9.0 | 0.0 | 0.0 |
| 1900 | 13.27 | 13.35 | 13.60 | 10.39 | 1900 | 3.0 | 0.0 | 0.0 |
| 1901 | 10.37 | 12.69 | 4.27 | 10.04 | 1901 | 1.6 | 0.0 | 0.0 |
| 1902 | 15.78 | 15.28 | 12.52 | 17.28 | 1902 | 4.0 | 0.0 | 0.0 |
| 1903 | 19.40 | 11.33 | 17.35 | 3.84 | 1903 | 3.0 | 0.0 | 0.0 |
| 1904 | 11.41 | 14.41 | 14.02 | 5.93 | 1904 | T | 0.0 | 0.0 |
| 1905 | 19.75 | **34.46** | 17.91 | 12.28 | 1905 | 7.0 | 0.0 | 0.0 |
| 1906 | 16.62 | 15.08 | 10.40 | 18.66 | 1906 | 5.0 | 0.0 | 0.0 |
| 1907 | 18.66 | 20.58 | 8.85 | 12.70 | 1907 | 1.0 | 0.0 | 0.0 |
| 1908 | 13.71 | 17.06 | 12.20 | 10.69 | 1908 | 0.0 | 0.0 | 0.0 |
| 1909 | 12.54 | 17.91 | 7.36 | 8.28 | 1909 | 2.0 | 0.0 | 0.0 |
| 1910 | 15.20 | 17.00 | 18.93 | 5.61 | 1910 | 16.4 | 0.0 | 0.0 |
| 1911 | 10.58 | 17.56 | 13.90 | 7.84 | 1911 | T | 0.0 | 0.0 |
| 1912 | 16.29 | 21.45 | 10.69 | 4.95 | 1912 | 0.2 | 0.0 | 0.0 |
| 1913 | 14.74 | 12.39 | 6.63 | 23.91 | 1913 | 1.5 | 0.0 | 0.0 |
| 1914 | 7.23 | 12.89 | 11.23 | 7.50 | 1914 | T | 0.0 | 0.0 |
| 1915 | 16.54 | 6.09 | 13.35 | 10.26 | 1915 | 7.0 | 1.0 | 0.0 |
| 1916 | 21.03 | 6.60 | 11.52 | 9.65 | 1916 | 3.5 | 0.0 | 0.0 |
| 1917 | 11.45 | 13.98 | 11.81 | 5.30 | 1917 | 3.5 | 2.0 | T |
| 1918 | 7.92 | 13.79 | 7.13 | 16.39 | 1918 | 8.0 | 0.0 | 0.0 |
| 1919 | 12.72 | 17.59 | 14.12 | 21.23 | 1919 | 0.5 | T | 0.0 |
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | FALL |

| | RAINFALL | | | | | SNOWFALL | | |
|---|---|---|---|---|---|---|---|---|
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | FALL |
| 1920 | 10.02 | 15.29 | 9.21 | 8.52 | 1920 | 0.2 | 0.0 | 0.0 |
| 1921 | 13.12 | 19.48 | 7.64 | 9.45 | 1921 | 3.0 | 0.0 | 0.0 |
| 1922 | 8.00 | 25.18 | 7.12 | 4.51 | 1922 | T | 0.0 | 0.0 |
| 1923 | 16.34 | 19.59 | 9.69 | 11.29 | 1923 | 3.0 | 0.0 | 0.0 |
| 1924 | 16.30 | 13.18 | 6.75 | 9.12 | 1924 | T | 8.0 | 0.0 |
| 1925 | 12.34 | **4.79** | 8.00 | 17.60 | 1925 | 1.5 | 0.0 | 0.0 |
| 1926 | 6.94 | 12.20 | 8.33 | 12.27 | 1926 | 0.1 | 0.0 | 0.0 |
| 1927 | 16.20 | 24.16 | 17.00 | 8.08 | 1927 | 0.8 | 0.0 | 0.0 |
| 1928 | 7.79 | 17.20 | 17.38 | 11.33 | 1928 | 0.0 | T | 0.0 |
| 1929 | 12.78 | 10.64 | 7.19 | 5.52 | 1929 | 2.0 | 0.0 | **5.0** |
| 1930 | 22.03 | 17.30 | **0.66** | 16.53 | 1930 | 5.5 | T | 0.0 |
| 1931 | 8.16 | 8.54 | 15.06 | 11.01 | 1931 | T | T | 0.0 |
| 1932 | 29.73 | 10.34 | 11.00 | 7.87 | 1932 | 0.0 | 1.8 | 0.0 |
| 1933 | 18.20 | 14.27 | 9.47 | 8.39 | 1933 | 7.9 | 0.0 | 0.0 |
| 1934 | 16.67 | 17.55 | 4.17 | 12.01 | 1934 | 0.2 | T | 0.0 |
| 1935 | 18.25 | 15.42 | 6.70 | 10.47 | 1935 | 3.0 | 0.0 | 0.0 |
| 1936 | **4.17** | 7.59 | 14.71 | 9.00 | 1936 | 7.5 | T | T |
| 1937 | 23.76 | 6.34 | 9.04 | 16.67 | 1937 | T | T | T |
| 1938 | 19.63 | 18.38 | 7.16 | 6.24 | 1938 | T | 0.0 | T |
| 1939 | **30.21** | 18.38 | 10.51 | 8.46 | 1939 | T | 0.0 | 0.0 |
| 1940 | 9.44 | 13.55 | 10.67 | 12.58 | 1940 | 5.7 | T | 0.0 |
| 1941 | 10.41 | 12.93 | 15.34 | 7.70 | 1941 | T | 0.0 | T |
| 1942 | 8.75 | 21.04 | 6.80 | 11.00 | 1942 | 4.0 | T | 0.0 |
| 1943 | 8.32 | 19.15 | 1.91 | 8.13 | 1943 | 1.0 | T | 0.0 |
| 1944 | 11.99 | 22.29 | 6.10 | 6.10 | 1944 | 3.0 | 0.0 | 0.0 |
| 1945 | 19.78 | 20.27 | 15.85 | 24.60 | 1945 | T | 0.0 | 0.0 |
| 1946 | 20.90 | 19.96 | 4.28 | 11.46 | 1946 | 10.5 | 0.0 | 0.0 |
| 1947 | 7.44 | 20.58 | 6.30 | 12.34 | 1947 | T | 0.0 | 0.0 |
| 1948 | 13.77 | 14.81 | 13.44 | 11.81 | 1948 | 11.7 | T | 0.0 |
| 1949 | 14.36 | 13.42 | 11.87 | 17.34 | 1949 | 4.0 | 0.0 | 0.0 |
| 1950 | 20.76 | 16.81 | 11.84 | 9.81 | 1950 | T | 0.0 | T |
| 1951 | 16.85 | 8.51 | 13.02 | 10.19 | 1951 | 4.0 | T | T |
| 1952 | 15.34 | 13.01 | 3.50 | 9.74 | 1952 | T | T | T |
| 1953 | 12.47 | 28.79 | 3.75 | 3.87 | 1953 | T | T | T |
| 1954 | 12.49 | 9.81 | 4.97 | 6.37 | 1954 | 4.0 | 0.0 | 0.0 |
| 1955 | 13.79 | 19.23 | 8.31 | 7.53 | 1955 | T | 0.0 | 0.0 |
| 1956 | 15.51 | 9.83 | 5.97 | 10.69 | 1956 | T | 0.0 | 0.0 |
| 1957 | 23.24 | 21.02 | 10.94 | 20.07 | 1957 | T | 0.0 | 0.0 |
| 1958 | 10.50 | 23.21 | 15.18 | 13.86 | 1958 | 1.0 | 0.0 | T |
| 1959 | 10.57 | 12.37 | 10.79 | 9.72 | 1959 | 10.4 | 0.0 | 0.0 |
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | FALL |

| | RAINFALL | | | | | SNOWFALL | | |
|---|---|---|---|---|---|---|---|---|
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | FALL |
| 1960 | 14.52 | 11.35 | 7.68 | 10.57 | 1960 | 14.2 | 4.0 | 0.0 |
| 1961 | 14.21 | 11.77 | 9.79 | 11.44 | 1961 | T | 0.0 | 0.0 |
| 1962 | 20.30 | 8.88 | 5.99 | 10.24 | 1962 | 8.0 | T | 0.0 |
| 1963 | 6.14 | 13.32 | 13.43 | 5.57 | 1963 | T | 0.0 | 0.0 |
| 1964 | 8.02 | 12.44 | 8.03 | 7.06 | 1964 | 12.2 | 0.0 | 0.0 |
| 1965 | 17.66 | 10.28 | 8.90 | 11.20 | 1965 | 3.0 | 7.3 | 0.0 |
| 1966 | 12.10 | 18.01 | 8.96 | 12.12 | 1966 | **25.1** | 0.0 | T |
| 1967 | 7.34 | 17.97 | 9.24 | 6.96 | 1967 | 1.0 | T | T |
| 1968 | 15.34 | 19.91 | 9.81 | 11.91 | 1968 | 1.0 | T | 0.0 |
| 1969 | 15.11 | 7.23 | 11.50 | 9.54 | 1969 | T | T | 0.0 |
| 1970 | 11.90 | 11.18 | 7.37 | 7.73 | 1970 | 1.6 | T | 0.0 |
| 1971 | 9.22 | 6.81 | 14.55 | 4.63 | 1971 | 2.0 | 1.0 | T |
| 1972 | 9.66 | 7.89 | 8.79 | 17.70 | 1972 | T | 0.0 | 0.0 |
| 1973 | 18.83 | 17.09 | 7.34 | 16.65 | 1973 | T | 0.0 | 0.0 |
| 1974 | 14.53 | 23.45 | 19.63 | 15.28 | 1974 | T | 0.0 | T |
| 1975 | 12.14 | 11.78 | 10.53 | 6.45 | 1975 | 4.5 | T | 0.0 |
| 1976 | 9.61 | 9.88 | 7.34 | 10.58 | 1976 | T | 0.0 | 0.5 |
| 1977 | 8.20 | 9.38 | 9.13 | 10.79 | 1977 | 2.0 | 0.0 | 0.0 |
| 1978 | 12.12 | 14.12 | 10.04 | 11.66 | 1978 | 10.1 | 0.0 | 0.0 |
| 1979 | 22.32 | 29.50 | 13.08 | 13.25 | 1979 | 8.3 | 0.0 | 0.0 |
| 1980 | 11.50 | 11.06 | 1.74 | 16.56 | 1980 | 4.5 | 0.2 | 1.0 |
| 1981 | 5.91 | 14.69 | 16.29 | 9.06 | 1981 | 0.0 | 0.0 | 0.0 |
| 1982 | 10.55 | 19.41 | 14.64 | 11.03 | 1982 | 15.8 | T | 0.0 |
| 1983 | 20.83 | 21.31 | 9.76 | 12.52 | 1983 | 5.0 | T | 0.0 |
| 1984 | 17.58 | 16.24 | 12.45 | **26.25** | 1984 | 7.4 | T | 0.0 |
| 1985 | 15.19 | 10.68 | 13.74 | 11.93 | 1985 | 17.5 | 0.0 | 0.0 |
| 1986 | 9.08 | 14.02 | 9.48 | 16.36 | 1986 | | 0.0 | 0.0 |
| 1987 | | 7.13 | 6.86 | | 1987 | | | 0.0 |
| 1988 | 18.51 | 8.19 | 5.86 | 16.26 | 1988 | | | 0.0 |
| 1989 | 20.10 | 15.97 | **20.33** | 6.96 | 1989 | T | T | 0.0 |
| 1990 | 16.75 | 17.32 | 6.45 | 16.35 | 1990 | T | 0.0 | 0.0 |
| 1991 | 16.60 | 20.04 | 10.21 | 16.76 | 1991 | T | T | T |
| 1992 | 11.03 | 10.24 | 17.89 | 7.04 | 1992 | 2.0 | T | T |
| 1993 | 10.92 | 12.12 | 7.21 | 14.05 | 1993 | T | T | T |
| 1994 | 19.92 | 11.92 | 15.54 | 10.67 | 1994 | 5.0 | T | 0.0 |
| 1995 | 11.48 | 12.29 | 6.89 | **3.81** | 1995 | 4.0 | T | 0.0 |
| 1996 | 11.79 | 10.02 | 10.71 | 19.40 | 1996 | 3.0 | 0.0 | 0.0 |
| 1997 | 13.84 | 21.23 | 10.60 | 11.18 | 1997 | 1.0 | 0.0 | T |
| 1998 | 13.39 | 6.69 | 7.36 | 11.06 | 1998 | T | 0.0 | 0.0 |
| 1999 | 14.96 | 10.75 | 7.30 | 4.76 | 1999 | 3.0 | T | 0.0 |
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | FALL |

| | RAINFALL | | | | | SNOWFALL | | |
|---|---|---|---|---|---|---|---|---|
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | FALL |
| 2000 | 7.91 | 17.34 | 5.46 | 12.01 | 2000 | 11.0 | 0.0 | 0.0 |
| 2001 | 13.16 | 15.06 | 6.90 | 15.38 | 2001 | 1.4 | 0.0 | 0.0 |
| 2002 | 11.79 | 21.04 | 8.01 | 9.20 | 2002 | 2.1 | 0.0 | 0.0 |
| 2003 | 17.37 | 11.60 | 6.32 | 7.65 | 2003 | 5.4 | 0.0 | 0.0 |
| 2004 | 13.22 | 14.31 | 9.26 | 18.11 | 2004 | 1.0 | 0.0 | 0.0 |
| 2005 | 9.34 | 12.15 | 12.01 | 6.92 | 2005 | 1.6 | 0.0 | 0.0 |
| 2006 | 9.08 | 10.88 | 7.59 | 11.04 | 2006 | 1.0 | 0.0 | 0.0 |
| 2007 | 13.98 | 8.74 | 3.78 | 16.98 | 2007 | 0.2 | 0.0 | 0.0 |
| 2008 | 13.32 | 13.79 | 6.99 | 14.53 | 2008 | T | 6.0 | 0.0 |
| 2009 | 12.02 | 21.60 | 16.95 | 23.97 | 2009 | T | T | 0.0 |
| 2010 | 15.08 | 8.55 | 7.27 | 8.43 | 2010 | 0.9 | T | 0.0 |
| 2011 | 5.74 | 19.24 | 5.93 | 10.01 | 2011 | 7.7 | 0.0 | 0.0 |
| 2012 | 14.21 | 9.29 | | | 2012 | 0.5 | 0.0 | |
| 2013 | | | | | 2013 | | | |
| 2014 | | | | | 2014 | | | |
| 2015 | | | | | 2015 | | | |
| 2016 | | | | | 2016 | | | |
| 2017 | | | | | 2017 | | | |
| 2018 | | | | | 2018 | | | |
| 2019 | | | | | 2019 | | | |
| 2020 | | | | | 2020 | | | |
| 2021 | | | | | 2021 | | | |
| 2022 | | | | | 2022 | | | |
| 2023 | | | | | 2023 | | | |
| 2024 | | | | | 2024 | | | |
| 2025 | | | | | 2025 | | | |
| 2026 | | | | | 2026 | | | |
| 2027 | | | | | 2027 | | | |
| 2028 | | | | | 2028 | | | |
| 2029 | | | | | 2029 | | | |
| 2030 | | | | | 2030 | | | |
| 2031 | | | | | 2031 | | | |
| 2032 | | | | | 2032 | | | |
| 2033 | | | | | 2033 | | | |
| 2034 | | | | | 2034 | | | |
| 2035 | | | | | 2035 | | | |
| 2036 | | | | | 2036 | | | |
| 2037 | | | | | 2037 | | | |
| 2038 | | | | | 2038 | | | |
| 2039 | | | | | 2039 | | | |
| YEAR | WINTER | SPRING | SUMMER | FALL | YEAR | WINTER | SPRING | FALL |

## PINE BLUFF, ARKANSAS – MISCELLANEOUS DATA

| YEAR | LAST FREEZE | FIRST 80°F | FIRST 90°F | LAST 90°F | LAST 80°F | FIRST 32°F | # DAYS ≤ 32°F | # DAYS ≥ 90°F | # DAYS ≥ 100°F |
|---|---|---|---|---|---|---|---|---|---|
| 1884 | | | | 07 OCT | 19 OCT | | | | 2 |
| 1885 | | | | | | | | | 1 |
| 1886 | | | | 01 OCT | | | | | **0** |
| 1887 | | | | 06 OCT | | 31 OCT | | | 5 |
| 1888 | | | 23 MAY | | | | | | 1 |
| 1889 | | | | 16 SEP | 29 OCT | 10 NOV | | | **0** |
| 1890 | | | | 12 SEP | 08 NOV | 01 DEC | | | **0** |
| 1891 | 05 APR | 10 APR | 30 MAY | 01 OCT | 08 NOV | 13 NOV | | 77 | **0** |
| 1892 | 20 MAR | 31 MAR | 07 JUN | 25 SEP | 22 OCT | 09 NOV | 59 | 58 | **0** |
| 1893 | 19 APR | 09 MAR | 07 APR | 23 SEP | 02 NOV | 15 NOV | | | 7 |
| 1894 | | | | 23 OCT | 25 OCT | 31 OCT | | | 7 |
| 1895 | 21 MAR | 27 MAR | 30 APR | 26 SEP | 07 NOV | 02 NOV | | 81 | 4 |
| 1896 | 19 MAR | 30 MAR | 22 APR | 02 OCT | 18 NOV | 08 NOV | 44 | 117 | 37 |
| 1897 | 27 FEB | 17 FEB | 20 MAY | 17 OCT | 08 NOV | 17 NOV | 45 | **124** | 42 |
| 1898 | 07 APR | 15 MAR | 12 MAY | 05 OCT | 10 OCT | 27 OCT | 56 | 110 | 4 |
| 1899 | 29 MAR | 03 MAR | 27 APR | 21 OCT | 21 NOV | 03 NOV | 59 | 104 | 16 |
| 1900 | 12 APR | 11 MAR | 15 MAY | 05 OCT | 23 NOV | 09 NOV | 60 | 104 | 4 |
| 1901 | 20 MAR | 02 MAR | 27 APR | 24 SEP | 03 NOV | 13 NOV | 59 | 103 | 44 |
| 1902 | 20 MAR | 10 MAR | 20 APR | 26 SEP | 13 NOV | 27 NOV | 77 | 98 | 17 |
| 1903 | 04 APR | 17 MAR | 09 APR | 03 OCT | 16 NOV | 07 NOV | **84** | 79 | **0** |
| 1904 | 10 APR | 28 FEB | 22 MAY | 10 OCT | 18 OCT | 27 OCT | 71 | 83 | 3 |
| 1905 | 01 MAR | 06 MAR | 23 APR | 27 SEP | 17 OCT | 11 NOV | 74 | 72 | **0** |
| 1906 | 01 APR | 08 APR | 11 APR | 23 SEP | 10 NOV | 12 NOV | 64 | 84 | **0** |
| 1907 | 23 FEB | **07 JAN** | 25 MAR | 03 OCT | 26 OCT | 12 NOV | 40 | 83 | 15 |
| 1908 | 21 MAR | 04 MAR | 19 MAY | 26 SEP | 15 DEC | 06 NOV | 56 | 87 | 3 |
| 1909 | 09 APR | 25 JAN | 06 JUN | 07 OCT | 05 DEC | 18 NOV | 54 | 99 | 19 |
| 1910 | **25 APR** | 03 MAR | 23 MAR | 02 OCT | 24 OCT | 06 NOV | 58 | 85 | **0** |
| 1911 | 16 MAR | 31 JAN | 09 MAR | 06 OCT | 15 OCT | 02 NOV | 30 | 93 | 10 |
| 1912 | 26 MAR | 18 MAR | 24 MAY | 11 OCT | 31 OCT | 02 NOV | **84** | 82 | **0** |
| 1913 | 29 MAR | 23 MAR | 29 MAY | 07 SEP | 21 NOV | 30 OCT | 58 | 84 | 10 |
| 1914 | 10 APR | 19 JAN | 16 APR | 22 SEP | 07 NOV | 28 OCT | 64 | 93 | 10 |
| 1915 | 31 MAR | 10 APR | 28 APR | 03 OCT | 10 NOV | 15 NOV | 69 | 74 | 3 |
| 1916 | 17 MAR | 17 FEB | 10 MAY | 15 OCT | 07 NOV | 21 OCT | 58 | 93 | 1 |
| 1917 | 06 MAR | 19 FEB | 26 MAY | 29 SEP | 09 NOV | 20 OCT | 66 | 66 | 1 |
| 1918 | 17 MAR | 25 JAN | **13 FEB** | 07 OCT | 06 NOV | 23 NOV | 51 | 122 | 46 |
| 1919 | 06 MAR | 20 FEB | 22 APR | 02 OCT | 31 OCT | 12 NOV | 52 | 102 | 21 |

| YEAR | LAST FREEZE | FIRST 80°F | FIRST 90°F | LAST 90°F | LAST 80°F | FIRST 32°F | # DAYS ≤ 32°F | # DAYS ≥ 90°F | # DAYS ≥ 100°F |
|---|---|---|---|---|---|---|---|---|---|
| 1920 | 05 APR | 16 MAR | 03 MAY | 20 OCT | 06 NOV | 12 NOV | 47 | 86 | 1 |
| 1921 | 21 FEB | 13 FEB | 20 MAY | 02 OCT | 18 NOV | 12 NOV | 18 | 110 | 24 |
| 1922 | 08 MAR | 11 FEB | 26 MAY | 05 OCT | 01 DEC | 22 NOV | 39 | 100 | 11 |
| 1923 | 01 APR | 03 MAR | 20 MAY | 02 OCT | 15 OCT | 29 NOV | 35 | 83 | 7 |
| 1924 | 02 APR | 28 MAR | 15 APR | 19 OCT | 17 DEC | 25 NOV | 57 | 107 | 38 |
| 1925 | 15 MAR | 21 FEB | 18 APR | 06 OCT | 24 OCT | 30 OCT | 43 | **124** | **48** |
| 1926 | 01 APR | 05 APR | 22 MAY | 18 OCT | 28 OCT | 05 NOV | 44 | 110 | 20 |
| 1927 | 22 MAR | 03 FEB | 03 APR | 28 OCT | 29 NOV | 03 DEC | 36 | 114 | 11 |
| 1928 | 16 APR | 11 JAN | 01 MAY | 15 OCT | 13 NOV | 13 NOV | 41 | 111 | 21 |
| 1929 | 10 MAR | 06 MAR | 23 MAR | 17 OCT | 12 NOV | 06 NOV | 58 | 103 | 19 |
| 1930 | 26 MAR | 23 FEB | 14 JUN | 22 SEP | 18 NOV | 31 OCT | 48 | 84 | 23 |
| 1931 | 29 MAR | 07 APR | 06 JUN | 11 OCT | 23 NOV | 25 NOV | 25 | 63 | 1 |
| 1932 | 14 MAR | 09 FEB | 05 JUN | 23 OCT | 04 NOV | 11 NOV | 45 | 83 | 17 |
| 1933 | 21 MAR | 24 FEB | 10 APR | 30 SEP | 05 DEC | 08 NOV | 25 | 92 | 5 |
| 1934 | 19 MAR | 06 MAR | 30 MAY | 24 OCT | 09 NOV | 15 NOV | 38 | 101 | 24 |
| 1935 | 28 FEB | 05 MAR | 11 JUN | 16 OCT | 10 NOV | 23 NOV | 42 | 76 | 7 |
| 1936 | 03 APR | 25 FEB | 14 APR | 19 OCT | 02 NOV | 04 NOV | 48 | 100 | 21 |
| 1937 | 29 MAR | 03 APR | 20 MAY | **31 OCT** | 01 NOV | 23 OCT | 44 | 83 | 3 |
| 1938 | 01 MAR | 04 MAR | 30 MAY | 15 OCT | 17 NOV | 08 NOV | 39 | 96 | 6 |
| 1939 | 03 MAR | 11 MAR | 24 MAY | 26 OCT | 07 DEC | 31 OCT | 32 | 97 | 12 |
| 1940 | 13 APR | 28 FEB | 01 APR | 23 SEP | 28 OCT | 12 NOV | 50 | 49 | **0** |
| 1941 | 19 MAR | 01 APR | 21 MAY | 22 OCT | 16 NOV | 12 NOV | 46 | 84 | **0** |
| 1942 | 03 MAR | 13 MAR | 27 MAY | 19 SEP | 19 NOV | 27 NOV | 45 | 94 | 13 |
| 1943 | 09 MAR | 16 JAN | 10 APR | 15 SEP | 01 NOV | 09 NOV | 48 | 112 | 43 |
| 1944 | 08 MAR | 14 MAR | 11 MAY | 25 OCT | 02 NOV | 28 NOV | 35 | 116 | 21 |
| 1945 | 27 FEB | 15 FEB | 20 MAY | 28 SEP | 02 NOV | 22 NOV | 39 | 76 | 6 |
| 1946 | 09 MAR | 30 MAR | 01 APR | 09 OCT | 01 NOV | 02 DEC | 29 | 86 | 9 |
| 1947 | 28 MAR | 04 APR | 04 MAY | 18 OCT | 31 OCT | 01 DEC | 51 | 92 | 32 |
| 1948 | 14 MAR | 19 MAR | 08 APR | 23 SEP | 29 OCT | 19 OCT | 63 | 100 | 1 |
| 1949 | 19 MAR | 10 JAN | 04 MAY | 12 SEP | 11 NOV | 01 NOV | 36 | 74 | **0** |
| 1950 | 30 MAR | 24 JAN | 23 MAY | 18 SEP | 01 NOV | 04 NOV | 59 | 49 | **0** |
| 1951 | 15 MAR | 14 APR | 18 MAY | 06 OCT | **31 DEC** | 02 NOV | 56 | 90 | 6 |
| 1952 | 24 MAR | 19 MAR | 03 MAY | 01 OCT | 17 NOV | 16 OCT | 50 | 94 | 20 |
| 1953 | 23 FEB | 12 MAR | 22 MAY | 18 OCT | 03 NOV | 30 OCT | 47 | 109 | 11 |
| 1954 | 16 MAR | 09 FEB | 28 MAY | 11 OCT | 25 OCT | 30 OCT | 54 | 117 | 44 |
| 1955 | 29 MAR | 02 MAR | 22 APR | 06 OCT | 24 DEC | 25 OCT | 69 | 78 | **0** |
| 1956 | 20 MAR | 06 MAR | 18 MAY | 06 OCT | 05 DEC | 08 NOV | 51 | 94 | 10 |
| 1957 | 08 MAR | 09 JAN | 17 MAY | 20 SEP | **04 OCT** | 27 OCT | 30 | 63 | **0** |
| 1958 | 20 MAR | 03 APR | 14 MAY | 26 SEP | 16 NOV | 07 NOV | 65 | 73 | **0** |
| 1959 | 23 MAR | 31 MAR | 01 MAY | 03 OCT | 03 NOV | 06 NOV | 62 | 78 | **0** |

| YEAR | LAST FREEZE | FIRST 80°F | FIRST 90°F | LAST 90°F | LAST 80°F | FIRST 32°F | # DAYS ≤ 32°F | # DAYS ≥ 90°F | # DAYS ≥ 100°F |
|---|---|---|---|---|---|---|---|---|---|
| 1960 | 25 MAR | 29 MAR | 06 APR | 03 OCT | 27 NOV | 21 OCT | 80 | 91 | 5 |
| 1961 | 25 FEB | 06 MAR | 17 MAY | 24 SEP | 02 NOV | 08 NOV | 45 | 69 | **0** |
| 1962 | 07 MAR | 01 FEB | 07 MAY | 13 OCT | 20 OCT | 04 NOV | 46 | 92 | 7 |
| 1963 | 06 MAR | 12 MAR | 10 MAY | 15 OCT | 31 OCT | 13 NOV | 72 | 82 | 2 |
| 1964 | 30 MAR | 08 MAR | 17 MAY | 22 SEP | 17 NOV | 20 NOV | 53 | 95 | 9 |
| 1965 | 26 MAR | 16 MAR | 22 APR | 09 OCT | 26 NOV | 25 OCT | 48 | 87 | 2 |
| 1966 | 25 MAR | 17 MAR | 08 MAY | 06 SEP | 31 OCT | 02 NOV | 65 | 64 | 11 |
| 1967 | 18 MAR | 11 MAR | 11 MAY | 21 SEP | 21 NOV | 04 NOV | 54 | **41** | **0** |
| 1968 | 24 MAR | 29 MAR | 14 MAY | 08 SEP | 01 NOV | 12 NOV | 63 | 61 | **0** |
| 1969 | 13 MAR | 01 APR | 21 MAY | 04 OCT | 20 OCT | 14 NOV | 50 | 68 | 9 |
| 1970 | 15 MAR | 06 APR | 22 MAY | 02 OCT | 26 OCT | 15 NOV | 55 | 72 | 4 |
| 1971 | 06 APR | 14 MAR | 02 JUN | 03 OCT | 14 NOV | 07 NOV | 42 | 74 | 4 |
| 1972 | 03 MAR | 24 JAN | 13 APR | 14 OCT | 01 NOV | 23 NOV | 44 | 89 | 5 |
| 1973 | 28 FEB | 23 APR | 10 MAY | 04 OCT | 24 NOV | 07 DEC | 40 | 74 | **0** |
| 1974 | 24 MAR | 04 MAR | 31 MAR | **28 AUG** | 03 NOV | 15 NOV | 35 | 61 | 2 |
| 1975 | 04 APR | 27 JAN | 19 MAY | 12 OCT | 08 NOV | 14 NOV | 48 | 78 | **0** |
| 1976 | 08 FEB | 27 FEB | 13 JUN | 04 OCT | 16 OCT | 21 OCT | 61 | 51 | **0** |
| 1977 | 22 MAR | 26 FEB | 08 MAY | 02 OCT | 31 OCT | 10 NOV | 69 | 100 | 6 |
| 1978 | 11 MAR | 31 MAR | 20 MAY | 22 SEP | 14 NOV | 18 NOV | **84** | 94 | 11 |
| 1979 | 25 MAR | 20 MAR | 10 JUN | 02 OCT | 27 OCT | 11 NOV | 80 | 53 | **0** |
| 1980 | 18 MAR | 22 FEB | 29 MAY | 23 SEP | 09 NOV | 30 OCT | 72 | 103 | 39 |
| 1981 | 19 MAR | 26 FEB | 09 JUN | 06 OCT | 18 OCT | 21 NOV | 59 | 63 | **0** |
| 1982 | 09 MAR | 24 FEB | 28 MAY | 06 OCT | 03 DEC | 25 OCT | 69 | 65 | **0** |
| 1983 | 23 MAR | **27 APR** | 13 JUN | 20 SEP | 04 NOV | 12 NOV | 71 | 80 | 10 |
| 1984 | 12 MAR | 14 APR | 14 MAY | 15 SEP | 02 NOV | 12 NOV | 68 | 59 | 1 |
| 1985 | 06 MAR | 14 MAR | 27 MAY | 23 SEP | 20 NOV | 02 DEC | 67 | 75 | 3 |
| 1986 | 23 MAR | 26 FEB | 09 MAY | 03 OCT | 04 OCT | 13 NOV | 32 | 76 | 7 |
| 1987 | 31 MAR | 09 APR | 19 APR | 17 SEP | 04 NOV | 02 DEC | 34 | 88 | 4 |
| 1988 | 15 MAR | 21 MAR | 15 MAY | 23 SEP | 09 NOV | 23 NOV | 45 | 80 | 2 |
| 1989 | 11 APR | 01 FEB | 22 APR | 09 SEP | 27 NOV | 20 OCT | 53 | 55 | **0** |
| 1990 | **05 FEB** | 12 MAR | 29 APR | 29 SEP | 04 NOV | 30 NOV | **18** | 86 | 10 |
| 1991 | 10 MAR | 06 MAR | 13 MAY | 03 OCT | 23 OCT | 01 NOV | 34 | 75 | 1 |
| 1992 | 11 MAR | 07 MAR | 10 JUN | 20 SEP | 31 OCT | 06 NOV | 27 | 44 | **0** |
| 1993 | 14 MAR | 08 MAR | 03 JUN | 24 SEP | 13 NOV | 31 OCT | 46 | 82 | 7 |
| 1994 | 10 MAR | 04 MAR | 26 APR | 30 SEP | 19 OCT | 01 DEC | 39 | 65 | **0** |
| 1995 | 10 MAR | 02 FEB | 13 MAY | 02 OCT | 23 OCT | 12 NOV | 44 | 91 | 8 |
| 1996 | 05 APR | 23 FEB | 20 MAY | 12 SEP | 29 OCT | 27 NOV | 49 | 63 | 1 |
| 1997 | 15 FEB | 04 MAR | **19 JUN** | 06 OCT | 12 OCT | 16 NOV | 30 | 68 | 2 |
| 1998 | 12 MAR | 28 MAR | 12 MAY | 30 SEP | 01 NOV | **16 DEC** | 19 | 112 | 10 |
| 1999 | 15 MAR | 03 APR | 03 JUN | 28 SEP | 14 NOV | 26 NOV | 25 | 80 | 5 |

| YEAR | LAST FREEZE | FIRST 80°F | FIRST 90°F | LAST 90°F | LAST 80°F | FIRST 32°F | # DAYS ≤ 32°F | # DAYS ≥ 90°F | # DAYS ≥ 100°F |
|---|---|---|---|---|---|---|---|---|---|
| 2000 | 20 FEB | 07 MAR | 23 MAY | 05 OCT | 01 NOV | **10 OCT** | 54 | 86 | 22 |
| 2001 | 25 MAR | 03 APR | 20 MAY | 22 SEP | 24 OCT | 28 OCT | 38 | 63 | 1 |
| 2002 | 23 MAR | 30 JAN | 01 MAY | 04 OCT | 10 NOV | 17 NOV | 49 | 73 | **0** |
| 2003 | 10 MAR | 12 APR | 30 MAY | 24 OCT | 05 NOV | 24 NOV | 56 | 50 | **0** |
| 2004 | 27 FEB | 20 MAR | 08 JUN | 18 SEP | 07 NOV | 01 DEC | 42 | 43 | **0** |
| 2005 | 10 MAR | 21 FEB | 11 MAY | 18 OCT | 08 NOV | 26 OCT | 33 | 89 | 2 |
| 2006 | 24 MAR | 01 MAR | 17 APR | 04 OCT | 18 OCT | 03 NOV | 38 | 82 | 6 |
| 2007 | 08 APR | 12 MAR | 06 JUN | 18 SEP | 05 NOV | 16 NOV | 47 | 70 | 9 |
| 2008 | 09 MAR | 18 MAR | 19 MAY | 12 SEP | 15 OCT | 09 NOV | 57 | 72 | 6 |
| 2009 | 04 MAR | 09 MAR | 31 MAY | 09 SEP | 08 OCT | 27 NOV | 54 | 55 | 1 |
| 2010 | 05 MAR | 31 MAR | 05 MAY | 10 OCT | 27 OCT | 30 OCT | 62 | 115 | 12 |
| 2011 | 11 MAR | 18 MAR | 09 MAY | 16 OCT | 14 NOV | 18 NOV | 39 | 97 | 13 |
| 2012 | 20 FEB | 23 FEB | 04 MAY | | | | | | |
| 2013 | | | | | | | | | |
| 2014 | | | | | | | | | |
| 2015 | | | | | | | | | |
| 2016 | | | | | | | | | |
| 2017 | | | | | | | | | |
| 2018 | | | | | | | | | |
| 2019 | | | | | | | | | |
| 2020 | | | | | | | | | |
| 2021 | | | | | | | | | |
| 2022 | | | | | | | | | |
| 2023 | | | | | | | | | |
| 2024 | | | | | | | | | |
| 2025 | | | | | | | | | |
| 2026 | | | | | | | | | |
| 2027 | | | | | | | | | |
| 2028 | | | | | | | | | |
| 2029 | | | | | | | | | |
| 2030 | | | | | | | | | |
| 2031 | | | | | | | | | |
| 2032 | | | | | | | | | |
| 2033 | | | | | | | | | |
| 2034 | | | | | | | | | |
| 2035 | | | | | | | | | |
| 2036 | | | | | | | | | |
| 2037 | | | | | | | | | |
| 2038 | | | | | | | | | |
| 2039 | | | | | | | | | |